

S. (F.)
A. 2622

JOURNAL OF THE ASIATIC SOCIETY OF BENGAL.

Part II.—NATURAL SCIENCE.

SUPPLEMENT.—1890.

1—*Catalogue of the Insecta of the Oriental Region.* No. 2, *Order Coleoptera, Family Carabidæ.*—By E. T. ATKINSON, B. A.

DR. HORN writes that the *Carabidæ* form one of the members of the Adephagous series of Coleoptera, which 'is readily recognized by the predaceous character of its mouth parts, its slender anteunæ (except in the *Gyrinidæ*), pentamerous tarsi, and the structure of the first abdominal segment, which is in all cases divided or hidden by the posterior coxae in such a manner that it is entirely lateral, rarely appearing as a small triangular piece between the posterior coxae.'

The classification of the *Carabidæ* is still unsettled, and, notwithstanding the very great attention paid to this group, there is no generally recognized arrangement that can be followed for the species of the Oriental Region. The number of groups, their extent, relative position, and nomenclature, still leave much to be desired. Leconte, † writing in 1862, remarked:—'Numerous efforts have been made to indicate a rational distribution of the genera, and the attempts commenced by Latreille and Bonelli, and successively improved by the suggestions of Dejean, Erichson, Schiödte, Lacordaire, and myself, have finally, in the expert hands of Schaum,* assumed a form in which probably permanent results have been obtained.'

† 'Classification of the Coleoptera of North America,' in Smithsonian Miscellaneous Collections, 1862.

* Naturg. Ins. Deutschl, 1860, and 'Das system der Carabidinen,' in Berlin. Ent. Zeits., iv, 1860, p. 161.

Following the suggestions of the later authors, Leconte divided the whole family into three sub-families, formed thus :—

Middle coxæ distant ;

Epimera of the mesonotum reaching the coxæ ... 1. CARABIDÆ.

Epimera of the mesonotum not reaching the coxæ ... 3. HARPALIDÆ.

Middle coxæ contiguous 2. OZÆNIDÆ.

In the *Carabidæ*, he placed the tribes *Omophronini*, *Hiletini*, *Carabini*, and *Scaritini*. To the second sub-family he attached the *Ozænini* and *Pseudomorphini*, and all the rest to the third sub-family. Leconte, writing of the Coleoptera of North America, did not indicate the position of the extra-American genera.

In 1880, † Kölbe, starting with the hypothesis that the land-beetles are later than the water-beetles, and that the points common to both are of primary value in classification, divided the family '*Carnivora*' into six sections, which are further subdivided into groups. His arrangement, however, does not help us, and the placing of the family *Cicindelidæ* as a simple subsection of one of his groups does not appear to be correct.

In 1881, Dr. G. H. Horn, ‡ reviewed the genera of the *Carabidæ* of North America, and, in doing so, gave the following arrangement of the Adephagous families, which is followed in the present catalogue :—

I. Metasternum with an ante-coxal piece, separated by a well-marked suture, reaching from one side to the other, and extending in a triangular process between the coxæ.

Antennæ 11-jointed : posterior coxæ mobile and simple ; habits terrestrial.

Antennæ inserted on the front above the base of the mandibles : *Cicindelidæ*.

Antennæ arising at the side of the head, between the mandibles and the eyes : *Carabidæ*.

Antennæ 10-jointed : posterior coxæ fixed, and with large plates almost entirely concealing the abdomen : habits aquatic : *Haliplidæ*.

II. Metasternum with a very short ante-coxal piece, the suture indistinct, posteriorly not prolonged between the coxæ : habits aquatic : legs ambulatorial : anterior coxæ globular :

Amphizoidæ.

Legs natatorial : anterior coxæ conical : *Pelobiidæ*.

† *Natürliches System der Carnivoren Coleoptera*, in Deutsche Ent. Zeits., xxiv, 1880, p. 258.

‡ 'On the genera of the Carabidæ, with special reference to the fauna of Boreal America,' in Trans. Amer. Ent. Soc., 1880, p. 91-196.

III. Metasternum prolonged behind in a triangular process, the antecoxal piece entirely wanting : habits aquatic.

Antennæ slender, filiform or setaceous, abdomen with six segments : eyes two : *Dytiscidae*.

Antennæ irregular, very short : abdomen with seven segments of which the first two are closely united : eyes four : *Gyrinidae*.

The *Carabidæ* are divided into three sub-families :—

Middle coxal cavities not entirely enclosed by the sterna, the epimeron of the mesosternum attaining the coxae : *Carabinae*.

Middle coxal cavities entirely enclosed by the sterna, the epimeron of the mesosternum not attaining the coxae.

Head without antennal grooves beneath and with distinct super-orbital setæ : ambulatorial setæ of abdomen usually well developed. *Harpalinae*.

Head with distinct, usually long, antennal grooves beneath, and without distinct super-orbital setæ : ambulatorial setæ of the abdomen feeble or wanting. *Pseudomorphinae*.

The Harpalinæ are further subdivided into two sections, the first in which the head has two super-orbital setigerous punctures, the second in which there is but one. The groups included in the subfamilies are as follows :—

Carabinæ.	13. <i>Promecognathini</i> .	25. <i>Licinini</i> .	38. <i>Cratocerini</i> .
1. <i>Omophronini</i> .	14. <i>Enceladini</i> .	26. <i>Platynini</i> .	39. <i>Orthogonini</i> .
2. <i>Trachypachini</i> .	15. <i>Scaritini</i> .	27. <i>Anchanoderini</i> .	Harpalinæ II
3. <i>Cychrini</i> .	Harpalinæ I.		
4. <i>Carabini</i> .	16. <i>Panagæni</i> .	28. <i>Ctenodactylini</i> .	40. <i>Brachynini</i> .
5. <i>Pamborini</i> .	17. <i>Siagonini</i> .	29. <i>Odacanthini</i> .	41. <i>Apotomini</i> ,
6. <i>Hiletini</i> .	18. <i>Ozænini</i> .	30. <i>Dryptini</i> .	42. <i>Broscini</i> .
7. <i>Elaphrini</i> .	19. <i>Nomiini</i> .	31. <i>Mormolycini</i> .	43. <i>Zacotini</i> .
8. <i>Loricerini</i> .	20. <i>Psydrini</i> .	32. <i>Agrini</i> .	44. <i>Peleciini</i> .
9. <i>Nebriini</i> .	21. <i>Morionini</i> .	33. <i>Egini</i> .	45. <i>Chlaenini</i> .
10. <i>Migadopini</i> .	22. <i>Bembidiini</i> .	34. <i>Lebiini</i> .	46. <i>Zabrinii</i> .
11. <i>Metriini</i> .	23. <i>Pogonini</i> .	35. <i>Helluonini</i> .	47. <i>Harpalini</i> .
12. <i>Myrtopomini</i> .	24. <i>Pterostichini</i> .	36. <i>Graphiptorini</i> .	48. <i>Pseudomorphinæ</i>
		37. <i>Anthiini</i> .	

Several of these groups are further subdivided, but these details need not be noticed here.

M. Borré writes of this arrangement :—‘ Beaucoup des genres prennent ainsi des places bien différentes de celles où nous sommes accoutumés de les voir ; déjà, dans l’arrangement des tribus, nous avons pu voir que des affinités consacrées par un usage pour ainsi dire général, sont tout à fait brisées, et je dois dire avec justice, car tous ceux qui ont approfondi un peu la matière le savent, il y avait dans notre classification que trop de traces de cette mesquine étude que l’on peut l’appeler l’entomologie

de clocher, c'est-à-dire que les premiers auteurs s'étaient mis en route avec l'insoutenable préjugé que notre petite Europe allait nous offrir l'abrégé exact de la nature du globe, et la possibilité de formuler par elle seule le système de cette nature.' The arrangement, however, has been adopted in Leconte and Horn's edition* of Leconte's work on the classification of American Coleoptera already noticed, and in most of the later European catalogues. There still remains the task of amalgamating the groups of all countries in one list.

Another attempt at the classification of the *Carabidae* has been made by M. des Gozis.† This is based principally on the presence or absence of setigerous pores in the pronotum. He distributes the genera into six sections, but this arrangement appears to bring together genera incongruous in other respects, *Oodini*, *Omophronini*, *Dryplini* and *Zabriini* in the first group; *Brachynini* and *Harpalini* in the second group; whilst the fifth group contains an agglomeration of apparently widely distinct genera.

Mr. Sharp, in a paper‡ on the *Carabidae*, quotes Leconte's remarks already noticed, and adds:—'The learned and energetic American expert had himself contributed greatly, probably as much or more than any other of the authors he mentions, to the rational system of classification he describes, and had no doubt done so at the expense of great labour and time, but the lapse of time has not altogether justified his expression of reliance as to the permanency of the results then reached. Duval, Chandoir, C. J. Thomson and others have worked, since Leconte, at the classification of these insects, and each has contributed more or less to our knowledge, and has thus induced change. The genera of a large number of groups have been entirely remodelled by Chandoir; while of the larger groups it may be truly said that at present but little accord exists as to their limits and arrangement, except in the case of certain comparatively small and isolated groups.'

Mr. Sharp further remarks:—'Indeed I am, myself, of opinion that classification of the groups superior in complexity to genera is at present (1883) so extremely far from approximation to the actual facts, and that these groups will thus probably in future assume a totally different form, that we should do well to refrain from giving them names at all,

* 'Classification of the Coleoptera of North America,' by J. L. Leconte and G. H. Horn, in Smithsonian Miscellaneous Collections, 1883; and separate, 1888. Bibliography of the American Carabidae, *ib.*, p. 536.

† 'Mémoire sur les pores sétigères prothoraciques dans la tribu des Carnivores,' in MT Schwe. Ent. Ges. vi, 1882, p. 285.

‡ Trans. Ent. S. Lond., 1883, p. 61. 'On the classification of the Adephaga, or carnivorous series of the Coleoptera.'

and contenting ourselves with the simple method of numbering the tribes or groups, instead of naming them.' As pointed out by Mr. Sharp, the number of tribes, or groups of genera, in each sub-family is greater than those given by Dr. Horn, whose investigations refer mainly to the species of North America. Mr. Sharp also remarks that, in the case of many of the tribes adopted by Dr. Horn, that writer makes use of the same names for them as have been used by his predecessors, although giving to those names a widely different extension or meaning. Though this is the usual plan, it gives to classifications a false appearance of accord and permanence, and also, by giving to the names the sanction of long use, tends to make them appear in the eyes of many of more importance than they are in fact. With these remarks I thoroughly concur, and any one who has had to study the literature of the *Carabidæ*, will, I am sure, endorse them. In preparing this paper, I have found that it would be possible almost to count as a group* each genus, and I consider the best course is to arrange the genera as near as possible in the groups that have been established with some authority, and then to give fairly full references†, which those who have the knowledge and material can hereafter work out for themselves. I possess neither the time nor the material necessary for this purpose, and my object is merely to help others by giving a list of the recorded species from the Oriental Region.‡

Bates H. :—

On the group *Pericalini* :—Ent. Mon. Mag., vi. 1869. p. 69.

” ” *Lachnophorini* :—l.c. viii. 1871. p. 29.

Biologia Centrali-Amer., Col. i (i), 1881.

Bonelli, F. A. :—

‘Observations entomologiques,’ in *Mémoires de l’ Académie Impériale des Sciences, Littérature et Beaux-arts, classe de Physique et de Mathématique, pour les années, 1809-10.* Turin, 1809, p. 21 : *ibid.*, 1813 p. 442. [My copy does not contain the *tab. syn.* quoted by authors.]

Brulle, A. :—

Histoire naturelle des Insectes, par M M Audouin et Brullé. (Coléoptères). iv-vi. Paris, 1834.

* Let any one compare the notes in the *Zoological Record* for a series of years, and he will at once appreciate the extent of the existing confusion, which the *Zoologischer Jahresbericht* got over by giving the genera in alphabetical order.

† A list follows of the principal papers of Chaudoir, Putzeys, Bates, and others on classification.

‡ A few extra-Oriental species, marked by an asterisk, are given from the collection made by the Yarkand Mission of which the types are in the Indian Museum. The species identified in the Indian Museum have the precise locality in angular brackets.

Chaudoir, M. le Baron de :—

Bulletin de la Société Impériale des Naturalistes, Moscou.

- 1.—Genres nouveaux et espèces nouvelles des *Carabiques*, *ib.* :—x (3), 1837, p. 1 ; (7) p. 3.
- 2.—Tableau d'une nouvelle subdivision du genre *Feronia*. *ib.*, xi (1), 1838, p. 1.
- 3.—Genres nouveaux *ib.*—xv, 1842, p. 832 ; xvi, 1843, p. 383, 671.
- 4.—Trois Mémoires sur la famille des *Carabiques* : *ib.*, xvii, 1844, p. 415.
- 5.—Note sur le groupe des *Stomides* : *ib.*, xix (2), 1846, p. 511.
- 6.—Mémoire sur la famille des Carabiques, I., *ib.*, xxi (1), 1848, p. 1 :—Odacan-thini (p. 26), Pericalus (111). II, *ib.*, xxiii (1), 1850, p. 1 :—Drypta, p. 33, Anthia (41), Callida (51), Catascopus (349), Coptodera (356), Pristonychus (379), Dieranoneus (392), Callistus (394), Lasiocera (402), Omophron (424). III, *ib.*, xxv (1), 1852, p. 1 :—Triplogenius (p. 71). IV, *ib.*, xxvii (1), 1854, p. 112, 279 :—Ozaenii (p. 279). V, *ib.*, xxviii (1), 1855, p. 1 :—Scaritini (p. 5). VI, *ib.*, xxix (3), 1856, p. 187 :—Chlaenini, xxx (3), 1857, p. 1.
- 7.—Materiaux pour servir à l'étude des *Cicindelètes* et des *Carabiques*, *ib.*, xxxiii (4), 1860, p. 269 (*Cicindelidae*) : xxxiv (1), 1861, p. 491 :—Cychrini (p. 493), Carabini (502), Nebriini (504), Opisthius (505), Hiletini (506), Dendrocellus (545), Drypta (546), Galerita (551), Anthia (561) : *ib.* (2), p. 335 :—Revision de l'ancien genre *Panagaeus* :—Epicosmus (p. 335), Peronomerus (354), Euschizomerus (351).
- 8.—*ib.*, xxxv (1), 1862, p. 275 :—Casnonia (p. 275), Dicraspeda (300) Helluodes (302), Physotraphus (303), Pogonoglossus (301), Zuphium (310).
- 9.—Essai monographique sur le genre *Abacetus*, xlii (1), 1869, p. 355.
- 10.—Monographic des *Graphiptérides*, *ib.*, xlili (1), 1870, p. 281.
- 11.—Monographic des *Lébiides*, *ib.*, xlili (2), 1870, p. 111 :—Dietya (p. 123), Nematopeza (146), Lebia (162) : *ib.*, xliv (1), 1871, p. 1 :—Stephanas (p. 55).
- 12.—Observations sur quelques genres des *Carabiques*, *ib.*, xlvi (1), 1872, p. 382 :—Callistomimus (p. 382), Casnonia (397).
- 13.—Materiaux pour servir à l'étude des *Feroniens* ;—xlvi (2), 1873, p. 85 ; *ib.*, xlvii (1), 1874, p. 1 :—Aepsira (p. 29).
- 14.—Etude monographique des *Masoréides*, et des *Tetragonodérides*, *ib.*, li (3), 1876, p. 1 :—Capnora (p. 8), Masoreus (11), Cyclosomus (27), Tetragono-derns (33), Mnuphorus (69), Tilius (71).
- 15.—Monographic des *Siagonides*, *ib.*, 1 (1), 1876, p. 62 :—Siagona (p. 76), Coscinia (115).
- 16.—Genres nouveaux et espèces inédites des Carabiques :—*ib.*, llii (3), 1878 p. 1 :—Rhathymus (p. 7), Tropidocerus (9), Abacetus (25), Triplogenius (31).
- 17.—Essai monographique sur les *Morionides*, *ib.*, lv (1), 1880, p. 317 :—Morio, Morionidius.

Annales de la Société Entomologique de France.

- 1.—Genres et espèces des *Carabiques* nouveaux :—iv, 1887, p. 429.
- 2.—Monographic du genre *Colpodes*, Macleay :—(3 s.) vii, 1859, p. 287.
- 3.—Revision des genres *Dieranoneus* and *Colpodes* ; (5 s.) viii, 1878, p. 275.
- 4.—Monographic des *Ooidées* :—(6 s.) ii, 1882, p. 317, 485.

L'Abeille.

- 1.—Monographie du genre *Pacilus* :—xvi, 1876, p. 1.
Annales de la Société Entomologique de Belgique.
- 1.—Révision du groupe des *Ozénides*, xi, 1867-68, p. 43 :—Picrus (p.45), Itamus (51), Eustra (71).
- 2.—Révision des *Trigonotomides*, l. c., p. 151 :—Triplogenius (p. 154), Trigonomima (158).
- 3.—Mémoire sur les *Thyreopterides*, xii, p. 113 :—Brachichila (p. 123), Tantillus (126), Sinurus (129), Morinolyce (131), Serrimargo (134), Peripristus (135), Thyreopterus (141), Miscelus (152), Holcoderus (153), Catascopus (158), Pericallus (158).
- 4.—Mémoire sur les *Coptodériades*, ib., p. 163 :—Coptodera (p. 163), Lioptera (208), Moctherus (210), Dolichocritis (215), Brachycitis (252).
- 5.—Essai monographique sur le groupe des *Pogonides*, ib., xiv, 1870-71, p. 21 :—Pogonus (p. 23), Patrobus (40).
- 6.—Essai monographique sur les *Orthogoniens*, ib., xiv, 1870-71, p. 95 :—Orthogonius (p. 98), Hexachaetus (124), Actenoncus (126).
- 7.—Essai monographique sur les *Drimostomides* et les *Cratocérides*, ib., xv, 1872, p. 5 :—Drimostoma (p. 9), Stomouaxus (13), Diceromerus (15).
- 8.—Monographic des *Callidides*, ib., xv, 1872, p. 97 :—Callida (p. 103), Crossoglossa (177), Bothynoptera (181), Endynomena (186).
- 9.—Monographie des *Brachynides*, ib., xix, 1876, p. 11 :—Pheropsophus (p. 16), Brachynus (49), Styphlomerus (87), Mastax (97).
- 10.—Essai monographique sur les *Panagéides*, ib., xxi, 1878, p. 83 :—Brachyonychus (p. 86), Epicosimus (104), Eudema (133), Microcosmus (139), Dischissus (149), Euschizomerus (157), Peronemerus (162), Trichisia (164).
- 11.—Monographie des *Scaritides* ib., xxii, 1879, p. 124-181 ; xxiii, 1880, p. 5-130 :—Oxylobus (p. 129), Coptolobus (159), Distichus (p. 44), Scarites (63.)

Annali Museo Civico di Genova.

- 1.—Monographie des *Chléniens* :—viii, 1876, p. 5 :—*Chlaenius* (p. 10), *Hololius* (290), *Rhopalistes* (291).
- 2.—*Féronides* from Australia :—vi, 1874, p. 568 : *Harpaliens* from Australia. xii, 1878, p. 475.

Clairville, J. de :—

Entomologie Helvétique, ou Catalogus des insectes (Coléoptères) de la Suisse. Zurich, 1798 ; vol. ii, 1806.

Curtis, J. :—

British Entomology being Illustrations and Descriptions of the genera of insects found in Great Britain and Ireland. London, 1823-40.

Dejean, P. F. :—

Species général des Coléoptères. Paris, 1825-31.

Iconographie et Histoire naturelle des Coléoptères d'Europe. Paris, 1829-40.

Erichson, W. F. :—

Die Käfer der Mark Brandenburg. Berlin, 1837, 1839.

Fabricius, J. C. :—See Cat. *Capsidæ*, p. 23.

Fischer, G. :—

Entomographia imperii Russici, iii, Moscow, 1825-28.

Herbst, J. F. W. :—

Kritisches Verzeichniss meiner Insecten-Sammlung (Col.), in Archives de l' histoire des insectes par J. Füssly, 1784 ; in French by Winterthür, 1794.

Kirby, W. :—

Fauna boreali-Americana, Zool., iv. Norwich, 1837.

Lacordaire, J. T. :—
Genera des Coléoptères. I, Paris, 1851.

Faune entomologique des environs de Paris. Paris, 1835.

Latreille, P. A. :—

Histoire naturelle générale et particulière des Crustacés et des Insectes. Paris, 1802-1805.

Genera Crustaceorum et Insectorum, secundum ordinem naturalem in familias disposita, &c. Paris, i, iii, 1806-7.

Motschoulsky, V. :—

A list of the genera and species described by this author (1834-1867) will be found in the Supplement to vol. iv of the Horae Societatis entomologicae Rossicæ. St. Petersburg, 1868.

Enumération des nouvelles espèces des Coléoptères rapportées de ses voyages iv, Bull. Mosc., xxxvii (3), 1864, p. 171, 297 ; ib., xxxviii (4), 1865, p. 227.

Essai d'un Catalogue des Insectes de l'île Ceylon. Bull. Mosc., xxxiv (1), 1861, p. 95.

Olivier, A. G. :—

Entomologie ou Histoire naturelle des Insectes. Paris, 1789-1808.

Panzer, G. W. F. :—

Faunæ insectorum Germaniae initia. Nürnberg, 1793-1809.

Putzeys, J. :—

1.—Monographie des *Clivines* et des genres voisins. Mém. de la Soc. Roy. Liège, ii, 1846.

2.—Postscriptum ad *Clivinidarum* Monographiam, l. c., xviii, 1862.

3.—Révision générale des *Clivinides*, Ann. Soc. Ent. Belg., x, 1866-67, p. 1-225.

4.—Supplément à la Révision générale des *Clivinides*, l. c., xi, 1867-68, p. 1-22.

5.—Deuxième supplément à la même, l. c., xvi, 1873, p. 10.

6.—Monographie des *Calathides*, l. c., xvi, p. 19.

7.—*Broscosoma*, Carabidum genus novum. Brussels, 1846.

8.—Les Broscides, Stettin Ent., Zeit., 1868, p. 304 :—*Broscosoma*, p. 253.

9.—Etude sur les Amara de la Collection de Chaudoir. Liège, 1866.

10.—Monographie des Amara. L'Abeille, 1871, p. 100.

11.—Trechorum oculatorum monographia. Stettin Ent. Zeit., 1870.

Stephens, J. F. :—

Illustrations of British Entomology, or a Synopsis of indigenous insects. Mandibulata. Col. I-VI. London, 1828-32.

A Manual of British Coleoptera. London, 1839.

A Systematical catalogue of British Insects. London, 1829.

Wiedemann, C. R. W. :—

Zoologisches Magazin, Vol. i. (3), 1819 ; ii (1), 1823.

German's Magazin der Entomologie, iv, 1821, p. 107.

OMOPHRONINI :—

Lacordaire, Gen. Col., i, 1854, p. 41 : Horn, Gen. Carab., p. 105 : Leconte and Horn, Class. Col., 1883, p. 6.

Genus OMOPHRON.

Latreille, Hist. Nat. Ins., iii, 1802, p. 89 : Laeord., Gen. Col., i, p. 42 : Mun. Cat., p. 42 : Chaudoir, Rev. Mag. Zool., 1868, p. 51 : Bates, Biol. Centr. Amer. Col., i, p. 19.

Epactius, Schneider (1791), *texte Bergr.*, Berlin, Ent. Zeits., 1884, p. 229.
Homophron, Zool. Rec., 1875, p. 279.

Scolytus, pt. Fabr., Ent. Syst., i, 1792, p. 180.

Brettinghamae. Paseoe, Jour. Ent., i, 1860, p. 38.

Hab. India.

maculosus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 424.

Hab. N. India.

pictus (*Scolytus*), Wiedemann, Zool. Mag., ii (1), 1823, p. 69.

Hab. India, Bengal.

vittatus (*Scolytus*), Wiedemann, l. c., p. 69.

Hab. India, Bengal.

CYCHRINI :—

Horn, Gen. Carab., 1881, p. 107 : Leconte & Horner, Class. Col., 1883, p. 7.

[M. Géhin (Cat. Carab., 1885) places the *Cychrini* with the *Carabini* which he describes as comprising three genera, designated sub-tribes by him, *Cyhrus*, *Carabus* and *Calosoma*, each with numerous sub-divisions. M. Géhin writes :—" Tous les groupes que je viens d'examiner ont pour moi la même valeur systématique, ce sont des sous-genres des *Carabus*, *Calosoma* et *Cyhrus*. Si dans le synopsis j'ai fait préééder leur nom des mots 'genre' ou 'sous-genre', c'est pour montrer le peu d'harmonie qui existe entre les entomologistes". For the reasons given by Dr. Horn (l. c. supra), the *Cychrini* are retained as a separate group, and I give the other names as subgenera or synonyms, except *Coptolabrus* and *Damaster* which appear to be well established genera].

Genus CYCHRUS.

Fabricius, Skrift. Nat. Selsk., iii (2), 1794, p. 68-71 : Clairv., Ent. Hel., ii, p. 116 t. 19 : Latr., Hist. Crust., iii, p. 90 : Laeord., Gen. Col., i, p. 62 : Chaudoir, Bull. Mosc., xxxiv (1), 1861, p. 493 : Mun. Cat., p. 82 : Gehin, Cat., 1885, p. xxxvi, 73.

Brennus, Motsch., Bull. Mose., xxxviii (4), 1865, p. 311 : Gehin, Cat., p. xxxvii, 75.

Irichrous, Newman, Ent. Mag., v., 1838, p. 385 : Gehin, Cat., p. 71.

Pemphus, Motsch., Bull. Mose., xxxviii (4), 1865, p. 312 : Gehin, Cat., p. xxxvi, 73.

Scaphonotus, Latreille, Jc. Règne Anim., i, 1822, p. 87 : Mun. Cat., p. 84 : Gehin, Cat., p. xxxvi, 71.

Sphaeroderus, Dejean, Spec., ii, 1826, p. 14 : Mun. Cat., p. 84 : Gehin, Cat. p. xxxvi, 72.

Davidis, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 307.
Hab. Yunnan.

yunnanus, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 90.
Hab. Yunnan.

CARABINI:—

Horn, Gen. Carab., p. 108 : Leconte and Horn, Class. Col., p. 9.

Genus CARABUS.

Linn, Syst. Nat., i (2), 1767, p. 668 : Lacord., Gen. Col., i, p. 54 : Chaudoir, Bull. Mosc., xxxiv (1), 1861, p. 502 : Mun. Cat., p. 57 : Gehin, Cat. Carab., 1885, p. xi, xxv : Kraatz, Deutsche Ent. Zeits., 1878, passim ; xxx, 1886, p. 225 : Morawitz, Mém. Acad. St. Petersb., xxxiv, 9, 1886, p. 1.

Acoptolabrus, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 17.

Alogocarabus, Morawitz, l.c., p. 60.

Aplothorax, Waterhouse, Trans. Ent. S. Lond., iii, 1842, p. 207 : Lacord., Gen. Col., i, p. 58 : Gehin, Cat., p. xxviii, 54.

Apotomopterus, Hope, Col. Man., ii, 1838, p. 48 : Motsch., Bull. Mosc., xxxviii (4), 1865, p. 281—*Morphocarabus*, Gehin, Cat., p. 16.

Arohicarabus, Seidlitz, Fauna Baltica (2 ed.), 1887, p. 6 : Kraatz, Deutsche Ent. Zeits., xxxi, 1887, p. 362.

Autocarabus, Seidlitz, l.c., p. 7 : Kraatz, l.c. supra, p. 362.

Axinocarabus, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 55.

Calocarabus, Séménow, Hor. Ent. Ross., xxi, 1887, p. 166.

Cathaicus, Bates, Ent. Mon. Mag., 1872, p. 32 : Kraatz, Deutsche Ent. Zeits., 1878, p. 151 : Gehin, Cat., p. xv, 13.

Cechenes, Fischer, Ent. Imp. Russ., i, 1822, p. 110 : Gehin, Cat. p. xxiv, 39.

Cechenochilus, Motsch., Ins. Russ., 1846, p. 74, note. : Gehin, Cat., p. xxiv.

Ceroglossus, Solier, Mém. Acad. Turin., 1848, p. 10 ; id., Truqui and Baudet, Stud. Ent., p. 49 : Motsch., Bull. Mosc., xxxviii (4), 1865, p. 283 : Gehin, Cat., p. xxviii, 54.

Chætocarabus, G. Thoms., Op. Ent., 1875, p. 654 : Gehin, Cat., p. xxv, 40.

Chætomelas, G. Thoms., l.c., p. 635 : Gehin, Cat., p. xii, 5.

Chrysocarabus, G. Thoms., l.c., p. 692 : Gehin, Cat., p. xxv, 41.

Cratocephalus, Kirsch, Stettin, Ent. Zeit., 1859, p. 199 : Gehin, Cat., p. xvi, 13.

Ctenocarabus, G. Thoms., Op. Ent., 1875, 683 : Gehin, Cat., p. xxvi, 44.

Eucarabus, Gehin, 1876 ; Cat., p. xxi, 29.

Eupachys, Chaudoir, Stettin, Ent. Zeit., 1857, p. 80 : Gehin, Cat., p. xvi, 13.

Eurycarabus, Gehin, 1876 ; Cat., p. xxi, 33 : Kolbe, Ent. Nachr., xii, 1886 p. 273.

Hutelocarabus, Gehin, 1876 ; Cat., p. xix, 22.

Goniognathus, Kraatz, Deutsche Ent. Zeits., 1883, p. 361 : Gehin, Cat., p. xvii, 14.

Gonocarabus, Gehin, Cat., p. xvii, note, = preceding.

Hadreocarabus, G. Thoms., Op. Ent., 1875, p. 646 : Gehin, Cat., p. xvi, 13 : Ganglb., Deutsche Ent. Zeits., 1886, p. 228.

- Hemicarabus*, Gehin, 1876 ; Cat., p. xix, 24.
Hygrocarabus, G. Thoms., Op. Ent., 1875, p. 682 : Gehin, Cat., p. xix, 25.
Iniopachys, Solier, Mém. Acad. Turin., 1848, p. 10 ; *id.*, Truqui & Baudet's Stud. Ent., i, p. 58 : Gehin, Cat., p. xxiv, 40.
Ischnocarabus, Kraatz, Deutsche Ent. Zeits., 1877, p. 78 : Gehin, Cat., p. xiii, 8.
Lamprocarabus, G. Thoms., Opusc. Ent., 1875, p. 673, Gehin, Cat., p. 9.
Lamprostus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 297 : Gehin, Cat., p. xiv, 8.
Leptocarabus, Gehin, Cat., p. xxiii, 36.
Limnocarabus, Gehin, 1876 ; Cat., p. xx, 25.
Lipaster, Motsch., Bull. Mosc., xxxviii (4) 1865, p. 296 : Gehin, Cat., p. xiv, 9.
Macrogenus, Motsch., *l.c.*, xix (2), 1846, p. 346 : Gehin, Cat., p. xii, 4.
Macrothorax, pt. G. Thoms., Opusc. Ent., 1875, p. 691 : Gehin, Cat., p. xxii, 35.
Megodontus, Solier, Mém. Acad. Turin, 1848, p. 10, Gehin, Cat., p. xiv, 9.
Melanocarabus, G. Thoms., *l.c. supra*, p. 674 : Gehin, Cat., p. 6.
Mesocarabus, G. Thoms., *l.c.*, p. 678 : Gehin, Cat., p. xvii, 14.
Mimocarabus, Gehin, 1876 ; Cat., p. xxviii, 53.
Morphocarabus, Gehin, *l.c.*, p. xviii, 16.
Nioplectes, Reitter, Wien Ent. Zeit., 1885, p. 27 ; *ib.*, vi, p. 104 : Gehin, Cat., 36.
 { *Oreocarabus*, Gehin, 1876 : Cat., p. xxvi, 44.
 { *Oreinocarabus*, Kraatz, Deutsche Ent. Zeit., 1877 : *ib.*, xxxi, p. 362 : Ent. Nach., xiii.
Pachycranion, Solier, Mém. Acad. Turin, 1848, p. 10.
Pachycranius (Solier), Gehin, Cat. p. xv, 12.
Pachystus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 295 : Gehin, Cat., p. xii, 5.
Pagocarabus, Morawitz, Mém. Acad. St. Petersb., xxxiv (9), 1886, p. 45.
Pantophyrtus, Thieme, Berl. Ent. Zeits., 1881, p. 98 : Gehin, Cat., p. xvii, t. 9. p. 14.
Paraplesius, Morawitz, Mém Acad. St. Petersb., xxxiv (9), 1886, p. 51.
Platycorus, Kolcnati, Mel. Ent., i, 1845, p. 24 : Gehin, Cat., p. xxiv, 39.
Plectes, Fischer, Ent. Imp. Russ., i, 1817, p. 19 ; ii, 1824, p. 53 : Gehin, Cat. p. xxiii 36 ; Reitter, Wien. Ent. Zeit., 1887, p. 104.
Procerus, Dejean, Spec., ii, 1826, p. 22 : Lacord., Gen. Col., i, p. 52 : Gehin, Cat., p. xi, 1.
Procrustes, Bonelli, Mém. Acad. Turin, 1809, p. 39 ; Lacord., Gen. Col., i, p. 53 : Gehin, Cat., p. xi, 2.
Procrusticus, White, Ann. Mag. N. H. 1845, p. 111 ; Gehin, Cat., p. xii, 5 : Ganglb., Deutsche Ent. Zeits., 1887, p. 146.
Pseudotribax, Kraatz, Deutsche Ent. Zeits., 1884, p. 217 : Gehin, Cat., p. xiv, 9.
Rhabdotocarabus, Seidlitz, Fauna Baltica (*ed. 2*), 1887, p. 6.
Sphodristus, Motsch., Bull. Mosc., xxxviii (4), 1865, p. 295 : Gehin, Cat., p. xi, 4 : Kraatz, Deutsche Ent. Zeits., xxxi, p. 146.
Sphodristocarabus, Gehin, 1876 ; Cat., p. xx, 27 : Ganglb., Deutsche Ent. Zeits., xxxi, 1887, p. 129.

Trachycarabus, Gehin, 1876, Cat. p. xxvii, 44.

Tribax, Fischer, Bull. Mose., v, p. 483 : G. Thoms., Op. Ent., 1875, p. 670 : Gehin, Cat., p. 8 : Ganglbauer, Deutsche Ent. Zeits., xxx, 1886, p. 305 : Reitter, Wien Ent. Zeits., 1887, p. 186.

Albrechtii (*Morphocarabus*), Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 237 : Bates, Trans. Ent. S. Lond., 1873, p. 233 : Gehin, Cat., p. 17.

fiduciarius, G. Thoms., Op. Ent., 1875, p. 728 (*nec* J. Thoms.).

var. *corvinus*, Motsch., Bull. Mose., xxxviii (4), 1865, p. 283.

,, *Lewisii*, Bates, Trans. Ent. S. Lond., 1883, p. 229.

,, *Mayasanus*, Bates, l. c., 1873, p. 232 ; id. 1883, p. 230.

,, *multistriatus*, Motsch., Bull. Mose., xxxviii (4), 1865, p. 283.

,, *l. striatus*, Chaudoir. q. v.

Hab. Japan, Canton.

caschmirensis (*Megodontus*), Kollar, in Hügel's Kaschm., iv (2), 1844, p. 499, t. 23, f. 4 : Gehin, Cat., p. 10.

var. *lithariophorus*, Tatum, Ann. Mag. N. H., xx, 1847, p. 14.

Hab. Himalaya, Kashmir [*Ind. Mus.*, Murree].

coriacipennis (*Trachycarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xv, 1863, p. 114 : Gehin, Cat., p. 53.

Hab. China.

Davidis (*Morphocarabus*), Deyrolle and Fairm., Ann. Soc. Ent. Fr., (5 s.) viii, 1878, p. 87, t. 3, f. 4 : Gehin, Cat., p. 16.

Hab. Middle China.

Delevayii, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Fr., l.c., (6 s.) vi, 1886, p. 308.

Hab. Yunnan.

Fœæ, R. Gestro, Ann. Mus. Civ. Gen., (2 s.) vi, 1888, p. 106.

Hab., Burma, Bhamo, Kachin-Kauri.

fiduciarius (*Morphocarabus*), J. Thomson, Ann. Soc. Ent. Fr., (3 s.) iv, 1856, p. 338, t. 9, f. 3. : Gehin, Cat., p. 16.

Hab., China [*Ind. Mus.*, China].

Hienfoungii (*Eucarabus*), J. Thomson, Arch. Ent., i, 1857, p. 166 : Gehin, Cat., p. 29.

Hab. China [*Ind. Mus.*, China].

indicus Fairmaire, Ann. Soc. Ent. Fr., (6 s.) ix, 1889, p.

Hab. Sikkim [*Ind. Mus.*, Darjiling].

insulicola (*Morphocarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xxi, 1869, p. 26 : Bates, Trans. Ent. S. Lond., 1873, p. 232 ; ib., 1876, p. 2 : Gehin, Cat., p. 17.

Kaempferii, G. Thomson, Opusc. Ent., 1875, p. 729.

Hab. Japan, Canton (*Putzeys*).

prodigus (*Morphocarabus*), Erichson, Nova Acta Leop. Car. Nat. Cur., xvi, Suppl., 1834, p. 221, t. 37, f. 1 : (*Apotomopterus*) Hope, Col. Man., ii, p. 47 : Gehin, Cat., p. 16.

Hab. China [*Ind. Mus.*, China].

Stoliczkanus (*Morphocarabus*), Bates, Proc. Zool. S. Lond., 1878, p. 713 : Gehin, Cat., p. 17, 77.

Hab. India, Murree [*Ind. Mus.*, type].

- striatus* (*Morphocarabus*), Chaudoir, Rev. Mag. Zool., (2 s.) xxi, 1869, p. 25.
 ? = *Albrechtii*, Morawitz, q. v.
 Hab. China.
- Tisntsii* (*Morphocarabus*), J. Thomson, Arch. Ent., i, 1857, p. 165 : Gehin, Cat., p. 16.
 Hab. China.
- viridifossulatus*, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 91.
 Hab. Tibet, Moupin.
- Wagas* (*Sphodristocarabus*), Fairmaire, Ann. Soc. Ent. Fr., (6 s.) ii, 1882, p. 65 :
 Gehin, Cat., p. 28.
 Hab. N. India.
- Wallichii* (*Oreocarabus*), Hope, Gray's Zool. Misc., 1831, p. 21 : Gehin, Cat., p. 46.
Boysii, Tatum, Ann. Mag. N. H., viii, 851, p. 51.
 Hab. Nepal.
- yunnanus*, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 309.
 Hab. Yunnan.

Genus COPTOLABRUS.

- Solier, Truqui and Baudet's Stud. Ent., i, 1848, p. 58 : Mun. Cat., p. 77 : Gehin, Cat., p. xxii, 35.
Macrothorax, pt., G. Thoms., Opusc. Ent., 1875, p. 691.
- Elysi*, J. Thomson, Ann. Soc. Ent. Fr., (3 s.) iv, 1856, p. 337, t. 9, f. 2 :
 Gehin, Cat., p. 35.
 Hab. E. China.
- gsmmifsr*, Fairmaire, Bull. Soc. Ent. Fr., (6 s.) vii, 1887, p. xxvii ; Ann. Soc. Ent. Belg., xxxi, 1887, p. 91.
 Hab. Yunnan.
- Lafosssi*, Feisthamel, Ann. Soc. Ent. Fr., 1845, p. 103, t. 2, f. 2 : Gehin, Cat., p. 35.
 var. *coelestis*, Steuart, Ann. Soc. Ent. Fr., (3 s.) iii, 1855, p. 75, t. 7, 1 : Kraatz, Deutsche Ent. Zeits., xxx, 1886, plate, f. 8, ♀.
 Hab. N. China, Shanghai, Canton (*Putzeyi*) [Ind. Mus., China].
- pustulifsr*, (*Carabus*), Lucas, Bull. Soc. Ent. Fr., (4 s.) ix, 1869, p. x ; ib., (5 s.), ii, 1872, p. 293, t. 14, f. 12, ♂ : Gehin, Cat., p. 35, t. 10.
 Hab. N. Tibet, Moupin.
- talisnensis*, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s.), vi, 1886, p. 308.
 Hab. Yunnan.

Genus DAMASTER.

- Kollar, Ann. Wien Mus., i, 1836, p. 333 : Laccord., Gen. Col., i, p. 61 : Mun. Cat., p. 77 : Lewis, Ent. Mon. Mag., xvii, 1880, p. 159 : Gehin, Cat. Carab., p. 36 : Horn, Gen. Carab., p. 108.
- blaptoides*, Kollar, Ann. Mus. Wien, i, 1836, p. 334, t. 31, f. 1 : Laccord., Gen. Col. Atlas, t. 2, f. 2 : Lewis, Ent. Mon. Mag., xvii, 1880, p. 159 : Gehin, Cat. Carab., p. 36, t. 10 : Morawitz, Mém. Acad. St. Petersb., 1886, p. 18.

- cyanostola*, Lewis, Trans. Ent. S. Lond., 1882, p. 524.
Fortunei, G. Thomson, Opusc. Ent., 1875, p. 657.
viridipennis, Lewis, Ent. Mon. Mag., xvii, 1880, p. 159.
var. *{ Fortunei*, Adams, Ann. Mag. N. H., (3 s.) viii, 1861, p. 59 : Bates
Trans. Ent. S. Lond., 1873, p. 230 : Lewis, *ib.*, 1882, p. 524.
oxuroides, Schaum, Ann. Soc. Ent. Fr., (4 s.) ii, 1863, p. 68, t. 2, f. 1.
,, *Lewisii*, Ryc, Ent. Mon. Mag., 1872, p. 131.
,, *pandurus*, Bates, Trans. Ent. S. Lond., 1873, p. 230 ; *id.*, l.c., 1883, p.
231 : Kolbe, Ent. Nach., xiii, 1887, p. 340.
Hab. Japan, Formosa [*Ind. Mus.*, ? loc.].

Genus CALOSOMA.

- Weber, Obs. Ent., i, 1801, p. 20 : Latr., Hist. Nat. Crust. Ins., iii, 1802, p. 91 : Lacord., Gen. Col., i, p. 58 : Mun. Cat., p. 78 : Gehin, Cat. Carab., 1885, p. xxix, 56.
Aulacopterum, Gehin, Cat., p. xxxiv, 67.
Blaptosoma, Gehin, 1876 ; Cat., p. xxxiii, 65.
Calamata, Motsch., Bull., Mose., xxxviii (4), 1865, p. 307 ; Gehin, Cat., p. 59.
Callipara, Motsch., l. c., p. 308 : Gehin, Cat., p. 57.
Callisphaena, Motsch., Et. Ent., 1859, p. 127 : Gehin, Cat., p. 68.
Callisthenes, Fischer, Lettre à Pander, 1821, p. 10 : Gehin, Cat., p. xxxv, 68.
Callistrata, Motsch., Bull. Mose., l. c. *supra.*, p. 306 : Gehin, Cat., p. 62.
Callistriga, Motsch., l.c., p. 307 : Gehin, Cat., p. xxx, 58.
Callitropa, Motsch., l. c. *supra*, p. 300 : Gehin, Cat., p. xxxii, 63.
Calodrepa, Motsch., l. c., p. 310 : Gehin, Cat., p. 56.
Calopachys, Haury, Le Nat., 1880, p. 164 : Gehin, Cat., p. xxxiv, 67.
Camedula, Motsch., l. c. *supra*, p. 304 : Gehin, Cat., p. xxx, 59.
Caminara, Motsch., l. c., p. 303 : Gehin, Cat., p. xxx, 59.
Campalita, Motsch., l. c., p. 304 : Gehin, Cat., p. xxxii, 62.
Carabosoma, Gehin, 1875 ; Cat., p. xxxii, 63.
Cathoplatus, G. Thoms., Opusc. Ent., 1875, p. 628 : Gehin, Cat., p. xxxv, 70.
Castrida, Motsch., Bull. Mose., l. c. *supra*, p. 300 : Gehin, Cat., p. 58.
Charmosta, Motsch., l. v., p. 301 : Gehin, Cat., p. xxxi, 61.
Chrysostigma, Kirby, Faun. Bor. Amer., iv, 1837, p. 18 : Gehin, Cat., p. xxxiv, 67.
Cosmoplatia, Motsch., Bull. Mose., l. c. *supra*, p. 305 : Gehin, Cat., p. 61.
Ctenosta, Motsch., l. c., p. 306 : Gehin, Cat., p. xxxii, 59.
Cychocephalus, Gehin, 1876 ; Cat., p. 70.
Eutelodontum, Gehin, Bull. Soc. Ent. Fr., 1882, p. cxxxii ; Cat., p. xxxiii, 66.
chinense (*Charmosta*), Kirby, Trans. Linn. S. Lond., xii, 1818, p. 379 : Gehin, Cat., p. 61.
var. *aeneum*, Motsch., Bull. Mose., xxxii (4), 1859, p. 481.
Hab. China, Canton, Japan, India, Ceylon [*Ind. Mus.*, Sahibganj, Calcutta].
himalayanum, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 851 : Gehin, Cat., p. 57.
Hab. N. W. Himalaya, Ladak,

indicum (*Ctenosta*), Hope, Gray's Zool. Misc., 1831, p. 21 : Gehin, Cat., p. 61.
Hab. Nepál.

investigator, Illiger, Käfer Preuss., i, 1798, p. 142 : Schaum, Naturg. Ins., i (i), p. 114 : (*Charmosta*) Motsch., Bull. Mosc., xxxviii (4), 1865, p. 301 : Gehin, Cat., p. 61.

sericeum, Sturm, Ins. Deutschl., iii, 1815, p. 130, t. 66, f. a : Dejean, Spec. ii, p. 206 ; Id., ii, t. 71, f. 2.

var. *caspium*, Fischer, Ent. Imp. Russ., iii, 1826, p. 236, t. 8, f. 5, 6.

, *dauricum*, Motsch., Ins. Sib., 1844, p. 119, t. 4, f. 9 ; Bull. Mosc., xxxviii (4), p. 303.

, *leptophyllum*, Fischer, Ent. Imp. Russ., iii, 1826, p. 239, t. 8, f. 4.

, *lugubre*, Motsch., Ins. Sib., 1844, p. 121.

, *rugulosum* Motsch., Ins. Russ., 1846, note 2.

, *russicum*, Fischer, Ent. Imp. Russ., iii, 1826, p. 238, t. 8, f. 2.

, *sibiricum*, Motsch., Ins. Sib., 1844, p. 121 ; Bull. Mosc., xx (3), 1847, p. 226.

? *sericeum*, Gebler, Ledeb. Reise, iii, 1830, p. 58 (*nec Fabr.*).

Hab. Prussia, S. Russia, Siberia [*Ind Mus.*, Kashmir, Srinagar].

lugens (*Charmosta*), Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 372 : Gehin, Cat., p. 61.

var. *Davidis*, Gehin, Cat. Carab., 1885, p. 61.

Hab. N. China, Fuchau.

nigrum (*Charmosta*), Parry, Trans. Ent. S. Lond., iv, 1845, p. 85 : Gehin, Cat., p. 62.

var. *seabripenne*, Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 371.

Hab. Assam, N. India.

orientale (*Ctenosta*), Hope, Trans. Zool. S. Lond., i, 1833, p. 92 : ? Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 368 : Gehin, Cat., p. 61.

Hab. India, Poona [*Ind Mus.*, Sind Valley, Kogyar].

parallelum (*Campalita*), Motsch., Ins. Sib., 1844, p. 123, t. 4, f. 4 : Gehin, Cat., p. 63.

Hab. Kirgisia, India [*Ind Mus.*, Kashmir, Srinagar].

squamigerum (*Ctenosta*), Chaudoir, Ann. Soc. Ent. Fr., (4s.) ix, 1869, p. 369 : Gehin, Cat., p. 60.

Hab. Bengal, Coimbatore (Madras).

thibetanum Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 92.
Hab. Moupin, N. Tibet.

HILETINI :—

Lacordaire, Gen. Col., i, 1854, p. 47 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 506 : Horn, Gen. Carab., p. 110.

Genus HILETUS.

Schiödte, Kröyer's Tidskr., (2 s.) ii, 1847, p. 346 : Lacord., Gen. Col., i, p. 48 : Mun. Cat., p. 46.

Camaragnathus, Bocandé, Mag. Zool., 1845, p. 4, t. 163-4 ; Rev. Mag. Zool., (2 s.) i, 1849, p. 460.

sumatrensis, Oberthür, Notes Leyden Mus., v, 1883, p. 215,
Hab. E, Sumatra, Serdang.

ELAPHRINI :—

Lacord., Gen. Col., i, 1854, p. 43 : Chaud., Bull. Mosc., xxxiv (1), 1861, p. 524 :
Horn, Gen. Carab., p. 110 : Leconte & Horn, Class. Col., p. 10.

Genus **ELAPHRUS**.

Fabricius, Syst. Ent., 1775, p. 227 ; Syst., Eleuth., i, 1801, p. 245 : Latr. Hist. Nat.
Ins., iii, 1802, p. 82 : Lacord., Gen. Col., i, p. 44 : Mun. Cat., p. 44.

Davidis, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 89.
Hab. Yunnan.

NEBRIINI :—

Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 504 : Horn, Gen. Carab., p. 112 : Leconte
& Horn, Class. Col., p. 12.

Genus **OPISTHIUS**.

Kirby, Faun. Bor. Amer., iv, 1837, p. 60 : Lacordaire, Gen. Col., i, p. 45 : Chaudoir,
Bull. Mosc., xxxiv (i), 1861, p. 505 ; Mun. Cat., p. 47.

indicus, Chaudoir, Ann. Soc., Ent., Fr. (4 s) iii, 1863, p. 449.
Hab. N. India.

Genus **NOTIOPHILUS**.

Dumeril, Zool. Analyt., 1806, p. 194 : Lacord., Gen. Col., i, p. 43 : Mun. Cat., p. 43 :
Bates, Biol. Centr. Amer., Col., i (i), p. 19.

acuticollis, Putzeys, Mém. Liège, 1866, p. 164.
Hab. N. China, ? Shanghai.

orientalis, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 428.
Hab. India, Simla.

Genus **LEISTUS**.

Frölich, Naturf., xxviii, 1794, p. 9 ; Clairv., Ent. Helv., ii, p. 146, t. 23 : Lacord.,
Gen. Col., i, p. 52 : Mun. Cat., p. 54.

Pogonophorus, Latreille, Hist. Nat. Ins., iii, 1802, p. 88 ; Gen. Crust., i,
p. 223.

angulicollis, Fairmaire, Le Nat., 1886, p. 223 ; *id.*, Ann. Soc. Ent. Fr., (6 s) vi,
1886, p. 307.
Hab. Yunnan.

Genus **NEBRIA**.

Latreille, Hist. Crust. & Ins., iii, 1802, p. 89 : Clairv., Ent. Helv., ii, 1806, p. 140,
t. 22 : Lacord., Gen. Col., i, p. 50 : Mun. Cat., p. 47.

Alpaeus, Bonelli, Mém. Acad. Turin, 1809, p. 68.
Holobia (Leach), Stephens, Ill. Brit. Ent., iii, 1827, t. 103.

Chaslii, Fairmaire, Le Nat., viii, 1886, p. 223 : Ann. Soc. Ent. Fr., (6 s) vi, 1886,
p. 306.
Hab. China, Kiangsi.

chiuensis, Bates, Ent. Mon., Mag., ix, 1872, p. 52; Trans. Ent. S. Lond., 1873, p. 236: Fairm. Ann. Fr., l. c. *supra*, p. 306.

Hab. Yangtse Valley in China, Japan.

Desgodinsii, Oberthür, Nov. Col., i, 1883, p. 47.

Hab. Darjiling.

lividipes, Fairmaire, Le Nat., viii, 1886, p. 223; Ann. Fr. l. c. *supra*, p. 306.

Hab. China, Kiangsi.

pulcherrima, Bates, Trans. Ent. S. Lond., 1873, p. 236: Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 90.

Hab. Yangtse Valley, Japan, Kiangsi.

xanthacra, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 423.

Hab. India, Simla.

ENCELADINI:—

Horn, Gen. Carab., p. 118.

Genus LUPERCA.

Lap. de Casteln., Hist. Nat. Ins. Col., i, 1840, p. 63: Lacord., Gen. Col., i, p. 163: Mun. Cat., p. 162.

Holoscelis, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 438; id., 50 (i), 1876, p. 71.

laevigata, (*Carabus*), Fabr., Spec. Ins., i, 1781, p. 304; Ent. Syst., i, p. 143; Syst. Eleuth., i, p. 124: Oliv., Ent., iii 36, p. 7, t. 2, f. 18: Herbat., Naturhist. Ins., Käfer, x, p. 256, t. 175, f. 6; Lacordaire, Gen. Col., Atlas, t. 6, f. 1: (*Enceladus*) Dejean, Spec., v, p. 474: Chaudoir, Bull. Mosc., 50 (i), 1876, p. 74: Dohrn, Stettin, Ent. Zeit., 1881, p. 309.

herculanea, Lap. de Casteln., Et. Ent., i, 1834, p. 151.

Hab. India, Bengal [*Ind. Mus.*, Ceylon.]

SCARITINI:—

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 124; xxiii, 1880, p. 5: Horn, Gen. Carab., p. 119; Leconte & Horn, Class. Col., p. 16.

Dr. Horn divides the tribe, so far as he deals with it, into two sections which he names *Scarites* (*Pasimachus* and *Scarites*), and *Clivina* (*Dyschirius*, *Clivina*, *Ardistomis*). Others make four sections, of which the genera occurring in the Oriental Region are:—

Pasimachina :—*Mouhotia*.

Scaritina :—*Oxylobus*, *Haplogaster*, *Scaritoderus*, *Coptolobus*, *Distichus*, *Scarites*.

Scapterina :—*Scapterus*, *Thlibops*, *Systenognathus*, *Oxygnathus*, *Dacca*.

Clivinina :—*Dyschirius*, *Clivina*, *Coryza*, *Ancus*, *Ardistomis*, (*Putzeys*, Rév. Gen., Ann. Soc. Ent. Belg., x, 1866, p. 1),

Genus MOUHOTIA.

Lap. de Casteln., Rev. Mag. Zool., xiv, 1862, p. 305: Mun. Cat., p. 180.

convexa, Lewis, Ent. Mon. Mag., xix, 1883, p. 193: Waterhouse, Aid., t. 129, f. 1
Hab. Laos.

gloriosa, Lap. de Casteln., Rev. Mag. Zool., 1862, p. 306 : Lucas, Bull. Soc. Ent. Fr., (5 s) vii, p. clxxiii.

Midas, Schauf., Proc. Ent. S. Lond., 1862, p. 94.

Hab. Laos.

Genus OXYLOBUS.

Chaudoir, Bull. Mosc., xxviii (i), 1855, p. 5; *id.*, *Monograph*, Ann. Soc. Ent. Belg. xxii, 1879, p. 129 : Mun. Cat., p. 181.

alveolatus, Chaudoir, Mon. l. c., p. 134.

Hab. India.

asperulus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 58 : *Mon.*, p. 133.

Hab. Ceylon.

costatus, Chaudoir, *Mon.*, p. 134.

Hab. Malabar, Colombo (*Bates*).

designans (*Soarites*), Walker, Ann. Mag. N. H., (3 s) ii, 1858, p. 203 : Bates, l. c., (5 s) xvii, p. 210.

? = *sculptilis*, Westwood, q. v.

Hab. Ceylon.

foveiger, Chaudoir, *Mon.*, p. 133.

Hab. India.

lateralis (*Scarites*), Dejean, Spec., i, 1825, p. 400 ; Chaud., Bull. Mosc., xxviii (i), 1855, p. 8 ; *id.*, *Mon.*, p. 131.

Hab. India, Coromandel.

punctatosulcatus, Chaudoir, Bull. Mosc., xxviii (i), 1855, p. 6 ; *Mon.*, p. 131.

Hab. Nepal.

quadrinotatus, Chaudoir, Bull. Mosc., l. o., p. 7 ; *Mon.*, p. 130.

Hab. India, Nilgiris, Colombo (*Bates*).

sculptilis, Westwood, Arc. Ent., i, 1843, p. 88, t. 23, f. 1 : Chaudoir, *Mon.*, p. 133.

Hab. India, Coromandel [*Ind. Mus.*, Utakamand.].

Genus HAPLOGASTER.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 149.

humeralis, Putzey, Chaudoir, *Mon.*, l. c., p. 151.

Hab. Madras.

ovatus, Chaudoir, *Mon.*, l. c., p. 150.

Hab. N. India.

Genus SCARITODERUS.

Fairmaire, Bull. Soc. Ent. Fr., (6 s.) iii, 1883, p. lv, note.

Anomoderus, Chaudoir, Ann. Soc. Ent. Belg., xxii, 1879, p. 156 (nom. *praeoc.*).

Anomophaenus, Faunel, Rev. d'Ent., i, 1882, p. 229 (nom. *praeoc.*).

Loyolae, Fairmaire, l.c. *supra*, p. lv.

Hab. India, Ramnad.

Genus COPTOLOBUS.

Chaudoir, Bull. Mosc., xxx (3), 1857, p. 59; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xxii, 1879, p. 159 : *Mun. Cat.*, p. 182.

Anodon, Chaudoir, *Mon.*, *l.c.*, p. 160.
Hab. Ceylon.

glabriculus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 60; *Mon.*, *l.c.*, p. 162 : *Mun. Cat.*, p. 182.

? *obliterans* (*Scarites*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 203.
? *subsignans* (*Scarites*), Walker, *l.c.*, p. 203.

Hab. Ceylon, Nuwara Eliya, Horton Plains (*Bates*), Canton (*Putzey*).

omodon, Chaudoir, *Mon.*, *l. c.*, p. 161.
Hab. Ceylon, Colombo (*Bates*).

taprobanae, Chaudoir, *Mon.*, *l.c.*, p. 161.
Hab. Ceylon, Colombo, (*Bates*).

Genus DISTICHUS.

Motschulsky, Et. Ent., 1857, p. 96 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxiii, 1880, p. 44 : Bates, Biol. Centr. Amer., Col., i (i), p. 30.

Scarites, pt., Bonelli, Dejean *auct.*

Taeniolobus, pt., Chaudoir, *olim*.

dicaelus, Chaudoir, *Mon.*, Ann. Soc. Ent. Belg., xxiii, 1880, p. 52.
Hab. Singapur.

lucidulus, Chaudoir, *Mon.*, *l.c.*, 57.
Hab. Dekhan, Rangoon, Siam.

modestus, Chaudoir, *Mon.* *l.c.*, p. 57.
Hab. India.

plicicornis (*Scarites*), Dejean, Spec. v., 1831, p. 493 : Chaudoir, *Mon.*, *l. c.*, p. 56.
troglodytes, Erichson, Wieg. Arch., 1843, p. 214.

? var. *minor*, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 389 : Ann. Mag. N. H., (2 s.) xix, 1857, p. 244.

Hab. Ceylon, Colombo, Dekhan, W. Africa, Zanzibar.

planus (*Scarites*), Bonelli, Mém. Acad. Turin., 1813, p. 470 : Dejean, Spec., i, p. 395 ;
id., Ic. Col. Eur., i, t. 21, f. 3 : Klug, Symb. Phys., Dec. iii, t. 23, f. 5 : Chaudoir *Mon.*, *l.c. supra*, p. 53.

? *bisquadrupunctatus* Klug, Peters Reise Mossamb., v. 1862, p. 158.

punctatostriatus, Redtenb., Russiger Reise., p. 979.

sexpunctatus, Méntriés, Cat. Rais., i, 1832, p. 103.

var *nitidus*, Dejean, Spec. v. 1831, p. 484.

Hab. Mediterraean and Caspian regions, N. India.

puncticollis, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 47 ; *Mon.*, *l. c. supra*, p. 55
Hab. N. India.

striaticeps, Chaudoir, *Mon.*, *l. c.*, p. 52.
Hab. India.

Genus SCARITES.

- Fabricius, Ent. Syst., i, 1792, p. 94; Syst. Eleuth., i, p. 123 (*Attelabus*, DeGeer, *nec Linn.*): Lacord., Gen. Col., i, p. 194: Schmidt Goebel, Faun. Col. Birm., p. 93: Mun. Cat. p. 184: Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 5; *id.*, Monograph, Ann. Soc. Ent. Belg., xxiii, 1880, p. 63: Motschulsky, Et. Ent., 1857, p. 93.
- Brosoomorphus*, Motsch., Et. Ent., 1857, p. 96: Chaud., Mon., p. 66.
- Glyptomorphus*, Motsch., *l. c.*, p. 95.
- Harpalites*, Motsch., *l. c.*, p. 95: Chaud., Mon., p. 67.
- Parallelomorphus*, Motsch., *l. c.*, p. 96: Käf. Russl., 1850, t. v: Chaud., Mon., p. 65.
- Paramecomorphus*, Motsch., Et. Ent., 1857, p. 96: Chaud., Mon., p. 65.
- Scallophorites*, Motsch., *l. c.*, p. 95: Chaud., Mon., p. 67.
- Stigmapterus*, Motsch., *l. c.*, p. 95.
- Taeniolobus*, pt, Chaudoir, *olim*: Mun. Cat., p. 183.
- acutidens*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 98; *id.*, Mon., p. 83.
Hab. E.coast China, Chusan.
- barbarus*, Dejean, Spec., i, 1825, p. 388: Chaud., Mon., p. 96.
Hab. India, Dekhan.
- bengalensis*, Dejean, Spec., ii, 1826, p. 468: Chaud., Bull. Mosc., xxvii (i), 1855, p. 79; *id.*, Mon., p. 89.
Hab. N. India, Bengal.
- Boysii*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 57; Mon., p. 107.
Hab. N. India.
- capito*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 92, 108; Mon., p. 95.
?= *Selene*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 94 [deser. incompr.].
Hab. Burma, Rangoon, N. India.
- ceylonicus*, Chaudoir, Mon., p. 85.
Hab. Ceylon, Galle, Colombo (Bates).
- cycloderus*, Chaudoir, Mon., p. 112.
Hab. India.
- denticulatus*, Chaudoir, Mon., p. 98.
Hab. Cochinchina.
- dyschromus*, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 78; *id.*, Mon., p. 82.
Hab. N. India.
- estriatus*, Fairmaire, Ann. Soc. Ent. Belg., 1887, p. 93.
Hab. China, Fukien.
- Geryon*, Hope, Gray's Zool. Misc., 1831, p. 21: ? MacLeay, Trans. Ent. Soc. N. S. Wales, i, 1863, p. 68 (Australia.)
Hab. Nepal.
- inconspicuus*, Chaudoir, Bull. Mosc., *l. c. supra*, p. 82; Mon., p. 97.
Hab. N. India [*Ind. Mus.*, Jhelam Valley.].
- indus*, Olivier, Ent., iii, 36, 1795, p. 9, t. 1, f 2 *a-b*: Dejean, Spec., i, p. 395: MacLeay, Annal. Javan., p. 35: Chaud., Mon., p. 102.
Hab. India, Ceylon, Colombo [*Ind. Mus.*, Bengal, Tínpahár, Sáhibgunj?].
- loopterus*, Chaudoir, Mon., p. 87.
Hab. N. India.

longiusculus, Chaudoir, *Mon.*, p. 86.

Hab. Philippines.

mancus, Bonelli, Mém. Acad. Turin, 1813, p. 473 : Dejean, Spec., i, p. 394 ; Chaudoir, *Mon.*, p. 102.

Hab. India, Java, Philippines.

opacus, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 88 ; *id.*, *Mon.*, p. 103.

? = *parvus*, Wiedemann, Zool. Mag., ii (i), 1823, p. 37.

Hab. N. India, Bengal.

orthomous, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 55 ; *id.*, *Mon.*, p. 88.

Hab. Himalaya.

pacificus, Bates, Trans. Ent. S. Lond., 1873, p. 238 : Chaud., *Mon.*, p. 101.

Hab. Formosa, Japan.

parallelus, Dejean, Spec., i, 1825, p. 382 : Chaudoir, *Mon.*, p. 86.

Hab. Java.

praedator, Chaudoir, *Mon.*, p. 97.

Hab. Burma, Rangoon.

punctum, Wiedemann, Zool. Mag., ii (i), 1823, p. 38 : Chaudoir, *Mon.*, p. 127.

Hab. Bengal.

semicircularis, MacLcay, Annul. Javan, 1825, p. 24 : Chaudoir, *Mon.*, p. 127.

? = *punctum* Wiedemann, q.v.

Hab. Java

semirugosus, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 90 ; *Mon.*, p. 82.

rugipennis, Chaudoir, Bull. Mosc., l.o., p. 82.

Hab. Bengal, Bangkok, Philippines.

similis, Chaudoir, *Mon.*, p. 83.

Hab. ? E. Asia.

subnitens, Chaudoir, Bull. Mosc., xxvii (i), 1855, p. 87 ; *Mon.*, p. 103.

Hab. N. India.

subproductus, Chaudoir, *Mon.*, p. 90.

Hab. Siam, Bangkok.

sulcatus, Oliv., Ent. iii, 36, 1795, p. 7. t. 1, f. 11 ; Dejean, Spec., i. p. 375 :

Chaud., *Mon.*, p. 80.

chinensis, Erichson, Nova Acta Leop. Carol. Nat., xvi, Supp. i, 1832, p. 220.

Hab. India, Macao, Formosa [*Ind. Mus.*, Sikkim, Assam ?].

Genus SCAPTERUS.

Dejean, Spec., ii, 1826, p. 471 : Lacord., Gen. Col., i, p. 197 : Mnn. Cat., p. 188.

Putzeys, Révision Clivinides, Ann. Soc. Ent. Belg., x, 1866, p. 7.

figuloides, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 301, fig.

Hab. Burma.

Guerini, Dejean, Spec., ii, 1826, p. 472 ; Icon. Col. Eur., i, t. 22, f. 3 : Guérin, Ic.

Règne Anim., t. 5, f. 3 a : Gray, Griffith Anim. Kingd., Ins. ii, 1832, t. 8, f. 3.

Hab. India.

riparius, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 299, fig.

Hab. Burma, Minhlæ.

sulcatus, Putzeys, Mém. Roy. Soc. Liège, Postscr., 1863, p. 17 : ? Chaudoir, Rev.

Mag. Zool. (2 s.), xv, 1863, p. 117.

Hab. N. E. India [*Ind. Mus.*, Sibságar, Assam].

Genus THLIBOPS.

Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 9 : Mun. Cat., p. 188.

crenata, Chaudoir, Rev. Zool. (2 s.), xv, 1862, p. 118.

Hab. Cochin China.

Dohrnii, Chaudoir, l. c., p. 118.

Hab. Java.

puncticollis, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 302.

Hab. Burma.

Genus OXYGNATHUS.

Dejean, Spec., ii, 1826, p. 473 ; Icon. Col. Eur., i, t. 22. f. 5 : Lacord., Gen. Col., i, p. 198 : Mun. Cat., p. 190.

elongatus (*Scarites*), Wiedemann, Zool. Mag., ii (i), 1823, p. 38 : Dejean, Spec., ii, p. 475.

Hab. India.

Genus DACCA.

Putzeys, Mém. Liège, Postscr., 1862, p. 68 : Mun. Cat., p. 191.

forcipata, Putzeys, l.c., p. 68, t. 1, f. 41.

Hab. India.

Genus SPAROSTES.

Putzeys, Révision, Ann. Soc. Ent. Belg., x, 1866, p. 27 : Mun. Cat., p. 192.

brevicollis, Putzeys, l.c., p. 27.

Hab. N. China, ? Canton.

striatulus, Putzeys, l.c., p. 29.

Hab. India, Siam.

Genus DYSCHIRIUS,

Bonelli, Mém. Acad. Turin., 1813, p. 483 : Lacord., Gen. Col., i, p. 202 : Mun. Cat., p. 193 : Putzeys, Monograph Mém. Liège, ii, sep. 1846, p. 4 ; id., Révision générale, Ann. Soc. Ent. Belg., x, 1866, p. 32 ; Suppt., ib., xi, 1868, p. 7 ; xvi, 1873, p. 10.

Aecephorus, Leconte, Ann. Lyc. Nat. Hist., New York, v, 1851, p. 194.

Phreoryctes, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 6.

{ *Richeia*, Saulcy, Ann. Soc. Ent. Fr., (4 s.) ii, 1862, p. 285 : Putzeys, l.c., p. 39 : Mun. Cat., p. 193.

{ *Spelaeodytes*, Müller, Wien. Ent. Monats., vii, 1863, p. 28.

binodosus, Putzeys, C. R. Ent. Belg., xxi, 1878, p. clxxiii.

Hab. Calcutta.

- dalmiellus*, Bates, Trans. Ent. S. Lond., 1873, p. 241.
 Hab. Yangtse Valley, Japan, Nagasaki.
- debilis*, Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 6 : Putzeys, *Rév.*, Ann. Soc. Ent. Belg., x, 1867, p. 97 ; *id.*, C. R. Ent. Belg., 1878, p. clxxiv.
interpunctatus, Putzeys, *Rév. l.c.*, p. 97.
- pusillus* (*Phreoryctes*), Schmidt Goebel : Putzeys, *Rév.*, p. 97. (*nec. Djejan.*)
 Hab. Burma, N. India.
- Doriae*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 14.
 Hab. Borneo, Sarawak.
- fusus*, Putzeys, C. R. Soc. Ent. Belg., xxi, 1878, p. clxxii.
 Hab. Calcutta.
- hispidulus*, Putzeys, *Rév.*, *l.c.*, p. 98.
 Hab. Siam.
- impunctatus*, Putzeys, Ann. Soc. Ent. Belg., xi, 1868, p. 10.
? = debilis, Schmidt Goebel, *q. v.*
 Hab. Siam, Bangkok.
- indicus*, Putzeys, *Rév.*, *l. c.*, p. 91.
 Hab. N. India.
- nitens*, Putzeys, C. R. Ent. Belg., xxi, 1878, p. clxxiii.
 Hab. Calcutta.
- ordinatus*, Bates, Trans. Ent. S. Lond., 1873, p. 240.
 Hab. Japan, Ceylon, Kandy.
- orientalis*, Putzeys, *Rév.*, p. 92 : Bates, Trans. Ent. S. Lond., 1873, p. 241.
 Hab. Hongkong, Japan.
- ovicollis*, Putzeys, Ann. Soc. Ent. Belg., 1873, p. 14.
 Hab. Shanghai.
- porosus*, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xl.
 Hab. Burma.
- rugifer*, Putzeys, *l.c.*, C. R., 1878, p. clxxiii.
 Hab. Calcutta.
- Schmidtil*, Putzeys, *l.c.* 1877, p. xli.
 Hab. Calcutta.
- stenoderus*, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 13.
 Hab. Shanghai.
- verticalis*, Putzeys, *l.c. C. R.*, 1878, p. clxxii.
 Hab. Calcutta.

Genus CLIVINA.

Latreille, Consid. géogr., 1810, p. 156 : Lacord., Gen. Col., i, p. 204 : *Monographia*, Putzeys, Mém. Liège, ii, 1846 ; *Révision générale*, *id.*, Ann. Soc. Ent. Belg., x, 1866, p. 107 : Mun. Cat., p. 198 : Horn, Gen. Carab., p. 121 : Bates, Biol. Centr. Amer., Col., i (i), p. 32.

Eupalamus, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.

- advena**, Putzeys, *Révision*, 1866, p. 123.
Hab. India.
- agona**, Putzeys, *Révision*, 1866, p. 131.
Hab. Siam.
- anceps**, Putzeys, Mém. Liège., Postscr., 1862, p. 50; *id.*, *Révision*, p. 124.
Hab. India, Dacca.
- angularis**, Putzeys, *Révision*, 1866, p. 122.
Hab. India.
- assamensis**, Putzeys, *Mon.*, Mém. Liège, ii, 1846, p. 584, sep. p. 66; *id.*, Postscr., p. 35; *Révision*, p. 108.
Hab. Assam.
- attenuata**, Herbst, *Naturhist. Ins.*, Käfer, x, 1806, p. 264, t. 176, f. 7: Putzeys,
Révision, p. 110.
melanaria, Putzeys, *Mon.*, 1846, p. 586, sep., p. 68.
- picipes**, Bonelli, Mém. Acad. Turin, 1813, p. 481: Dejean, Spec., i, p. 416:
Putzeys, Mém. Liège, 1846, p. 623; *id.*, Postscr., 1863, p. 51.
Hab. India, Bengal, Assam.
- bengalensis**, Putzeys, *Mon.* 1846, p. 603, sep., p. 85; *id.*, *Révision*, p. 137.
Hab. Bengal.
- brevior**, Putzeys, *Révision*, 1866, p. 126.
Hab. Burma, Rangoon.
- brunnescens**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.
Hab. Ceylon.
- capitata**, Putzeys, *Révision*, 1866, p. 122.
Hab. India.
- castanea**, Westwood, Proc. Zool. S. Lond., 1837, p. 128: Putzeys, *Révision*, p. 131,
noto.
Hab. Philippines, Manilla.
- cordicollis**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 102.
Hab. Ceylon.
- divaricata**, Putzeys, *Révision*, 1866, p. 122.
Hab. India. [*Ind. Mus.?*]
- dolens**, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 15.
Hab. Shanghai.
- elongatula**, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 390: Ann. Mag. N. H., (2 s.)
xix, 1857, p. 245: Putzeys, *Révision*, p. 123.
Hab. Ceylon, Colombo.
- extensicollis**, Putzeys, *Mon.* 1846, p. 601; *id.*, *Révision*, p. 115.
Hab. Java.
- foveicollis**, Putzeys, Mém. Liège, Postscr. 1863, p. 61; *id.*, *Révision*, p. 133.
Hab. China.
- fulvaster**, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 101.
Hab. Ceylon.

- grammica**, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xi.
Hab. Calcutta.
- Helferii**, Putzey, *Révision*, 1866, p. 126.
Hab. India.
- numeralis**, Putzey, Mém. Liège, Postscr. 1863, p. 48 ; *id.*, *Révision*, p. 125.
Hab. Sumatra.
- humilis**, Morawitz, Beitr. Käfer-fauna Ins. Jesso, i, 1863, p. 22 : Bates, Trans. Ent. S. Lond., 1873, p. 238.
vulgiraga, Bohemann, Freg. Eug. Resa, Col., 1858, p. 9.
Hab. China, Hongkong, Yangtse Valley, Japan.
- hydropica**, Putzey, *Révision*, 1866, p. 121.
Hab. N. India [*Ind. Mus.—?*].
- indica**, Putzey, *Mon.*, 1846, p. 535, sep., p. 69 ; *id.*, Postscript, p. 35 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 72.
rugosifrons, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 390 : Ann. Mag. N. H., (2s.) xix, 1857, p. 245.
Hab. Ceylon, Colombo, N. India, Dekhan.
- javanica**, Putzey, *Mon.*, 1846, p. 529, sep., p. 74 ; *id.*, *Révision*, p. 124.
Hab. Java.
- lata**, Putzey, *Révision*, 1862, p. 131 : Bates, Trans. Ent. S. Lond., 1876, p. 3.
Hab. India.
- lobata**, Bonelli, Mém. Acad. Turin., 1813, p. 481 : Dejean, Spec., i. p. 414 : Putzey, *Mon.*, p. 599, sep., p. 81 ; *id.*, *Révision*, p. 120.
Hab. Bengal.
- marginicollis**, Putzey, *Révision*, 1866, p. 133.
Hab. India.
- memnonia**, Dejean, Spec., v. 1831, p. 503 : Putzey, *Mon.*, sep., p. 70 ; *id.*, *Révision*, p. 108.
Hab. Java.
- moerens**, Putzey, Ann. Soc. Ent. Belg., xvi, 1873, p. 15.
Hab. Shanghai.
- mordax**, Putzey, Mém. Liège, Postscr., 1862, p. 67 : *Révision*, p. 133.
Hab. India.
- nipponensis**, Bates, Trans. Ent. S. Lond., 1873, p. 239.
Hab. Yangtse Valley, Japan.
- Parryi**, Putzey, Mém. Liège, Postscr., 1862, p. 60 ; *id.*, *Révision*, p. 130 : Bates, Trans. Ent. S. Lond., 1873, p. 233 ; *ib.*, 1876, p. 3 ; *id.*, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 100.
clivinoides, Schmidt Gocbel, Faun. Col. Birm., 1846, t. 3., f. 4.
Hab. India, Nilgiris, Bombay, Rangoon, Bhamo, Teintso, Ceylon, Colombo, Yangtse Valley, Japan.
- pluridentata**, Putzey, C. R. Soc. Ent. Belg., xx, 1877, p. xlvi.
Hab. Calcutta.

- recta, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.
 Hab. Ceylon.
- rufipes, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 102 ; Putzeys, *Révision*, p. 134.
 Hab. Ceylon, Colombo.
- sabulosa, MacLeay, Annul. Javan., 1825, p. 24 : Putzeys, *Révision*, p. 119 note, 124.
 Hab. Java.
- semicarinata, Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xliv.
 Hab. Calcutta.
- siamica, Putzeys, *Révision*, 1866, p. 124.
 Hab. Siam.
- striata, Putzeys, Mon., 1846, p. 592, sep., p. 74 ; *Révision*, p. 110.
 Hab. India, Coromandel.
- stricta, Putzeys, Mém. Liège, Postscr., 1862, p. 49 ; *Révision*, p. 125.
 Hab. Java.
- sulcigera, Putzeys, *Révision*, 1866, p. 110.
 Hab. Siam.
- tranquebarica, Bonelli, Mém. Acad. Turin, 1813, p. 484.
 Hab. India.
- transversa, Putzeys, *Révision*, 1866, p. 125.
 Hab. Siam.
- unicolor, Herbst, Natursyst. Ins., Käfer, x, 1806, p. 265, t. 176, f. 9, g.
 Hab. India.
- Westwoodii, Putzeys, *Révision*, 1866, 109.
 castanea, Putzeys, Mém. Liège, 1863, p. 35 (*nec* Westwood).
 Hab. India, Ceylon, New Guinea.

Genus CORYZA.

- Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 194 : Mun. Cat., p. 203.
- cariniceps (Chaudoir), Putzeys, l.c., x, 1866, p. 196.
 Hab. N. India.
- maculata (*Clivina*), Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 391 : Ann. Mag. N. H., (2 s) viii, 1857, p. 246 : Putzeys, Ann. Soc. Ent. Belg., x, p. 196,
 Hab. Ceylon.
- Neitnerii, Putzeys, l.c., p. 196.
- maculata, Putzeys, Mém. Liège, Postscr., 1862, p. 51 (*nec* Nietner).
 Hab. India.

Genus ANCUS.

- Putzeys, Ann. Soc. Ent. Belg., x, 1866, p. 197 : Mun. Cat., p. 204.
- bicornutus, Putzeys, Mém. Liège, 1863, p. 45 ; l.c. *supra*, p. 198.
 Hab. Siam.

Genus ARDISTOMIS.

Putzeys, Mém. Liège, ii, 1846, p. 636, sep., p. 118; *id.*, Ann. Soc. Ent. Belg., x, p. 200: Lacord., Gen. Col., i, p. 206: Mun. Cat., p. 201.

paradoxa, Putzeys, Ann. Soc. Ent. Belg., xi, 1868, p. 21.
Hab. Siam, Bangkok.

Genus PSILUS.

Putzeys, C. R. Soc. Ent. Belg., xx, 1877, p. xlvi.

acutipalpis, Putzeys, *l.c.*, p. xlvi.
Hab. Calcutta.

Sect. **HARPALINE BISETOSÆ**—Horn, Gen. Carab., 1881, p. 122; Leconte & Horn, Class. Col., p. 19.

PANAGAEINI :—Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 83; Horn, Gen. Carab., p. 126; Leconte & Horn, Class. Col., p. 22.

Genus BRACHYONYCHUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 86.
Epicosmus, pt, Chaudoir, *olim*.

Andersonii, Bates Journ. Linn. S. Lond., xxi, 1887, p. 135.
Hab. Mergui Archipelago (Elphinstone Island): [*Ind. Mus. type*].

humerus (*Epicosmus*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 69; *Mon.*, p. 89.
Hab. Cochin China.

laevipennis, Chaudoir, *Mon.*, p. 87.
Hab. Siam, Cochin China.

punctipennis, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 305.
Hab. Laos.

sublaevis (*Epicosmus*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 67; *Mon.*, p. 89.
Hab. Cambodia, Cochin China.

Genus EPICOSMUS.

Chaudoir, Bull. Mus., xvii, 1844, p. 512, note; *id.*, *l.c.*, xxxiv (2), 1861, p. 335; Ann. Soc. Ent. Belg., xxi, 1878, p. 104.

Craspedophorus, pt, Hope, Col. Man., i, p. 9: Lacord., Gen. Col., i, p. 210: Murray, Schaum.

Eudema, pt., Lap. de Casteln. Hist. Nat. Ins. Col., i, 1840, p. 137: Mun. Cat., p. 208.

Iotarsus, pt, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 217; Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 134.

Panagaeus, pt, Dejean et auct.

basifasciatus, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 115; Ann. Soc. Ent. Belg., xxi, 1878, p. 127.

? = *Saundersii*, Chaudoir, *g.v.*

Hab. Laos, Cambodia.

- Castelnauii**, Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 112.
bifasciatus, Lap. de Casteln., Et. Ent., 1834, p. 155 (*nec Fabr.*) : Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 336.
 Hab. India, Nilgiris, Coromandel, Colombo (Bates).
- Feeæ**, Gestro, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 101.
 Hab. Burma, Bhamo, Teintso, Prome.
- hexagonus**, Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 338 ; *id.*, Ann. Soc. Ent. Belg., xxi, 1878, p. 114.
 Hab. India [*Ind. Mus.—?*].
- hilaris**, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 221, ♂ : Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 345 ; *id.*, Ann. Soc. Ent. Belg., xxi, p. 110.
? geniculatus (*Panagaeus*), Wied., Zool. Mag., ii (i), 1823, p. 56 : Chaud., Ann. Belg., l.c. *supra*, p. 112.
rufipalpis, Laferté, l.c. *supra*, p. 221, ♀.
 Hab. India, N. Bengal.
- laticollis**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 114 : Ann. Soc. Ent. Belg., xxi, p. 125.
 Hab. Cambodia, Laos.
- mandarinus** (*Isotarsus*), Sehaum, Ann. Soc. Ent. Fr., (3s.) 1853, p. 436 : Chaud., Ann. Soc. Ent. Belg., xxi, p. 113 : R. Gestro, Ann. Mus. Civ. Gen. xviii, 1882, p. 304.
 Hab. Hongkong, Burma.
- Mouhotii**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 69 ; Ann. Belg., l.c. *supra*, xxi, p. 124.
 Hab. Cambodia, Laos.
- notulatus**, Fabr., Syst. Eleuth., i, 1801, p. 201 : Schönherr, Syn. Ins., i, p. 209 ; Chaudoir, Ann. Belg., l.c. *supra*, p. 115.
elegans, Dejean, Spec. ii, 1826, p. 290 : Laferté, l.c. *supra*, p. 221 ; Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 432.
 Hab. Bengal, Dekhan [*Ind. Mus.*].
- pubigaster**, Chaudoir, Bull. Mose., xxxiv (2), 1861, p. 337 : Ann. Belg., l.c., *supra*, p. 122.
 Hab. India.
- Saundersii**, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 114 ; Ann. Belg., l.c. *supra*, p. 125.
? basifasciatus, Chaudoir, q. v.
 Hab. Cambodia.

Genus EUDEMA.

- Lap. de Casteln., pt. Hist. Nat. Col., i. 1840, p. 137 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 133.
Pimelia & Carabus, Fabrieus : *Isotarsus*, pt. Laferté : *Panagaeus*, Dejean, & aut.
- angulatum**, Fabr., Spec. Ins., i, 1781, p. 302 ; Mant. Ins., i, p. 197 ; Ent. Syst., i, p. 148 (*nec Syst. Eleuth.*, i, p. 203) : Gmelin, ed., Syst. Nat., iv, p. 1963

- Olivier, Ent., iii, 35, p. 38, t. 7, f. 76 ; id., Enc. Méth., Carab., No. 41 : Schönherr, Syn. Ins., i, p. 166 : Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 336 : Schaum, Ann. Soc. Ent. Fr., (3 s.) i, 1853, p. 431.
fasciatum (*Pimelia*), Fabr., Spec. Ins., i, p. 318 ; Mant. Ins., i, p. 209 ; Ent. Syst., i, p. 104 : Schönherr, Syn. Ins., i, p. 166 : ? Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 336 ; id., Mon. l. c. supra, p. 133.
tomentosum (*Panagaeus*), Vigors, Zool. Journ., i, 1825, p. 557, t. 20, f. 1 : Dejean, Spec., ii, p. 284 : Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 431.
Hab. India, Nilgiris, Coromandel, Pondicherry [*Ind. Mus.*, Utakamand, Orissa, China].
sundaicum, Oberthür, Notes Leyden Mus., v, 1883, p. 221.
Hab. E. Sumatra, Serdang.
- transversum* (*Epicosmus*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 332.
Hab. India.

Genus LOROSTEMMA.

- Motschulsky, Bull. Mosc., xxxvii (3), 1864 p. 329 : Mun. Cat., p. 212.
Lorostema, Motsch., l. c. supra.
alutacea, Motsch., l. c. supra, p. 330.
Hab. India, Tranquebar.

Genus MICROCOSMUS.

- Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xxi, 1878, p. 139.
Craspedophorus, pt, Murray, Schaum.
Isotarsus, pt, Laferté.
Panagaeus, pt, Dejean & auct.
flavopilosus, Chadoir, Bull. Mosc., xxxiv (2), 1861, p. 348 : Ann. Belg., l. c. supra, p. 142 : Bates, Trans. Ent. S. Lond., 1873, p. 243.
Hab. Bengal, Formosa, Japan.

Genus DISCHISSUS.

- Bates, Trans. Ent. S. Lond., 1873, p. 243 : Chaud., Ann. Soc. Ent. Belg., xxi, 1878, p. 149 ; Rev. Zool., (3s.) vi, p. 86.
Panagaeus, MacLeay, Lap. de Castelnau : *Craspedophorus*, pt, Murray,
Schaum : *Isotarsus*, pt., Laferté, Schaum.
borneensis, Frivaldszky, Term. füz., vi, 1883, p. 134.
Hab. Borneo.
cerens (*Panagaeus*), MacLeay, Annul. Javan., 1825, p. 12 : Chaud., Rev. Mag. Zool., (2s.) xxi, 1869, p. 116 ; Ann. Soc. Ent. Belg., xxi, 1878, p. 150.
? versutus, Lap. de Casteln., Et. Ent., 1834, p. 155.
Hab. Java.
guttiferus, Schaum, Ann. Soc. Ent. Fr., (3s) i, 1853, p. 437 : Chaud., Ann. Soc. Ent. Belg., xxi, 1878, p. 151.
Hab. Java.

longicornis (*Craspedophorus*), Schaum, Berlin. Ent. Zeits., 1863, p. 84 : Chaud., Ann. Soc. Ent. Belg., p. 153.

Hab. Nilgiris, Hongkong, N. China.

quadrinotatus (*Peronomerus*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 333 : Chaud., Ann. Soc. Ent. Belg., xxi, p. 152 : Bates, Trans. Ent. S. Lond., 1873, p. 244.

Hab. ? India, Japan.

Genus EUSCHIZOMERUS.

Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 413 : Lacord., Gen. Col., i, p. 212 : Ann. Soc. Ent. Belg., xxi, 1869, p. 157 : Mun. Cat., p. 211.

aeneipennis, Chaudoir, Rev. Mag. Zool. (2s.), xxi, 1869, p. 118 ; *id.*, Ann. Soc. Ent. Belg., xxi, p. 159.

?=denticollis, Kollar, q. v.

Hab. Malacca.

aeneus, Chaudoir, Rev. Mag., l. c., p. 118 : *id.*, Ann. Belg. l. c. *supra*, p. 160.
Hab. Dekhan.

denticollis, Kollar, Ann. Wien Mus., i, 1836, p. 334, t. 31, f. 2, a. b.
Hab. ? India.

metallicus, Harold, Stettin. Ent. Zeit., xl, 1879, p. 331.
Hab. India.

Genus PERONOMERUS.

Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 440 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 162 : Mun. Cat., p. 211.

fumatus, Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 440 : Chaudoir, Ann. Soc. Ent. Belg., xxi, p. 162 : Bates, Trans. Ent. S. Lond., 1873, p. 245 ; *ib.*, 1883, p. 234.

aeratus, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 354.

nigrinus, Bates, Trans. Ent. S. Lon. 1873, p. 245 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 164.

Hab. India, Dacca, Hong-Kong, Japan [*Ind. Mus.*, Hong Kong].

Genus TRICHISIA.

Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 331 : Chaudoir, l. c., xliv (2), 1872, p. 283 ; *id.*, Ann. Soc. Ent. Belg., xxi, 1878, p. 164 : Mun. Cat., p. 211.

Epicosmus, pt., Chaudoir, *olim* : *Eudema*, pt, Lap. de Casteln.

Isotarsus, pt., Laferté, Schaum.

cyanea (*Isotarsus*), Schaum, Ann. Soc. Ent. Fr., (3s.) i, 1853, p. 439 : Chaudoir, Ann. Soc. Ent. Belg., xxi, p. 165.

cyanescens, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 332.
Hab. India, Hong-Kong.

morio (*Isotarsus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 221, note 4 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 165.
Hab. Bengal, Dekhan.

SIAGONINI, Lacordaire, Gen. Col. i, 1854, p. 162 : Chaudoir, Bull. Mosc., 1 (i), 1876, p. 62 : Horn, Gen. Carab., p. 127.

Genus **SIAGONA**.

Latreille, Gen. Crust. & Ins., i, 1806, p. 160 : Lacord., Gen. Col., i, p. 162 : Mun. Cat., p. 161 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 439 ; Monograph ib., 1 (i), 1876, p. 76.

atrata Dejean, Spec., i, 1825, p. 360 : Chaudoir, Mon., p. 85.
Hab. India, Dekhan, Burma.

Baconii, Chaudoir, Mon., p. 89.
Hab. N. India, Burma.

cinctella, Chaudoir, Mon., p. 95.
Hab. Burma, Rangoon.

depressa (*Galerita*), Fabr., Ent. Syst. Suppt., 1798, p. 56 : *id.*, Syst. Eleuth., i, p. 215 : Chaudoir, Mon., p. 90 : Bedel, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 195.
europaea, Dejean, Spec., ii, 1826, p. 468 ; Ic. Col. Eur., i. t. 20, f. 2 : Chaudoir, Mon., p. 91 : ? Gray, Griffith An. Kingd. Ins., i, 1832, t. 8, f. 1.
Oberleitneri, Dejean, Spec., v, 1831, p. 477 : Ic., i. t. 20, f. 3 : Peyron, Ann. Soc. Ent. Fr., (3 s.), 1858, p. 389.
Hab. Mediterranean & Caspian regions, Senegal, Nubia, Persia, India [*Ind. Mus.*, China, Bengal, Sáhibganj].

flesus (*Galerita*), Fabr., Syst. Eleuth., i, 1801 p. 216 : Dejean, Spec., i, 1825, p. 363 : Chaudoir, Mon., p. 94.
dorsalis, Dejean, Spec. v, 1831, p. 477.
Hab. India, Senegal.

germana, Chaudoir, Mon., p. 96.
Hab. Coromandel (? Pondicherry, Nilgiris).

induta, Chaudoir, Mon., p. 98.
Hab. India, Dekhan.

obscuripes, Chaudoir, Mon., p. 86.
Hab. Burma, Rangoon.

plagiata, Chaudoir, Mon., p. 93.
Hab. India, Dekhan.

plana, Bonelli, Mém. Acad. Turin, 1813, p. 453 : Bedcl, Ann. Soc. Ent. Fr., (6. s.) vii, 1887, p. 195.
depressa, Dejean, Spec., i, 1825, p. 361 (*ne* Fabr.) : Chaud., Mon., p. 90.
Hab. India, Dekhan, Coromandel.

pubescens, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 439 ; Mon., p. 95.
var. *dilutipes*, Chaudoir, Bull. Mosc., l. c., p. 440.
Hab. N. India [*Ind. Mus.*, Sáhibganj, Rangoon].

punctatissima, Chaudoir, Mon., p. 106.
Hab. N. India, Simla.

punctulata, Chaudoir, Mon., p. 99.
Hab. India, Dekhan.

sublaevis, Chaudoir, *Mon.*, p. 86.

Hab. Malacea, Bangkok, Cambodia.

OZAENINI :—Lacordaire, Gen. Col., i, p. 155 : *Révision*, Chaudoir, Ann. Soc. Ent. Belg., xi, 1867-68, p. 45 : Horn, Gen. Carab., p. 128 : Leconte & Horn, Class. Col., p. 23.

Genus PSEUDOZAENA.

Lap. de Casteln., Et. Ent., i, 1834, p. 55 : Mun. Cat., p. 158.

Hoplognathus, Chaudoir, Bull. Mosc., xxi, 1848, p. 101.

Ozaena, Klug, Dejean, ? pt. Lap. de Casteln., nec Olivier.

Picus, Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 290 ; *Révision*, p. 45.

obscura (*Picus*), Chaudoir, Ann. Soc. Ent. Belg., xi, 1867-8, p. 46.

Hab. Borneo.

opaca (*Picus*), Chaudoir, l. c., p. 46.

Hab. India.

orientalis (*Ozaena*). Klug, Jahrb. Ins., 1834, p. 81, t. 1, f. 8 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 101 ; *id.*, xxvii (2), 1854, p. 291 ; *id.*, Ann. Soc. Ent. Belg., xi, p. 45.

megacephala, (*Pseudozaena*), Lap. de Casteln., Et. Ent., i, 1834, p. 54, t. 2, f. 4.

Hab. Java, Borneo, Malacea.

Genus ITAMUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 65 : Lacord., Gen. Col., i, p. 160 : Mun. Cat., p. 159 : Chaudoir, Ann. Soc. Ent. Belg., xi, 1867, p. 51.

castaneus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 67 : Chaudoir, l. c. supra p. 51.

Hab. Burma.

Genus EUSTRA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 65 : Lacord., Gen. Col., i, p. 161 : Mun. Cat., p. 161 : Chaudoir, Bull. Mosc., xxvii (i), 1854 p. 309 : *id.*, Ann. Soc. Ent. Belg., xi, 1867, p. 71.

plagiata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 66, t. 3, f. 1 : Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 309 ; *id.*, Ann. Soc. Ent. Belg., xi, p. 71 : Bates, Trans. Ent. S. Lond., 1873, p. 237.

Hab. Burma, Martaban, Japan.

NOMIINI :—Horn, Gen. Carab., 1881, p. 129 : Leconte & Horn, Class. Col., p. 24.
Coscinini, Chaudoir, Bull. Mosc., I (i), 1876, p. 115.

Genus COSCINIA.

Dejean, Spec., v, 1831, p. 478 : Lacord., Gen. Col., i, p. 167 : Mun. Cat., p. 162 : Chaudoir, Bull. Mosc., I (i), 1876, p. 115.

Cymbionotum, Baudi, Berlin. Ent. Zeits., 1864, p. 211.

Graniger, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 197.

Trychina, Klug, Symb. Phys., 1832.

fascigera, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 92; *ib.*, 1 (i), 1876, p. 121.

Hab. N. India.

Helferi, Chaudoir, Bull. Mosc., xxxii (2), 1850, p. 441; *ib.*, 1 (i), 1876, p. 122.

Hab. Burma, Martaban, Siam.

MORIONINI:—Lacordaire, Gen. Col., i, p. 180 : Chaudoir, Bull. Mosc., lv (i), 1880, p.

317 : Horn, Gen. Carab., p. 132 : Leconte & Horn, Class. Col., p. 26 : Bates, Biol. Centr. Amer., Col., i (i), p. 88.

Genus MORIO.

Latreille, Consid. Gén., 1810, tab. méth.: Lacerd., Gen. Col., i, p. 183 : Mun. Cat., p. 172 : Putzeys, Stettin. Ent. Zeit., xl. 1879, p. 283 : Chaudoir, *Monograph*, Bull. Mosc., lv (i), 1880, p. 327.

Harpalus, pt, Latreille : *Scarites*, pt, Pal. Beauv.

angustus, Chaudoir, Bull. Mosc., lv (i), 1880, p. 346.

Hab. Philippines.

brevior, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 217 ; vii, p. 727 : Chaud., *l. c.*, *supra*, p. 340.

Hab. Borneo, Sarawak.

cordicollis, Chandoir, Bull. Mosc., lv (i), 1880, p. 343.

Hab. Borneo, Kandy, Balangoda (*Bates*).

cucujoides, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 203 : ? Chaud., *l. c. supra*, p. 342 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 211.

Hab. Ceylon.

Doriae, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 217 ; vii, p. 727 : Chaud., Bull. Mosc., lv (i), p. 345.

Hab. Borneo, Sarawak.

intermedius, Chandoir, Bull. Mosc., lv (i), 1880, p. 344.

Hab. Philippines, Batchian, Ternate, ? Java.

luzonicus, Chandoir, *l. c.*, xxv (i), 1852, p. 81 ; *id.*, lv (i), 1880, p. 344 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 726.

Hab. Siam, Philippines, Amboina, Ternate.

orientalis, Dejean, Spec., i, 1825, p. 432 : Putzeys, Ann. Mus. Civ. Geu., iv, p. 216 : Bates, *l. c.*, (2s.) vii, 1889, p. 106 : Chaud., Bull. Mosc., lv (i), 1880, p. 338.

Hab. Java, Burma, Bhamo, Meectan, [*Ind. Mus.*, Tavoy, Tenasserim].

subconvexus, Chaudoir, Bull. Mosc., lv (i), 1880, p. 340.

Hab. ? Java.

submarginatus Chaudoir, *l. c.*, p. 342.

Hab. ? Borneo, Sunda Islands.

trogositoides, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203, *nec* Chaudoir, Bull. Mosc., xxv (i), 1852, p. 81 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 143, 211,

Hab. Ceylon, ? Andaman Islands.

Walkerii, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 216 : Chaud., Bull. Mosc., iv (i), 1880, p. 341.

Hab. Ceylon, Kandy (*Bates*).

Genus MORIOIDIUS.

Chaudoir, Bull. Mosc., iv (i), 1880, p. 380.

Doriae, Chaudoir, *l. c.*, p. 383.

Hab. Borneo, Sarawak.

BEMBIDIONINI:—Lacordaire, Gen. Col., i, 1854, p. 379 : Horn, Gen. Carab., p. 133 : Leconte & Horn, Class. Col., p. 27.

Genus TACHYPUS.

Lacordaire, Gen. Col., i, 1854, p. 381 : Mun. Cat., p. 400.

indicus, Chaudoir, Bull. Mosc., xxiii (3), 1850, p. 189.

Hab. N. India.

semilucidus, Motschulsky, Et. Ent. 1861, p. 24 ; Bull. Mosc., xxxvii (3), 1864, p. 180 : Bates, Trans. Ent. S. Lond., 1873, p. 300.

nubifer, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 327.

Hab. Hongkong, Japan, Amuria.

Genus BEMBIDION.

Latreille, Hist. Nat. Ins., viii, 1804, p. 221 : Lacord., Gen. Col., i, p. 382 : Jacq. Duval, *Monograph* (Ear. Spec.), Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 441 ; x, 1852, p. 101 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 193 : Mun. Cat., p. 405.

Actedium, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 182.

Amerizus, Chaudoir, Rev. Mag. Zool., 1868, p. 216.

Apteromimus, Wollaston, Col. St. Helena, 1877, p. 7.

Bembicidium, Mun. Cat. p. 405.

Campa, Motschulsky, Ins. Sib., 1842, p. 263 ; Bull. Mosc., *l. c. supra*, p. 185.

Chloredium, Motschulsky, Bull. Mosc., *l. c. supra* p. 182.

Oillenus, Samouelle, Ent. Comp., 1819, p. 148 : Curtis, Brit. Ent., i, 1828, p. 200.

Emphantes, Motschulsky, Käfer Russl., 1850 : Bull. Mosc., *l. c. supra*, p. 185.

Endosomatium, Wollaston, Col. St. Helena, 1877, p. 8.

Eudromus, Kirby, Faun. Bor. Amer. 1837, p. 55.

Eurytrachelus, Motschulsky, Käfer Russl., 1850 ; Bull. Mosc., *l. c. supra*, p. 183.

Hydrium, Leconte, Ann. Lyc. Nat. Hist. N. York, iv, 1848, p. 353 : Motsch., Bull. Mosc., *l. c. supra*, p. 186.

Leja, Dejean, Spec., v. 1831, p. 150.

Lopha, Dejean, *l. c.*, p. 183 : Motsch., Bull. Mosc., *l. c. supra*, p. 190.

Lymnaeum, Stephens, Ill. Brit. Ent., ii, 1829, p. 3 : Motsch., Bull. Mosc., *l. c. supra*, p. 133.

Metallina, Motschulsky, Käfer Russl., 1850 ; Bull. Mosc., *l. c. supra*, p. 187.

Neja, Motschulsky, Bull. Mosc., *l. c.*, p. 188.

- Nepha*, Motschulsky, *l. c.*, p. 190.
Notaphus (Mcgerle), Stephens, Ill. Brit. Ent. ii, 1829, p. 4; Motsch., Bull. Mosc., *l. c.*, p. 184.
Ochthedromus, Leconte, *l. c. supra* p. 153.
Ocys, Stephens, *l. c. supra*, p. 10; Motsch., Bull. Mosc., *l. c. supra*, p. 188.
Ocydromus, Clairville, Ent. Helv., ii, 1806, p. 20.
Odontium, Leconte, *l. c. supra*, p. 352.
Omala, Motschulsky, Ins. Sib., 1842, p. 250.
Peryphus, Dejean Spec. v. 1831, p. 101; Motsch., Bull. Mosc., *l. c. supra*, p. 189.
Phila, Motschulsky, Ins. Sib., 1842, p. 260; Bull. Mosc., xxxvii (3), 1864, p. 188.
Philochthus, Stephens, *l. c. supra*, p. 7; Motsch., Bull. Mosc., *l. c.* p. 186.
Plataphus, Motschulsky, Bull. Mosc., *l. c. supra*, p. 184.
Principium, Motschulsky, *l. c. supra*, p. 181.
Pseudophilochthus, Wollaston, Col. St. Helena, 1877, p. 7.
Sinechostictus Motschulsky, Bull. Mosc., *l. c. supra*, p. 186.
Talanes, Motschulsky, *l. c. supra*, p. 187.
Testedium, Motschulsky, *l. c. supra*, p. 182.
Trepanes, Motschulsky, *l. c. supra*, p. 186.
- callipygum**, Bohemann, Freg. Eug. Resa, Col., 1858, p. 17.
 Hab. Hongkong.
- chlorum**, Bates, Trans. Ent. S. Lond., 1873, p. 332.
 Hab. Yangtse Valley, Japan.
- collutum** Bates, *l.c.*, p. 332.
 Hab. Yangtse Valley, Fuchau.
- europæ**, Bates, Anu. Mag. N.H., (5s.) xvii, 1886, p. 156.
 Hab. Ceylon, Kandy.
- luridipenne**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 199.
 Hab. Bengal.
- niloticum**, Dejean, Spec., v, 1831, p. 73; Bates, Trans. Ent. S. Lond., 1873, p. 301; ib., 1883, p. 269.
Batesii (*Notaphus*), Putzeys, C. R. Soc. Ent. Belg., xviii, 1875, p. lii.
opulentum, Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 420.
 Hab. Egypt, Japan, China, Ceylon.
- *pamirense**, Bates, Proc. Zool. S. Lond., 1878, p. 718.
 Hab. Pamir, between Sirikol and Pangu [*Ind. Mus.*, type].
- *punctipenne**, Bates, *l.c.*, p. 718
 Hab. ? Pámír or near Yarkand [*Ind. Mus.*, type].
- tæniatum**, Wiedemann, Zool. Mag., ii (i), 1823, p. 62.
 Hab. Bengal.
- xanthacrum**, Chaudoir, Bull. Mosc., xxiii (3), 1850, p. 175, note.
 Hab. N. India.

Genus **TACHYNOTUS**.

Motschulsky, Bull. Mosc., xxxiv, (i), 1861, p. 100 : Mun. Cat., p. 395.

castaneus. Motschulsky, *i.e. supra*, p. 100, t. 9, f. 1.

Hab. Ceylon.

Genus **TACHYS**.

(Ziegler) Motschulsky, Käfer Russl., 1850 : Mun. Cat., p. 401 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 737 ; Bates. Biol. Centr. Amer., Col., i (i), p. 138.

[Although Motschulsky's revision of the genus (summarised in Et. Ent., 1862, p. 27) has not been generally accepted, his observations deserve apparently more attention than has hitherto been given to them. I reproduce here the arrangement proposed by him in his own words :—

I.—Antennes allongées, composées d'articles plus longs que larges.

(a) corps plus ou moins convexe, ovalaire, luisant :—

1. élytres rétrécis vers la base, glabres au milieu, avec un petit sillon basal et un entier vers la suture et la marge latérale :—*Tachylopha*.
2. élytres profondément sillonnés vers la suture :—*Tachyura—Klugii, orientalis*, Nietner.

(b) corps plus ou moins déprimé, oblong ou parallèle, avec un reflet métallique, changeant sur les élytres, qui sont striées, surtout vers la suture. *Tachys*.

(c) corps déprimé, allongé, parallèle ; élytres multistriées ; tête petite, courte ; troisième article de palpes max. élargi. *Lynnastis—pullulus, indicus*, Motsch.

II.—Antennes pas ou à peine plus longues que la moitié du corps, robustes, grossissant vers l'extrémité et composées d'articles plus ou moins larges.

(a). corps déprimé presque parallèle ; cotés du corselet rebordés sur toute leur largeur, sans angles relevés en arrière ; élytres multistriées ; elles vivent sous l'écorce des arbres. *Tachymenis—umbrosa*, Motsch.

(b). corps un peu convexe, ovalaire ; cotés du corselet rebordés seulement en arrière, avec les angles à peine saillants ; élytres glabres, sans striés, ou à peine marquées de chaque côté de la suture des sillons plus ou moins effacés ; palpes grands, de la longueur de la tête ; graduellement atténus en avant. *Polyderis—tenellus*, Motsch.

To these I have added

Elaphropus, Motsch., Bull. Mosc., xii, 1839, p. 4 ; *id. ib.*, xxii, 1859, p. 40, f. 4 : Mun. Cat., p. 400—*gracilis, latissimus*, Motsch.]

acaroides, Motsch., Et. Ent., 1859, p. 39 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 240.
Hab. Ceylon, Colombo.

albicornis, Schaum, Berlin Ent. Zeits., iv, 1860, p. 199.
Hab. Hongkong.

amplians, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 155.
Hab. Ceylon, Kandy.

anceps, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 742.
Hab. India.

- arcuatus.** Putzeys, *l. c.*, p. 744.
Hab. Ceylon.
- atomarius.** Wollaston, Col. Hesperid., 1868, p. 28 : Bates, Ann. Mag. N. H., (5 s.) xvii, p. 152.
microscopica, Bates, Trans. Ent. S. Lond., 1873, p. 299.
l. tenella (*Polyderis*), Motsch., Et. Ent., 1862, p. 35.
Hab. Cape Verde Islands, Ceylon (Bogawantalawa).
- bioculatus.** Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 743 : Bates, *l. c.*, (2 s.) vii 1889, p. 105.
Hab. Ceylon ; Burma, Bhamo, Teintso, Tenasserim.
- ceylanicus** (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 423.
Hab. Ceylon.
- cinctipennis.** Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 99.
Hab. Ceylon, Colombo.
- coracinus.** Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 739.
Hab. Borneo, Sarawak.
- dorsalis.** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508.
Hab. India.
- emarginatus** (*Bembidium*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 425 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 739 : Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 155.
seydmaenoides, Bates, Trans. Ent. S. Lond., 1873, p. 299 (*nec* Nietner).
Hab. Ceylon, Colombo (*Bates*), Fuchau, Lower Yangtse Valley.
- euides.** Bates, Ann. Mag. N. H., (6 s.) xvii, 1886, p. 153.
Hab. Ceylon, Dikoya.
- finitimus** (*Bembidium*), Walker, Ann. Mag. N. H., (3 s.) ii, 1858, p. 204.
Hab. Ceylon.
- flaviculus.** Motschulsky, Et. Ent., 1859, p. 39.
Hab. Ceylon.
- fumigatus.** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 509.
Hab. India.
- fusculus.** Schaum, Berlin Ent. Zeits., iv, 1860, p. 200 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 741.
Hab. Hongkong.
- gracilis** (*Elaphropus*), Motsch., Et. Ent., 1862, p. 36.
Hab. India.
- gradatus.** Bates, Trans. Ent. S. Lond., 1873, p. 331.
Hab. Fuchau, China.
- impresipennis.** Motschulsky, Et. Ent., 1859, p. 39 : Putzeys, Ann. Mus. Civ. Gen., vii, p. 745.
Hab. Ceylon, Colombo.
- impressus.** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508.
Hab. India.

- indicus** (*Lymnaeum*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 507; *id.*, (*Lynnastis*), Et. Ent., 1862, p. 27.
Hab. India.
- infans**, Bates, Ann. Mag. N. H., (6s.) xvii, 1886, p. 154.
Hab. Ceylon, Kandy.
- Klugii** (*Bembidium*), Nietner, Aun. Mag. N. H., (3s.) ii, 1858, p. 423.
Hab. Ceylon.
- latissimus** (*Elaphropus*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 508; *id.*, Et. Ent., 1859, t. 1, f. 5.
Hab. India.
- Nietnerii** (*Tachyta*), Schaum, Berlin. Ent. Zeits., vii, 1863, p. 88.
Hab. Ceylon.
- notapholdes**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 156.
Hab. Ceylon, Kitugalle.
- orientalis** (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 425.
Hab. Ceylon.
- ornatus** (*Bembidium*), Nietner, l. c., p. 426; Putzeys, Anu. Mus. Civ. Gen., vii, p. 741.
Hab. Ceylon, Kandy (*Bates*).
- ovatus** (*Lopha*), Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 509.
albicornis, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 199.
Hab. Hongkong.
- paralellus** Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 507.
Hab. India.
- periyphinus**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 153.
Hab. Ceylon, Kitugalle.
- poecilopterus**, Bates, Trans. Ent. S. Lond., 1873, p. 331.
Hab. Fuehau, China.
- politus**, Motsch., Bull. Mosc., xxiv (4), 1851, p. 509; Putzeys, Ann. Mus. Civ. Gen., vii p. 743.
ebeninus (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 424.
Hab. Ceylon.
- pullulus** (*Lynnastis*), Motschulsky, Et. Ent.. 1862, p. 31.
Hab. India.
- scydmaenoides** (*Bembidium*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 427.
Hab. Ceylon, Colombo (*Bates*) ; Yangtse Valley (*Levis*).
- sericeus**, Motschulsky, Bull. Mosc., xxiv (4), 1851, p. 507.
Hab. India.
- spilotus**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 152.
Hab. Ceylon, Colombo.
- subvittatus**, Bates, l. c., p. 151.
Hab. Ceylon, Dikoya.

sulcatus (*Tachys*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 509 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 740.

Hab. India.

sulculatus, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 743.

Hab. Hongkong.

suratalis (*Tachys*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 508 : Putzeys, *l. c.*, *supra*. p. 746.

Hab. India.

tenellus, Motsch., Et. Ent., 1862, p. 35.

Hab. India.

triangularis (*Bembidium*), Nictner, Journ. As. Soc. Beng., 1857, p. 72 : Ann. Mag. N. H., (3s.) ii, 1858, p. 422 : Schaum, Berlin. Ent. Zeits., 1863, p. 72 : Bates, Trans. Ent. S. Lond., 1873, p. 298.

atriceps, W. MacLeay, Trans. Ent. S. N. S. Wales, 1871, p. 116.

Hab. Egypt, Yemen (Arabia), Japan, Yangtse Valley, Ceylon, Colombo, Dikoya (*Bates*), Celebes, Melbourne, Queensland.

tropicus (*Bembidium*), Nictner, Ann. Mag. N. H., (2s.) ii, 1858, p. 421.

Hab. Ceylon, Dikoya (*Bates*).

truncatus (*Bembidium*), Nictner, *l. c.*, p. 421.

Hab. Ceylon.

umbrosus, Motsch., Bull. Mosc., xxiv (4), 1851, p. 507 ; *id.*, ib., xxv, 1862, p. 32. (*Tachymenis*), Et. Ent., ix, 1862, p. 32.

? *extremus* (*Acupalpus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.

Hab. India, Ceylon, Dikoya (*Bates*), Kiukiang in Yangtse Valley.

vixstriatus, Bates, Trans. Ent. S. Lond., 1873, p. 331.

Hab. Yangtse Valley.

POGONINI :—Lacordaire, Gen. Col., i, 1854, p. 364 : Chaudoir, *Essai*, Ann. Soc. Ent. Belg., xiv, 1871, p. 21 : Horn Gen. Carab., p. 135.

Genus POGONUS.

Dejean, Spec., iii, 1828, p. 6 : Lacord., Gen. Col., i, p. 368 : Mun. Cat., p. 381 : Chaudoir, *Essai Mon.*, Ann. Soc. Ent. Belg., xiv, 1871, p. 23.

hindustanus, Motsch., Bull. Mosc. xxxvii (3), 1864, p. 192 : Chaudoir, Ess., p. 38 (*gen. dub.*).

Hab. India, Tranquebar.

transfuga, Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 30.

orientalis, Gebler, Bull. Mosc., xx (i), 1847, p. 319.

persicus, Chaudoir, *l. c.*, xv, 1842, p. 821.

Hab. Siberia, S. Russia, Pe: sia, ? Kashmir.

Genus PATROBUS.

Dejean, Spec., iii, 1828, p. 26 : Lacord., Gen. Col., i, p. 367 : Mun. Cat., p. 386 : Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 40 : Schaum, Naturg. Deutsch. Ins., p. 375.

Carabus, Paykull, Duftschmid, Panzer, Illiger. *Harpalus*, Gyllenhal, Zetters-tedt. *Platysma*, Sturm.

navipes, Motsch., Bull. Mose., xxxvii (3), 1864, p. 191 : Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 40 : Bates, Trans. Ent. S. Lond., 1873, p. 294 : (*Deltomerus*) Chaudoir, Bull. Mose., liii (3), 1878, p. 79.
Hab. Japan, Yangtse Valley, Hongkong.

yunnanus, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 317.
Hab. Yunnan.

Genus TRECHUS.

Clairville, Ent. Helv., ii, 1806, p. 22 : Laeord., Gen. Col., i, p. 370 : Mun. Cat., p. 389 : *Mon.*, Putzeys, Stettin Ent. Zeit., 1847, p. 302 : Pandellé, Mat. Col. Franee, 1867, p. 131.

Bleonus, pt. Stephens, Ill. Brit. Ent., 1828, p. 50 : Motsch., Bull. Mose., xxxvii (3), 1864, p. 190.

Epaphius, Stephens, l. c., *supra* p. 50.

Thalassophilus, Wollaston Ins. Mader., 1854, p. 20.

convexus, MacLeay, Annul. Javan, 1825, p. 20.
Hab. Java.

fasciatus, Motseh., Bull. Mosc., xxiv (4), 1851, p. 506.
Hab. India.

PTEROSTICHINI :—Ilorn, Gen. Carab., p. 136 : Leconte & Horn, Class, Col., p. 30.

Feronides, Lacordaire, Gen. Col., i, p. 317.

Stomides, Lacordaire, l. c., p. 247.

Trigonotomides, Lacordaire, l. c., p. 309.

Div. TRIGONOTOMINA :—Laeordaire, l. c. : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 151.

Genus TRIPLOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 71 : *id.*, *Monograph*, Ann. Soc. Ent. Belg., xi, 1868, p. 152.

Omaseus, Morawitz, Motsehulsky, MacLeay.

Trigonotoma, pt. Dejean, Laporte.

? *aeratus* (*Omaseus*), Hope, Gray's Zool. Misc., 1831, p. 21.
Hab. Nepal.

andamanensis, Chaudoir, Bull. Mose., liii (3), 1878, p. 22.
Hab. Andaman Islands.

Buquetii, Lap. de Casteln., Et. Ent., 1834, p. 77 : Chaudoir, *Mon.*, p. 162 ; Bull. Mosc., liii (3), 1878, p. 31.
Hab. Java.

chalcothorax, Chaudoir, Ann. Soc. Ent. Belg. xi, 1868, p. 153 ; Bates, Ann. Mus. Civ. Gen., (2s) vii, 1889, p. 105.

Hab. Cambodia, Cochin China ; Burmah, Bhamo.

himaleicus (*Omaseus*), Reitenb., Hügel's Kasehm., iv (2), 1844, p. 501.
Hab. N. W. Himalaya ; Mussooreo.

? *indicus* (*Omaseus*), Hope, Gray's Zool. Misc., 1831, p. 21.
Hab. Nepal.

- ingens** (*Omaseus*), Morawitz, Beitr. Z. Käf. Faun. Jesso, i, 1863, p. 51 : Chaudoir, Ann. Soc. Ent. Belg., xi, p. 154.
 (magnus (*Omaseus*)), Motschulsky, Et. Ent., 1860, p. 5.
 Hab. China, Japan.
- insignis**, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 310.
 Hab. Borneo, Sarawak, Labuan.
- Mouhotii**, Chaudoir, *Mon.*, p. 152 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 105.
 Hab. Cambodia; Burma, Bhamo.
- obscurus**, Lap. de Casteln., Et. Ent., 1834, p. 76.
 Hab. Java.
- planicollis**, Dejean, Spec., iii, 1828, p. 185 : Chaud., *Mon.*, p. 154.
 Hab. Bengal.
- praestans**, Chaudoir, *Mon.*, p. 154.
 Hab. Hongkong.
- Putzeysii**, Chaudoir, Bull. Mosc., liii (3), 1878, p. 31.
 Hab. Java.
- rectangulus**, Chaudoir, *Mon.*, p. 153.
 Hab. Dekhan.
- semiviolaceus**, Chaudoir, *Mon.*, p. 152.
 Hab. N. India.
- serraticollis**, Chaudoir, *Mon.*, p. 153.
 Hab. Dekhan.
- viridicollis** (*Omaseus*). MacLeay, Annul. Javan., 1825, p. 17 : Chaudoir, *Mon.*, p. 154 : Guérin, Ic. Règne Anim., t. 6, f. 2a : Gray, Griffith Anim. Kingd. Ins., i, 1832., t. 25, f. 2.
 (bicolor, Lap. de Casteln., Et. Ent., 1834, p. 75, t. 2, f. 2 : Chaud., *Mon.*, p. 152 ; id., Bull. Mosc., liii (3), 1878, p. 33.
 Hab. Java.
- Waterhousei**, Chaudoir, Rev. Mag. Zool., 1862, p. 489 ; id., *Mon.*, p. 55.
 Hab. N. India, Java.

Genus LESTICUS.

- Dejean, Spec., iii, 1828, p. 190 : Lacord., Gen. Col., i, p. 312 : Mun. Cat., p. 294 ; Chaudoir, Ann. Soc. Ent. Belg., xi, 1868, p. 155.
- amabilis**, Chaudoir, *l. c. supra*, p. 155.
 Hab. Java.
- Janthinus**, Dejean, Spec., iii, 1828, p. 190 : Ic. Col. Eur., ii, t. 124, f. 3 : Lap. de Casteln., Hist. Nat. Ins., i, p. 120 : Chaudoir, *l. c.*, p. 155.
 Hab. Java.
- tricostatus**, Chaudoir, *l. c. supra*, p. 157.
 Hab. India.

Genus TRIGONOGNATHA.

Motschulsky, Et. Ent., vi, 1857, p. 25.

princeps, Bates, Trans. Ent. S. Lond., 1883, p. 243.

Hab. China, Kwantung.

Genus TRIGONOTOMA.

Dejean, Spec., iii, 1828, p. 182 : Lacord., Gen. Col., i, p. 311 : Mun. Cat., p. 293 :

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 71 ; *id.*, Monograph, Ann. Soc.

Ent. Belg., xi, 1868, p. 158.

chalceola, Bates, Trans. Ent. S. Lond., 1873, p. 328.

Hab. Hongkong.

Comottoi, R. Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 308.

Hab. Burma.

concinna, Lap. de Casteln., Et. Ent., 1834, p. 77 : Chaudoir, Mon., p. 159 : Bates,

Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 105.

Hab. Java.

crenata, Chaudoir, Mon., p. 159.

Hab. India.

curtula, Chaudoir, Mon., p. 160.

Hab. Laos.

Dohrnii, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 69 ; Mon., p. 159.

Hab. Hongkong.

fulgidicollis, Lap. de Casteln., Et. Ent., 1834, p. 77 : Gestro, Ann. Mus. Civ. Gen.,

xviii, 1882, p. 309.

Hab. Java, ? Laos.

indica, Brullé, Hist. Nat. Ins., iv, 1840, p. 333 : Chaud., Mon., p. 158 : Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 145.

viridicollis, Dejean, Spec., iii, 1828, p. 183 (*nec* MacLeay) : Lap. de Casteln., Hist. Nat. Ins., i, p. 220.

Hab. Java, Ceylon, Colombo.

Lewisii, Bates, Trans. Ent. S. Lond., 1873, p. 284.

var. *bhamoensis*, Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 105.

Hab. Manchuria, Japau, China, Burma, Bhamo.

luzonica, Chaudoir, Mon., p. 161.

Hab. Philippines, Luzon, Manilla.

nitidicollis, Chaudoir, Mon., p. 160.

Hab. Cochinchina.

Petelii, Lap. de Casteln., Et. Ent., 1834, p. 78 : Chaud., Mon., p. 159.

Hab. Java.

similis, Chaudoir, Mon., p. 158.

Hab. Dekhan.

Genus TRIGONOMINA.

Motschulsky, Bull. Mosc. xxxvii (4), 1864, p. 349 : Mun. Cat., p. 293.

? = *Triplogenys*, Chaudoir, q. v.

politocollis, Motschulsky, l. c., p. 349.

Hab. India.

Div. STOMINA:—Lacordaire, Gen. Col., i, p. 247 : Chaudoir, Bull. Mosc., xix (4), 1846, p. 511.

Genus IDIOMORPHUS.

Chaudoir, Bull. Mosc., xix (4), 1846, p. 515 : Lacord., Gen. Col., i, p. 254 : Mun. Cat., p. 248 : Horn, Gen. Carab., p. 175.

Guerinii, Chaudoir, Bull. Mosc., xix (4), 1846, p. 518 : Lacord., Gen. Col., Atlas, t. 12, f. 1 α .

Hab. Iudia, Nilgiris.

Genus DISPHAERICUS.

Waterhouse, Trans. Ent. S. Lond., iii, 1842, p. 211 : Lacord., Gen. Col., i, p. 249 : Mun. Cat., p. 247 : Horn, Gen. Carab., p. 126.

Dyschiridium, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 130.

Spanus, Westwood, Proceed. Ent. S. Lond., iii, Feb. 1864, p. 3.

marginicollis, Schaub, Berlin. Ent. Zeits., 1864, p. 122, t. 2, f. 3.

Hab. Iudia, Tranquebar.

ovicollis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 73.

Hab. Ceylon, Dikoya.

Genus PACHYTRACHELUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 85 : Mun. Cat., p. 248.

Batoscelis, Lacord., Gen. Col., i, 1854, p. 261 : Mun. Cat., p. 249.

Systemognathus, Putzey, Mém. Liège, xviii, 1862, p. 18 : Mun. Cat., p. 189.

ceylonicus (*Batoscelis*), Motschulsky, Bull. Mosc., xxxiv (i), 1861, p. 103.

Hab. Ceylon.

cibriceps, Chaudoir, l. c., xxv (i), 1852, p. 86.

Hab. N. India.

discipennis (*Agonoderus*), Dejean, Spec., v, 1831, p. 815.

Hab. India, Simla.

cblongus (*Agonoderus*), Dejean, l. c., p. 813.

Hab. India.

politus, Schmidt Goebel, Faun. Col. Birm., 1846, t. 2, f. 8 a.-d.

Hab. Burma.

porosus, Putzey, Mém. Liège, xviii, 1862, p. 19, t. 1, f. 2-4.

Hab. India.

Div. PTEROSTICHINI:—Horn, Gen. Carab., p. 187.

Genus CATADROMUS.

MacLeay, Annul. Javan., 1825, p. 18 : Lacord., Gen. Col., i, p. 321 : Mun. Cat., p. 298.
teaebricoides (*Carabus*), Olivier, Enc. Méth., v, 1790, p. 324; *il.*, Ent., iii, 35, p. 17, t. 6, f. 67 : Dejean, Spec., iii, p. 187 : Gray, Griffith, Anim. Kingd., Ins. i, t. 12, f. 3 : Macleay, Annul. Javan, p. 19, t. 1, f. 5,
Rajah (*Harpalus*), Wiedemann, Anal. Ent., 1824, p. 7.
 Hab. Java [*Ind. Mus.*, Australia ?].

Genus PTEROSTICHUS.

Bonelli, Obs. Ent. 1809, *tab. syn.* : Lacord., Gen. Col., i, p. 400 : Mun. Cat., p. 317.

- Adelosia*, Stephens, Cat. Brit. Ins. (2 ed.), 1832.
- Aello*, Gozis, M. T. Schw. Ent. Ges., vi, 1882, p. 297.
- Agonodemus*, Chaudoir, Bull. Mosc., xi, 1838, p. 9.
- Arachnoidius*, Chaudoir, *l. c.*, p. 9.
- Argutor* (Megerle), Stephens, Ill. Brit. Ent., i, 1828.
- Argutoroidius*, Chaudoir, Ann. Soc. Ent. Belg., xix, 1876, p. 114.
- Bothriopterus*, Chaudoir, Bull. Mosc., xi, 1838, p. 9.
- Brachystylus*, pt. Chaudoir, *l. c.*, p. 10.
- Bryobius*, Chaudoir, *l. c.*, p. 10.
- Cilopterus*, Chaudoir, *l. c.*, p. 11.
- Ceneus*, Chaudoir, *l. c.*, xxviii (3), 1865, p. 109.
- Cheporus*, Latreille, Règne. Aum., (2 ed.) iv, 1825, p. 396.
- Cophorus* (Ziegler), Stephens, Ill. Brit. Ent., i, 1828 : Chaud., *l. c.*, *supra*, p. 1.
- Coscinopterus*, Chaudoir, *l. c.* *supra*, p. 11.
- Cryobius*, Chaudoir, *l. c.*, p. 11.
- Dysidius*, Chaudoir, *l. o.*, p. 8.
- Glyptopterus*, Chaudoir, *l. o.*, p. 10.
- Gonoderus*, Motschulsky, Bull. Mosc., xxxii, 1859, p. 149.
- Haplosoelus*, Chaudoir, Bull. Mosc., xi, 1838, p. 8.
- Haptoderus*, Chaudoir, *l. o.*, p. 10.
- Hyphergea* (Esch.), Chaudoir, *l. c.*, p. 8.
- Lianæ*, Gozis, MT. Schw. Ent. Ges., vi, 1882, p. 298.
- Lycoperherus*, Motschulsky, Mém. Ac. St. Petersb., v, 1846, p. 136.
- Lyperosomus*, Motschulsky.
- Lyperus*, Chaudoir, Bull. Mosc., xi, 1838, p. 12.
- Lyropedius*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
- Lyrothorax*, Chaudoir, *l. c.*, *supra*, p. 9.
- Melanius*, Bonelli Mém. Acad. Turin, *tab. syn.*, 1809.
- Myosodus*, Fischer, Ent. Imp. Russ., ii, 1823, p. 122.
- Omaseus* (Ziegler), Stephens, Ill. Brit. Ent., i, 1828.
- Oreophilus*, Chaudoir, *l. c.* *supra*, p. 9.
- Orthomus*, Chaudoir, *l. c.*, p. 8.
- Parapedius*, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
- Pedius*, Motschulsky, Bull. Mosc., xxxviii (1), 1865, p. 242.
- Petrophilus*, Chaudoir, *l. c.* *supra*, p. 9.
- Phonias*, Gozis, Récherche, 1886, p. 8.

- Platypterus*, Chaudoir, *l. c. supra*, p. 11.
Platysma, Bonelli, Obs. Ent., 1809, *tal. syn.* : Mun. Cat., p. 317.
Pledarus, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 254.
Pseudocryobius, Motschulsky, Käfer Russl., 1850, 9.
Pseudoderus, Seidlitz, Fauna Baltica, (2 ed.), 1887, p. 36.
Pseudopediush, Seidlitz, *l. c.*, p. 36.
Pseudosteropus, Chaudoir, *l. c. supra*, p. 9.
Psychobius, Chaudoir, *l. c.*, p. 12.
Rhagadus, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 261.
Steropus (Megerle), Stephens, Ill. Brit. Ent., i, 1828. Chaud., *l. c. supra*, p. 9.

[The above synonymy requires examination and revision.]

aeneocupreus (*Platysma*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.
 Hab. Yunnan.

birmanus (*Loxandrus*), Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 106.
 Hab. Burma, Bhamo.

curtatus (*Euryperus*), Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 312.
 Hab. Yunnan.

diversus (*Omaseus*), Fairmaire, *l. c.*, p. 311.
 Hab. Yunnan.

gagates (*Platysma*), Hope, Gray's Zool. Misc., 1831, p. 21.
 Hab. Nepál.

latecosta (*Platysma*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 94.
 Hab. Yunnan.

Yunnanus, (*Pterostichus*), Fairmaire, *l. c.*, p. 94.
 Hab. Yuunan.

longinquis, Bates, Trans. Ent. S. Lond., 1873, p. 286.
 Hab. Yangtse Valley, Japan.

Noguchi, Bates, *l. c.*, p. 286.
 Hab. Yangtse Valley, Nagasaki.

simillimus, Fairmaire, Ann. Soc. Ent. Fr., (4s.) vi, 1886, p. 312.
 Hab. Yunnan. \div

discescens (*Simodontus*), Chaudoir, Bull. Mosc., xlvi (3), 1873, p. 114.
 Hab. ? Philippines ? Australia.

Genus RHATHYmus.

Dejean, Spec., v, 1831, p. 783 : Mun. Cat., p. 334 : Chaudoir, Bull. Mosc., liii (3), 1878, p. 7.

Rathymus, Dejean, *l. c. supra* : Lacord., Gén. Col., i, p. 329.

Selenidia, Motsch., Et. Ent., 1855, p. 45.

Strigia, Brullé, Hist. Nat. Ins., iv, 1840, p. 382 : Lacord., Gén. Col., i, p. 327 : Mun. Cat., p. 333.

ater, Chaudoir, Bull. Mosc., liii (2), 1878, p. 8.
 Hab. India, Coromandel.

- maxillaris** (*Strigia*), Brullé, Hist. Nat. Ins., iv, 1840, p. 382, t. 15, f. 6 : Chaudoir,
l.c. *supra*, p. 8.
Hab. India.
- stigma**, Fabr., Syst. Eleuth., i, 1801, p. 192 : (*Selenidia*) Motsch., Et. Ent., 1855, p.
45 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 140 ; *id.*, Bull. Mosc.,
liii (3), p. 9.
? *sulcatus*, Fabr. Ent. Syst. iv, App. 1794, p. 443.
Hab. India, Dekhan, Java.

Genus LAGARUS.

- Chaudoir, Bull. Mosc., xi, 1838, p. 10.
? *Argutor*, Stephens, Ill. Brit. Ent., 1828 ; *teste*, Gozis, Récherche, p. 8.
? *impunctatus*, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 145.
Hab. Ceylon, Colombo.

Genus ABACETUS.

- Dejean, Spec., iii, 1828, p. 195 : Lacord., Gen. Col., i, p. 315 : Mun. Cat., p. 295 :
Chaudoir, Stettin. Ent. Zeit., 1859, p. 126 ; *id.*, Monograph, Bull. Mosc.,
xlii (i), 1869, p. 353.
Astygis, Rambur, Faun. Andal., 1842, p. 95.
Coelostomus, MacLeay, Annul. Javan., 1825, p. 23 : Lap. de Casteln., Hist.
Nat. Ins., i, p. 123.
Dicaelindus, MacLeay, Annul. Javan., 1825, p. 18 : Schaum, Berlin. Ent.
Zeits., vii, 1863, p. 86 : Chaud., Bull. Mosc., xlii (i), 1869, p. 356.
Distrigodes, pt., Motsch., Bull. Mosc., xxxvii (4), 1864, p. 353 : Mun. Cat.,
p. 296.
Distrigus, Dejean, Spec., iii, 1828, p. 191 : Lacord., Gen. Col., i, p. 316 :
Mun. Cat., p. 296.
aenigma, Chaudoir, Mon. Bull. Mosc., xlvi (i), 1869, p. 358 : Fairm., Athn. Soc. Ent.
Fr., 1888, p. 336.
Hab. Cochin China, Tonkin, Hongkong.
amplicollis, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 106.
Hab. Burma, Katha, Teintso, Bhamo.
anomalus, Chaudoir, Mon., p. 367.
Hab. Ceylon, Colombo.
antiquus (*Argutor*), Dejean, Spec., iii, 1828, p. 246 : Chaudoir, Mon., p. 391.
picipes, Motsch., Bull. Mosc., xxxviii (4), 1863, p. 228 (*nec* MacLeay).
relinquens (*Argutor*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.
submetallicus (*Distrigus*), Nietner, l.c., p. 177.
Hab. India, Coromandel, Ceylon, Colombo,
atratus (*Distrigus*), Dejean, Spec., iii, 1828, p. 194 : Chaud., Mon., p. 358.
costatus (*Distrigus*), Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 176.
Hab. Ceylon, Colombo.
bipunctatus (*Distrigodes*), Motsch., Bull. Mosc., xxxviii (4), 1864, p. 352 ; Chaudoir,
Mon., p. 386.
? *pallipes*, Chaudoir, q. v.

rufulus (*Distrigodes*), Motsch., l.c., xxxviii (4), 1865, p. 327.
Hab. India, Burma.

bisignatus, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 105.
Hab. Burma, Bhamo, Shwegu.

carinifrons, Bates, Ann. Mag. N.H., (5s.) xvii, 1886, p. 144.
Hab. Ceylon, Colombo.

chalceolus, Chaudoir, *Mon.*, p. 384.
Hab. N. India.

cordicollis, Chaudoir, *Mon.*, p. 357.
Hab. India, Tranquebar; Ceylon, Galle.

cyathoderus, Chaudoir, *Mon.*, p. 373.
Hab. N. India.

degener (*Argutor*), Walker, Ann. Mag. N.H., (3s.) ii, 1858, p. 201.
Hab. Ceylon.

Dejeani (*Distrigus*), Nietner, l.c., p. 178 : Chaud., *Mon.*, p. 390.
flavipes (*Coelostomus*), Motsch., Bull. Mosc., xxxviii (4), 1865, p. 228.
Hab. India, Ceylon.

dilutipes, Chaudoir, *Mon.*, p. 383.
Hab. Siam.

dorsalis (*Astygis*), Motsch., Bull. Mosc., xxxviii (4), 1865, p. 229 : Chaud., *Mon.*,
p. 397.
? = *rufopiceus*, Nietner, q. v.
Hab. India, Tranquebar, Madura.

felspathicus (*Dieculindus*), MacLeay, Annul. Javan., 1825, p. 19, t. 1, f. 6 : Schaum,
Berlin, Ent. Zcts., 1863, p. 86.
Hab. Java.

femoralis (*Distrigodes*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 354 : Chaud.,
Mon., p. 386.
Hab. India, Tranquebar.

guttula, Chaudoir, *Mon.*, p. 374.
Hab. Dekhan.

haplosternus, Chaudoir, Bull. Mosc., liii (3), 1878, p. 25.
Hab. Siam, Bangkok.

hirmococclus, Chaudoir, *Mon.*, p. 372.
Hab. Burma, Rangoon.

impressicollis (*Distrigus*), Dejean, Spec., iii, 1828, p. 193 : Lap. de Casteln., Hist.
Nat. Ins., 1, p. 118 : Chaud., *Mon.*, p. 359.
Hab. India, Dekhan.

leucotelus, Bates, Trans. Ent. S. Lond., 1873, p. 283.
Hab. Yangtse Valley, Nagasaki.

lioderes, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 144.
Hab. Ceylon, Colombo.

maculipes, Chaudoir, *Mon.*, p. 384.

Hab. Burma, Martaban.

marginicollis, Chaudoir, *Mon.*, p. 359.

Hab. Burma, Pegu, Rangoon.

Nietnerii, Chaudoir, *Mon.*, p. 392.

aeneus (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 177 : (*nec*, Dejean).

Hab. Ceylon, Colombo.

pallipes, Chaudoir, *Mon.*, p. 386.

? = *bipunctatus*, Motschulsky, *q.v.*

Hab. Burma, Martaban.

picipes (*Coelostomus*), MacLeay, Annul. Javan, 1825, p. 24 : Hope, Col. Man., ii,

t. 3 f. a.d. (*neo* Motsch.) : Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Hab. India.

picticornis, Chaudoir, Bull. Mosc., liii (3), 1878, p. 27.

Hab. Middle China.

politus, Chaudoir, *Mon.*, p. 368.

Hab. India, Dekhan.

politulus, Chaudoir, *Mon.*, p. 369.

Hab. Burma, Rangoon.

promptus (*Distrigus*), Dejean, Spec., iii, 1828, p. 195 : Chaud., *Mon.*, p. 370.

Hab. India, Coromandel.

quadricollis, Chaudoir, *Mon.*, p. 382.

Hab. Burma, Martaban.

quadrivittatus, Chaudoir, *Mon.*, 387 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 143.

Hab. Ceylon, Kandy.

quadrimaculatus, Chaudoir, *Mon.*, p. 380.

Hab. N. India.

quadrinotatus, Chaudoir, *Mon.*, p. 388.

Hab. Bengal.

reflexus, Chaudoir, *Mon.*, p. 358.

Hab. N. India.

rufopiceus (*Distrigus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 177 : Chaud., *Mon.*, p. 398.

Hab. Ceylon.

rufotestaceus, Chaudoir, *Mon.*, p. 398.

Hab. Dekhan.

siamensis, Chaudoir, Bull. Mosc., liii (3), 1878, p. 26.

Hab. Siam, Bangkok.

Genus CHLAEMINUS.

Motsch., Bull. Mosc., xxxvii (4), 1864, p. 351 : Mun. Cat. p. 229: Chaud., *Monograph*, Bull. Mosc., xlvi (i), 1869, p. 401.

Distrigodes, pt, Motschulsky, l.c. *supra*, p. 353.

biguttatus, Motsch., Bull. Mosc. xxxvii (4), 1864, p. 351 : Chaud., *Mon.*, p. 401.
Hab. India, Dekhan, Tranquebar, Burma, Martaban.

biplagiatus, Chaudoir, *Mon.*, p. 402.
Hab. Burma, Rangoon.

cruciatus, Chaudoir, *Mon.*, p. 403.
Hab. Bengal.

flavoguttatus (*Distrigodes*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 354 : Chaud.,
Mon., p. 404.
Hab. Burma.

quadriplagiatus, Chaudoir, *Mon.*, p. 403.
Hab. Dekhan.

Genus HOLCONOTUS.

Chaudoir, Rev. Mag. Zool., (3s.) iv, 1876, p. 352.

ferrugineus (*Abacetus*), Chaudoir, Bull. Mosc., xli (2), 1869, p. 399; Schmidt Goebel,
Faun. Col. Birm., t. 2, f. 6.
Hab. Burma, Siam.

Genus AULACOCOELIUS.

Chaudoir, Bull. Mosc., xlvi (2), 1869, p. 405.

liopleurus Chaudoir, *l.c.*, p. 406.
Hab. N. Australia, Philippines, Luzon.

Genus POECILUS.

Bonelli, Obs. Ent., 1809, tab. syn : Laeord., Gen. Col., i, p. 402 ; Mun. Cat., p. 300 : Chaudoir, L'Abeille, xiv, 1875, p. 1-54.

Ancholeus, subg., Chaudoir, L'Abeille, xiv, 1876, p. 45.

Blennidus, Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 251.

Brachystylus, pt, Chaudoir, Bull. Mosc., xi, 1838, p. 10.

Carenostylus, Chaudoir, *l.c.*, p. 8.

Chlaenioidius, Chaudoir, Bull. Mosc., xxxviii (3), 1865, p. 110.

Cyclomus, Chaudoir, Bull. Mosc., xi, 1838, p. 8.

Derus, Motschulsky, Käfer Russl., 1850, p. 50 ; *id.*, Bull. Mosc., xxxvii, (4), 1865, p. 255.

Sagines, (Coach) Stephens, Ill. Brit. Ent., 1828 : Chaud., Bull. Mosc., xi, p. 8.
Triranumatus, Chaudoir, Bull. Mosc., xi, 1838, p. 8 : Motsch., *l.c.*, xxxviii (4), 1865, p. 252

cupreus, Linn., Faun. Suec., 1746, No. 801 : Dejean, Spec., iii, p. 207 : for *syn. vide*
Mun. Cat., p. 301.

Hab. Europe, N Africa, Asia Minor, Persia, Japan, Canton (*Putzeys*).

indicus (*Sogines*), Motschulsky, Bull. Mosc., xxxviii (4), 1865, p. 257.
Hab. N. India.

Genus TROPIDOCERUS.

Chaudoir, Bull. Mosc., liii(3), 1878, p. 9.

indicus, Chaudoir, *l.c.*, p. 13.

Hab. N. India.

Genus MOLOPS.

Bonelli, Obs. Ent. i, 1809, *tab. syn.*; Mun. Cat., p. 332 : Kraatz, Deutsche Ent. Zeits., 1875, p. 369.

piliferus, Bates, Proc. Zool. S. Lond., 1878, p. 718.

Hab. India, Murrree [*Ind. Mus.*, type].

Genus AEPSEERA.

Chaudoir, Bull. Mosc., xlvi (i), 1874, p. 28.

ferruginea, Chaudoir, *l.c.*, p. 30.

Hab. Burma.

Genus AMARA.

Bonelli, Obs. Ent., 1809, *tab. syn.* : Lacord., Gen. Col., i, p. 332 : Mun. Cat., p. 347 : Putzeys, *Monograph*, L'Abbeille, 1871, p. 100.

Acrodon, Zimmermann, Gistl's Faunns, i, 1832, p. 40 : Mun. Cat., p. 344.

Amaroecilia, Motschulsky, Et. Ent., 1862, p. 4.

Amathitis, Zimmermann, *l.c. supra*, p. 39 ; Mun. Cat., p. 342.

Bradytus, Stephens, Ill. Brit. Ent., i, 1828, p. 131 : Mun. Cat., p. 338.

Celia, Zimmermann, *l.c. supra*, p. 18 : Mun. Cat., p. 344.

Curtonotus (*Cyrtotonotus*), Stephens, *l.c. supra*, p. 138 : Mun. Cat., p. 339 : Bates, Biol. Centr. Amer., Col., i (i), p. 76.

Isopleurus, pt, Kirby, Faun. Boreal. Amer., iv, 1837, p. 34.

Leioenemis (*Lioenemis*), Zimmermann, *l.c. supra*, p. 38 : Mun. Cat., p. 342.

Leirus, Zimmermann, *l.c. supra*, p. 17 (= *Cyrtotonotus*).

Percosia, Zimmermann, *l.c. supra*, p. 18 : Mun. Cat., p. 337.

Triaena, Leconte, Ann. Lyc. N. York, iv, 1848, p. 265.

ambigena, Bates, Proc. Zool. S. Lond., 1878, p. 716.

Hab. N. W. Himalaya, Pangong Valley [*Ind. Mus.*, type].

**badiola* (*Amathitis*), Bates, *l.c.*, p. 717.

Hab. north of Kuenluen [*Ind. Mus.*, type].

**bamidunya*, Bates, *l.c.*, p. 716.

Hab. Pámír [*Ind. Mus.*, type].

compactus (*Bradytus*), Bates, Proc. Zool. S. Lond., 1878, p. 49.

Hab. India, Murree [*Ind. Mus.*, type].

darjelingensis, Putzeys, Stettin Ent. Zeit., xxxviii, 1877, p. 102.

Hab. Darjiling.

* *frivola* (*Lioenemis*), Bates, Proc. Zool. S. Lond., 1878, p. 717.

Hab. ? Yarkand, or E. slopes Pámír [*Ind. Mus.*, type].

himalaica (*Lioenemis*), Bates, *l. c. supra*, p. 716.

Hab. India, Ladák [*Ind. Mus.*, type].

indica (*Lioconemis*), Putzey, Mém. Liège, 1866, p. 216.
Hab. N. India.

* **kuenlunensis** (*Amathitis*), Bates, l. c. *supra*, p. 717.
Hab. Sanju [*Ind. Mus.*, type].

nitsns (*Cyrtotonotus*), Putzey, Et. s. l. Amara, 1866, p. 234.
Hab. Manchuria, Japan, N. China, Szechuan.

* **pamirensis** (*Cyrtotonotus*), Bates, Proc. Zool. S. Lond., 1878, p. 717.
Hab. Pámír [*Ind. Mus.*, type].

* **tartariae** (*Lioconemis*), Bates, l. c. *supra*, p. 716.
Hab. Between Yangihissar and Sirikol [*Ind. Mus.*, type].

? **yunnana**, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.
Hab. China.

Genus DRIMOSTOMA.

Dejean, Spec., v. 1831, p. 745 : Lacord., Gen. Col., i, p. 313 : Mun. Cat., p. 294 : Chadoir, Monograph, Ann. Soc. Ent. Belg., xv, 1872, p. 9.

rectangulum, Chadoir, Ann. Soc. Ent. Belg., xv, 1872, p. 11 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 106.
Hab. Java, Burma, Shwedu, Teintso, Bhamo.

Genus STOMONAXUS.

Motschulsky, Etudes Entomologiques, 1859, p. 34.

Diceromerus, Chadoir, Ann. Soc. Ent. Belg., xv, 1872, p. 15.

Chadoirii (*Diceromerus*), Fleutiaux, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 60.
Hab. Annam, Hué.

orientalis (*Stomonaxus*), Motsch., Et. Ent., 1859, p. 35 : Chadoir (*Diceromerus*), Ann. Soc. Ent. Belg., xv, 1872, p. 15.
Hab. India, Tranquebar, Ceylon, Dikoya (Bates).

striaticollis, Dejean, Spec., v, 1831 p. 747 : Chaud., Ann. Soc. Ent. Belg., xv, 1872, p. 13.

ceylanicum (*Drimostoma*), Nictner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 178.

? **marginale** (*Drimostoma*), Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 51 : Bates, ib., (5 s.) xvii, 1886, p. 212.

rufipes (*Drimostoma*), Bohem., Freg. Eug. Resa, Col., 1858, p. 3.

? **sculptipennis** (*Stomonaxus*), Motsch., Et. Ent., 1859, p. 35, t. 1, f. 6.
Hab. India, Ceylon, Hong-Kong, Japan, Senegal.

LICININI :—Lacord., Gen. Col., i, p. 231 : Horn, Gen. Carab., p. 139 : Leconte & Horn., Class. Col., 1883, p. 32.

Genus RHEMBUS.

Latrelle, Ic. Col. Egr., i, 1822, p. 85 : Mun. Cat., p. 238 : Laferté, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 278.

? **Diplocheila**, Brullé, Hist. Nat. Ins., Col., i, 1834, p. 407 : Horn, Bull. Brookl. Ent. Soc. iii, 1880, p. 52.

Rembus, Latr., l. c. *supra* : Lacord, Gen. Col., i, p. 233 : Laferté.

Sympyphus, Nictner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 180,

elongatus, Bates, Trans. Ent. S. Lond., 1873, p. 256.
Hab. Yangtse Valley, Japan.

impressus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 57; Syst. Eleuth., i, p. 188 : Dejean, Spec., ii, p. 383.
Hab. India.

latifrons, Dejean, Spec. v, 1831, p. 679.
Hab. India.

opacus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 67.
Hab. Japan China, ? India, Java.

politus (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 146; Syst. Eleuth., i, p. 189 : Dejean, Spec., ii, p. 381 : Lap. de Casteln., Hist. Nat. Ins., Col. i, p. 133.
Hab. India, [Ind. Mus., Bengal, Sahibganj].

unicolor, Nietner, Ann. Mag. N. H., (3 s.), ii p. 1858, p. 180.
Hab. Ceylon.

zeelandicus, Redtenb., Reise Novara, Col., 1867, p. 10, t. 1, f. 5 : Bates, Trans. Ent. S. Lond., 1873, p. 256.
Hab. Formosa, Yangtse Valley, Japan, ? New Zealand.

Genus BADISTER.

Clairville, Ent. Helv., ii, 1806, p. 90 : Brullé, Hist. Nat. Ins., Col., i, 1834, p. 403 : Lacord., Gen. Col., i, p. 234: Mun. Cat., p. 239 : Laferté, Ann. Soc. Ent. Fr., (2 s.) ix, 1851, p. 285 : Leeonte, Trans. Amer. Ent. S., viii, p. 165; *id.*, Bull. Brookl. Ent. S., v, 1892, p. 7.

Amblychus, Gyllenhal, Ins. Suee., ii, 1810, p. 74.

Baudia, Ragusa, Nat. Sicil., vii, 1884, p. 3.

Trimorphus, Stephens, Cat. Brit. Ins., 1829, p. 405.

rubicollis, Wiedemann, Zool. Mag., ii (i), 1823, p. 58.
Hab. Bengal.

thoracicus, Wiedemann, l. c., p. 57.
Hab. India.

Genus ECCOPTOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 72 : Lacord., Gen. Col., i, p. 320 : Mun. Cat., p. 297.

moestus, Chaudoir, l. c. *supra*, p. 74 : Bates, Ann. Mag. N. H., (5, s.) xvii, p. 212.
? *retinens*, Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 51.
Hab. N. India, Ceylon.

Genus DIROTUS.

MacLeay, Annul. Javan., 1825, p. 16 : Lacord., Gen. Col., i, p. 312 : Mun. Cat., p. 294 : Lap. de Casteln., Hist. Nat. Ins., i, p. 133.

subiridescens, MacLeay, Annul. Javan., 1825, p. 16 : Hope, Col. Man., ii, t. 2, f. 1, a—e.
Hab. Java,

PLATYNINI:—Horn, Gen. Carab., p. 141 : Lecomte & Horn, Class. Col., p. 33 : (*Anohomenini*) Bates, Biol. Centr. Amer., Col., ii., p. 91.

Horn forms three sub-divisions :—*Platyni* (*Calathus*, *Pristonychus*), *Masorei*, and *Perigoni*.

Genus SPHODRUS.

Clairville, Ent. Helv., ii, 1806, p. 88 : Brullé, Hist. Nat. Ins. Col., i, 1834, p. 310 : Lacord., Gen. Col., i, p. 340 : Mun. Cat., p. 356 : Motseh., Bull. Mose., xxxvii (3), 1864, p. 314 *tab. syn.*

? *brunneus*, Hope, Gray's Zool., Misc., 1831, p. 21.

Hab. Nepál.

cordicollis, Motsehulsky, Bull. Mose., xxxvii (3), 1864, p. 315.
Hab. Circassia, Georgia, India [Ind. Mus., ? var. Murree].

indus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 67.

Hab. N. W. Himalaya [? Ind. Mus. Murree].

Genus EULEPTUS.

Klug, Bericht über Madagase. Ins., 1833, p. 9 : Lacordaire, Gen. Col., i, 1854, p. 353.

coderus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 365.

Hab. Himalaya.

Genus FEANUS.

Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 107.

spinipennis, Bates, l. c., p. 108.

Hab. Burma, Bhamo, Teintso.

Genus ONYCHOLABIS.

Bates, Trans. Ent. S. Lond., 1873, p. 329.

sinensis, Bates, l. c., p. 329.

Hab. Yangtse Valley.

Genus CALATHUS.

Bonelli, Obs. Ent., tab. syn., 1809 : Dejean, Spec., iii, p. 62 : Brullé, Hist. Nat. Ins. Col., i, 1834, p. 303 : Lacord., Gen. Col., i, p. 312 : Gautier, MT. Schw. Ent. Ges., ii, 1867, p. 236 : Putzeys, Monograph, Ann. Soc. Ent. Belg., xvi, 1873, p. 19 : Mun. Cat., p. 360 : Lecomte, Proc. Acad. Phil., vii, 1854, p. 36 ; ib., 1860, p. 317.

Odontonyx, Stephens, Cat. Brit. Ins., 1829, p. 28 ; id., Man. Brit. Col., p. 28.

Pristodactyla, Dejean, Spec., iii, 1828, p. 82 : Lacord., Gen. Col., i, p. 343.

Pristosia, Motsehulsky, Bull. Mose., xxxvii (3), 1864, p. 311 : Mun. Cat., p. 360.

aeneocupreus, Fairmaire, Ann. Sc. Ent. Fr., (6 s.) vi, 1886, p. 314.

Hab. Yunnan.

cathaicus (*Pristodactyla*), Bates, Trans. Ent. S. Lond., 1873, p. 330.

Hab. Fuchau.

cyclodera (*Pristodactyla*), Bates, l. c., p. 273.

Hab. Fuchau, Japan.

crenatus, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 82.

Hab. N. India.

Delevayii, Fairmaire, l. o., xxxi, 1887, p. 96.

Hab. Yunnan.

falsicolor, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 315.

Hab. Yunnan.

Kollaris, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 72.

angustatus, Redtenb., Hügel's Kaschmir, iv (2), 1844, p. 500 (*nom. praeoc.*).
Hab. India.

lateritius, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 314.

Hab. Yunnan.

pectiniger, Putzeys, Ann. Soc. Ent. Belg., xvi, 1873, p. 86

Hab. N. India.

piceus (*Pristosia*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 312 : Putzeys, Ann.

Soc. Ent. Belg., xvi, 1873, p. 91.

Hab. India.

Genus PRISTONYCHUS.

Dejean, Spec., iii, 1828, p. 43 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 379 ; Lacord., Gen. Col., i, p. 341 : Mun. Cat., p. 358 : Schaufuss, Monograph, SB. Nat. Ges. 'Isis,' xlII, 1865, p. 139' : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 379.

Cryptotrichus, Schaufuss, Monograph, 1865, p. 110 : Mun. Cat. p. 355.

Cryptoxenus, Motsch., Bull., Mosc., xxxvii, (3), 1864, p. 314.

Ctenipes, Latreille Régne Anim, (2 ed.) iv, 1829 p. 400.

{ *Læmostenus*, Bedel, Ann. Soc. Ent. Fr., (5s) vii, 1877, p. 250.

{ *Læmosthenes*, Bonelli. Mém. Ac. Turin, 1809, tab-syn. ; Mun. Cat., p. 355.

Platynomerus, Faldermann, Faun. Ent. Transc., i, 1835, p. 45 : Mun. Cat., p. 354.

piscescens, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 95.

Hab. Yunnan.

spinifer. Schaufuss, S. B. Nat. Ges. 'Isis,' 1862, p. 66 ; ib., Mou, 1865, p. 176.

Hab. Himalaya.

Genus PLATYNUS.

Bonelli, Obs. Ent., i, 1809, tab. syn. : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 316 : Mun. Cat., p. 366 : Leconte, Proc. Acad. Phil., vii, 1854, p. 39 : Bates, Trans. Ent. S. Lond., 1873, p. 278 ; id., Biol. Centr. Amer. Col., i (i), p. 91 : Leconte, Bull. Brookl. Ent. S., ii, 1879, p. 43.

Agonocyrthes, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.

Agonothorax, Motsch., l. c., p. 317.

Agonum, Bonelli, Mém. Ac. Turin., 1813 tab. syn.

Anchodemus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.

Anchomenus, pt., Bonelli, Mémo. Ac. Turin., 1813, tab. syn. : Lacord. Gen. Col., i, p. 349.

- Anckus*, Leconte, Proc. Ac. N. Sci. Phil., vii, 1854, p. 38.
Batenus, Motsch., Bull. Mosc. l. c. *supra*, p. 317 *ined.*?
Clibanarius, Gozis, M. T. Schw. Ent. Ges., vi, 1882, p. 295.
Dolichodes, Motsch., l. c. *supra*, p. 317.
Europhilus (Chaudoir) : Motsch. l. c. p. 317 : *ined.*?
Limodromus (Eschsch.), Motsch., l. c. p. 317, 318.
Oxypselaphus, Chaudoir, Bull. Mosc., xvi, 1843 p. 415.
Promecoptera, Dejean, Spec., v., 1831, p. 443 ; Lacord., Gen. Col., i, p. 131 : Mun. Cat., p. 143.
Rhadine, Leconte, Ann. Lyc. Nat. Hist. New York, 1848, p. 218.
Rhytiderus, Chaudoir, Bull. Mosc., xvii (3), 1844, p. 470.
Tanystola, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 317.
[*Anehomenus (Bonelli)*, Bates (Biol. Centr. Amer., Col., i (i), p. 93, should apparently be separated].
- aeneotinctus* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 330.
Hab. Fuchau.
- amaroides* (*Calathus*), Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 103.
Hab. Darjiling.
- ceylonicus* (*Agonothorax*), Motschulsky, Et., Ent., viii, 1859, p. 36.
Hab. Ceylon, Dikoya (Bates).
- chinensis*, Bohemann, Freg. Eug. Resa, Col., 1858, p. 15.
Hab. China.
- Dalmio* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 279.
Hab. China, Fuchau, Japan.
- ilocatus* Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203 : Bates (*Anchomenus*), ib., (5s.) xvii, 1886, p. 146.
degener (*Argutor*), Walker, l. c. *supra*, p. 204.
Hab. Ceylon, Nuwara Eliya.
- iridens* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 329.
Hab. Hongkong.
- * *ladakensis*, Bates, Proc. Zool. S. Lond., 1878, p. 718.
Hab. Pámír, Pankong Valley, Tangtze, [*Ind. Mus.*, type].
- laetus*, Erichson, Nov. Acta Leop. Car., 1834, Suppl., p. 222, t. 37, f. 2.
Hab. Philippines.
- limbatocollis*, Gemm. & Har., Mun. Cat., p. 373.
limbatus, Bohem., Freg. Eug. Resa, Col., 1858, p. 15 (*neu Say*).
Hab. China.
- lisopterus*, Chaudoir, Bull. Mosc., xxvii (i), 1854, p. 136.
Hab. N. India.
- magnus* (*Anchomenus*), Bates, Trans. Ent. S. Lond., 1873, p. 278.
Hab. Yangtse Valley, Shanghai, Japan.
- marginalis* (*Lebia*), Wiedemann, Zool. Mag., ii (i), 1823, p. 60. (? *Anchomenus*) : (*Promecoptera*) Iap. de Casteln., Hist. Nat. Ins., i. p. 54 :
Hab. Bengal.

nuceus (*Anchomenus*), Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 96.
Hab. Yunnan

orbicollis (*Agonocyrthes*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 323.
Hab. Hongkong.

placidulus (*Agonum*), Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 203.
Hab. Ceylon.

politissimus, Bates, Proc. Zool., S. Lond., 1878, p. 719.
Hab. India, Murree (Panjab) [*Ind. Mus.*, type].

protensus (*Dyscolus*), Morawitz, Beitr. Käferf. Jesso, 1863, p. 42 : Bates, Trans. Ent. S. Lond., 1873, p. 278.
Hab. China, Japan.

scintillans, Bohem., Frcg. Eug. Resa, Col., 1858, p. 16.
Hab. Hongkong.

semicupreus (*Agonum*), Fairmaire, Ann. Soc. Ent. Belg. 1887, p. 97.
Hab. Yunnan.

Genus DICRANONCUS.

Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 392 ; Lacord., Gen. Col., i, p. 358 : Mun. Cat., p. 384 : Chaudoir, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 277.
Loxocrepis, Brullé, Hist. Nat. Ins. Col., i, 1834, p. 325 (*neq; Eschsch.*) : Motsch., Bull. Mosc., xxxvii (4), 1864, p. 309.

amabilis, Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 350 note ; *id.*, (5s.) viii, 1878, p. 277.

ruficeps (*Loxocrepis*), Brullé (*neo MacLeay*), Hist. Nat. Ins., Col., i, 1834, p. 325, t. 12, f. 2.
Hab. N. India, Java.

cinctipennis, Chaudoir, Ann. Soc. Ent. Fr., (5s.) viii, 1878, p. 278.
Hab. Ceylon, Hongkong.

femoralis, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 393 : *id.*, Ann. Fr., *l.c. supra*, p. 277 : Bates, Trans. Ent. S. Lond., 1873, p. 278.

coelostinus (*Loxocrepis*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 310.
Hab. Bengal, Simla, Burma, Japan (*Lewis*).

Genus MENERA.

Motschulsky, Et. Ent., 1859, p. 32.

quadrident, Motschulsky, *l.c.*, p. 32.
Hab. Java.

Genus COLPODES.

MacLeay, Annal. Javan., 1825, p. 17 : Lacord. Gen. Col., i, p. 361 : Mun. Cat., p., 381 : Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 287 ; *id.*, *Monograph, l.c.*, (5s.) viii, 1878, p. 278 : Bates, Biol. Centr. Amer., Col., i (i), p. 100.

Abropus, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 306 (*acc Guérin*).

Dyscolus, Dejean, Spec., v, 1831, p. 437 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 381 : Lacord., Gen. Col., i, p. 356.

- Loxoorepis*, Eschsch., Zool. Atlas, ii, 1829, p. 6 : Lacord., Gen. Col., i, p. 362.
- Metallosomus*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 304.
- Omiastus*, Motschulsky, l.c., p. 306.
- Ophryodactylus*, Chaudoir, l.c., xxiii (2), 1850, p. 382.
- Paranomus*, Chaudoir, l.c., p. 383.
- Pleurosomus*, Guérin, Mag. Zool., vi, 1844, t. 186.
- Scaphiadactylus*, Chaudoir, Bull. Mosc., xi, 1838, p. 20.
- Stenocnemus*, Mannerheim, Bull. Mosc., x, 1837, p. 29.
- abropoides*, Chaudoir, *Mon.*, l.c. *supra* p. 361.
Hab. Philippines.
- aeneipennis* (*Dyscolus*), Dejean, Spec., v, 1831, p. 441 ; Chaudoir, *Mon.*, p. 333.
Hab. Java.
- aenescens*, Chaudoir, *Mon.*, p. 368.
Hab. N. India.
- amoenus*, Chaudoir, Ann. Soc. Ent. Fr., (3s.) ix, 1859, p. 327 ; *Mon.*, p. 367.
splendens, Morawitz, Bull. Acad. Petrop., v, 1863, p. 324.
Hab. N.-W. India, Ceylon, Dikoya (Bates), Java, Philippines, Japan.
- apicalis* Chaudoir, *Mon.*, p. 367.
Hab. Philippines.
- Baconii*, Chaudoir, *Mon.*, p. 311.
Hab. Bengal.
- bengalensis*, Chaudoir, *Mon.*, p. 312.
Hab. Bengal.
- bipars* (*Lebia*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203 : Bates, id., (5s.) xvii, 1886, p. 148.
Hab. Ceylon.
- ? *bispinus* (*Euplynnes*), Motschulsky, Et. Ent., 1859, p. 33.
Hab. Java.
- brunnneus*, MacLeay, Annul. Javan., 1825, p. 17, t. 1, f. 3 : Gray, Griffith Anim., Kingd. Ins., i, t. 15, f. 3 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.
Hab. Java.
- Buchananii*, Hope, Gray's Zool. Misc., 1831, p. 21 : Lap. de Casteln. l.c., *supra*, p. 57.
Hab. Nepal.
- coelopterus*, Chsudoir, *Mon.*, p. 368.
Hab. Shanghai.
- cruralis*, Chaudoir, *Mon.*, p. 376.
Hab. India, Malabar.
- Dohrnii*, Nietner, Ann. Mag. N. H. (3s.), ii, 1858, p. 429 ; Chaudoir, *Mon.*, p. 375.
Hab. Ceylon, Colombo, Pusilawa.
- Hardwickii*, Hope, Grsy's Zool. Misc., 1831, p. 21 : Lap. de Casteln., Hist. Nat. Ins. i, 1850, p. 57.
Hab. Nepal.

hirmocoelus. Chaudoir, *Mon.*, 365.
Hab. N. India.

incertus, Chaudoir, *Mon.*, p. 369.
?= *Buchanani*, Hope, *supra cit.*
Hab. India.

iteratus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 149.
Hab. Ceylon, Dikoya, Nuwara Eliya.

japonicus, (*Tanystola*), Motsch., Et. Ent., 1860, p. 9: ? Morawitz, Bull. Acad. St. Petersb., v, 1863, p. 324: Bates, Trans. Ent. S. Lond., 1873, p. 277.
Hab. Japan, China.

lampriodes, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 147.
Hab. Ceylon, Hadley, Dikoya.

luzonicus, Chaudoir, *Mon.*, 366.
Hab. Philippines.

nigriceps (*Loxocrepis*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 310.
Hab. India.

nilgherriensis, Chaudoir, *Mon.*, p. 301.
Hab. India, Nilgiris, Malabar.

obscuritarsis, Chaudoir, *Mon.*, p. 375.
Hab. Burma, Rangoon.

olivius, Bates, Trans. Ent. S. Lond., 1873, p. 331.
Hab. Hongkong.

ovaliceps, Bates, Proc. Zool. S. Lond., 1878, p. 719.
Hab. India, Murree [*Ind. Mus.*, type].

parallelus, Chaudoir, Ann. Soc. Ent. Fr., (5s.) ix, 1859, p. 326; *Mon.*, p. 368.
Hab. Sumatra.

plagioderus, Chaudoir, *Mon.*, p. 374.
Hab. India.

repletus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 148.
Hab. Ceylon, Bogawantalawa.

retusus, Bates, *l.c. supra*, p. 148.
Hab. Ceylon, Kandy.

rotundatus, Chaudoir, *Mon.*, p. 302.
Hab. Nilgiris, Malabar.

ruficeps (*Lamprias*), MacLeay, Annul. Javan., 1825, p. 25: (*Loxocrepis*), Eshchsch., Zool. Atlas, ii, p. 6, t. 8, f. 3: Gray, Griffith's Anim. Kingd., Ins., i, 1832, t. 19, f. 1: Chaudoir, Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 348; *id.*, *Mon.*, p. 376: Bates, Trans. Ent. S. Lond., 1883, p. 263; *id.*, Ann. Mag. N. H., (5 s.) xxii, p. 147.
Hab. India, Java, Sumatra, Philippines [*Ind. Mus.*, Calcutta, Sikkim].

rufitarsis (*Dyscolus*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 385; Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 351; *Mon.*, p. 375.
Hab. Singapur, Sumatra.

saphyrinus, Chaudoir, *Mon.*, p. 366.

Hab. Penang, Touda.

saphyripennis, Chaudoir, *Mon.*, p. 334.

Hab. India.

semiaeneus, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 315.

Hab. Yunnan.

semistriatus, Chaudoir *Mon.*, p. 365.

Hab. N. India.

smaragdipennis, Chaudoir, Ann. Soc. Ent. Fr., (3 s.) ix, 1859, p. 359 : *Mon.*, p. 375.

Hab. Sumatra, Mt. Singalang.

stricticollis, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) vi, 1886, p. 316.

Hab. Yunnan.

subsericatus, Fairmaire, l. c., p. 316.

Hab. Yunnan.

sycophanta, Fairmaire, l. c., p. 316.

Hab. Yunnan.

Xenos, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 146.

Hab. Ceylon, Bogawantala.

Genus PIRANTILLUS.

Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1819, p. 108.

Feeæ, Bates, l. c., p. 109.

Hab. Burma, Tenasserim, Meetan.

Genus CAPHORA.

Schmidt Goebel, Fauu. Col. Birm., 1846, p. 91 : Lacord. Gen. Col., i, p. 309 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 76 : Mun. Cat., p. 146.

humilis, Schmidt Goebel, l. c. *supra*, p. 91, t. 3, f. 8 : Chaudoir, Bull. Mosc., li (3), 1876, p. 8.

Hab. Burma.

Genus ANAULACUS.

MacLeay, Annul. Javan., 1825, p. 22 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Aephnidius, MacLeay, Annul. Javan., 1825, p. 23 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Lacord., Gen. Col., i, p. 308 : Chaudoir, *Mon.*, p. 15.

Macracanthus, Chaudoir, Bull. Mosc., xix, 1846, p. 539 ; *id.*, *Mon.*, p. 23 : Lacord., Gen. Col., i, p. 265.

Masoreus, 'Dejean, Spec., iii, 1828, p. 536 : Lacord., Gen. Col., i, p. 140 : Mun. Cat., p. 145 : Zimmermann, *Mon.*, Gistl's Faunus, i, 1832, p. 119 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 76 : Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 231 : Chaudoir, *Mon.*, l. c. li (3), 1876, p. 11, 23, 25 : Bates, Biol. Centr. Amer. Col., i (i), p. 174.

- adeloides* (*Aephnidius*), MacLeay, Annul. Javan., 1825, p. 23, t. 1, f. 7 : Schmidt Goebel, Faun. Col. Birm., p. 88 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Bates, Trans. Ent. S. Lond., 1873, p. 307 : Chaudoir, Mon., p. 17 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.
sericeus, Zimmermann, Mon., 1832, p. 120 : Motsch., Bull. Mosc., xxxvi (3), 1864, p. 234 : Chaud., Mon., p. 17.
 Hab. Java, Bengal, Dckhan, Burma, Bhamo, Cochina China, Japan, W, Australia.
- fasciatus* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 89 : Chaudoir, Mon., p. 25.
 var. *basalis*, Fleutiaux, Ann. Soc. Ent. Fr., (6 s.) vii, 1887, p. 59, 60, t. 4, f. 1.
 Hab. Burma ; Annam, Hué.
- fuscipennis* (*Aephnidius*), Schmidt Goebel, l.c., p. 89 : Chaudoir, Mon., p. 16 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.
 Hab. Burma, Bhamo, Shwedu, Tenasserim.
- opaculus* (*Masoreus*), Zimmermann, Mon. Carab., 1832, p. 120 : Chaudoir, Mon., p. 19.
 Hab. India, Ceylon.
- orientalis* (*Masoreus*), Dejean, Spec., iii, 1828, p. 539 : Chaudoir, Mon. p. 14.
grandis, Zimmermann, Mon. Carab., 1832, p. 121.
laticollis, Chaudoir, Bull. Mosc., xvi (4), 1843, p. 778.
 Hab. India, Egypt, Abyssinia.
- pleuronectes* (*Masoreus*), Zimmermann, Mon., 1832, p. 120 : Chaudoir, Mon. p. 19.
 Hab. India, Malabar, Coimbatore, Ceylon.
- quadrimaculatus* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 90 : Chaudoir, Mon., p. 25.
 Hab. Burma.
- sericans* (*Masoreus*), Schmidt Goebel, l.c. supra, p. 87 : Chaudoir, Mon., p. 28 (gen. dub. near *Mochtherus*).
 Hab. Burma.
- scriceipennis* (*Anaulacus*), MacLeay, Annul. Javan., 1825, p. 22, t. 1, f. 4 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Chaudoir, Mon., p. 25.
 Hab. Java.
- siamensis* (*Masoreus*), Chaudoir, Mon., p. 25.
 Hab. Bangkok.
- simplex* (*Aephnidius*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 89 : Chaudoir, Mon., p. 22 : Bates, Ann. Mus. Civ. Gen., (2 s.) vii, 1889, p. 110.
 Hab. Bengal, Malabar ; Burma, Bhamo, Mandalay.

Genus PERIGONA.

- Lap. de Casteln., Et. Ent., 1834, p. 15 : Chaudoir, Bull. Mosc., xliv (2), 1872, p. 281 : Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 218 : Bates, Biol. Centr. Amer., Col., i (i), p. 133.
Masoreus, pt. Lacordaire, Gen. Col., i, p. 134.

- Nestra*, Motsch., Bull. Mosc., xxiv (4), 1851, p. 506 : Et. Ent., 1859, p. 37 : Mun. Cat., p. 394.
- Siltopia*, Castelnau, Trans. R. S. Victoria, viii (2), 1868, p. 127.
- Spathinus*, Nietner, Ann. Mag. N. H. (3 s.), ii, 1858, p. 428 : Mun. Cat., p. 394.
- Trechicus*, Leconte, Trans. Amer. Phil. Soc. x, 1853, p. 386 : Lacord., Gen., Col., i, p. 393.
- Beccarii*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 732.
var. *suffusa*, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 151.
Hab. Borneo, Sarawak ; Ceylon.
- convexicollis*, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 729.
Hab. Johore, Malayan Peninsula.
- fimicola*, Wollaston, Ins. Mader., 1854, p. 63 : Ann. Mag. N. H., (3 s.) viii, 1862, p. 288 ; Col. Hesperid. p. 27 : Bates Ann. Mag. N. H., (5 s.) xvii, 1886, p. 150.
Jansonianus, Wollaston, Ann. Mag. N. H., (3 s.) ii, 1858, p. 19.
Hab. Cape Verde Islands, Ceylon, Colombo.
- livens*, Putzeys, Ann. Mus. Civ. Gen., iv, 1873, p. 225.
Hab. ? Coromandel.
- luzonica*, Putzeys, l. c., vii, 1875, p. 728.
Hab. Philippines, Manilla.
- minor*, Putzeys, l. c., p. 734.
Hab. Borneo, Sarawak.
- nigriceps* (*Spathinus*), Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 429.
? = *fimicola*, Wollaston, *supra cit.*
Hab. Ceylon.
- nigricollis* (*Nestra*), Motsch., Bull. Mosc., xxiv (4), 1851, p. 506 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 222.
Hab. Borneo, Sarawak, Ceylon.
- nigrifrons* (*Nestra*), Motsch., Et. Ent., 1859, p. 38, t. 1, f. 1 : Putzeys, l. c. *supra*, p. 220.
Hab. Ceylon, Galle (*Putzeys*), Bogawantala (*Bates*).
- ruficollis* (*Nestra*), Motsch., Bull. Mosc., xxiv (4) 1851, p. 506 : Putzeys, Ann. Mus. Civ. Gen., iv, p. 222 ; Bates, l. c., (2 s.) vii, 1889, p. 104.
Hab. Ceylon Kandy (*Bates*), Borneo, Sarawak (*Putzeys*), Burma (*Bates*).
- sinuaticollis*, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 149.
Hab. Ceylon.
- ANCHONODERINI** :—Lacordaïre, Gen. Col., i, 1854, p. 373 : Bates, Ent. Mon. Mag., viii, 1871, p. 29 : Horn, Cat. Carab., p. 144 : Leconte & Horn, Class. Col., 1883, p. 35.

Genus LASIOCERA.

Dejean, Spec., v, 1831, p. 283 : Brullé, Hist. Nat. Ins. Col., i, p. 142 : Chaudoir, Bull. Mosc., xxxii (2), 1850, p. 402 : Lacord., Gen. Col., i, p. 376 : Mun. Cat., p. 397.

orientalis, Chaudoir, Bull. Mose., xxiii (2), 1850, p. 403.
Hab. N. India.

Genus OCHTHEPHILUS.

Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 136; *id.*, Ann. Mag. N. H., (2 s.) xx, 1857, p. 275: Mun. Cat. p. 399.
Perileptus, Schaum, Nat. Ins., i, 1860, p. 663.

ceylanicus, Nietner, Jl. As. Soc. Beng., *l. c. supra*, p. 137: Ann. Mag. *l. c. supra* p. 276: Putzeys, Stettin Ent. Zcit., xxxi, p. 362.
Hab. Ceylon.

Genus SELINA.

Motsch., Et. Ent., 1857, p. 110: Schaum, Berlin Ent Zeits., vii, 1863, p. 74.
Steleodera, Schaum, Chaudoir, Bull. Mose., xlv (i), 1872, p. 396.

Ritsemae, Oberthür, Notes Lyciden Mus., v, 1883, p. 223.
Hab. E. Sumatra, Serdang.

Westermannti. Motschulsky, Et. Ent., 1857, p. 110, t. 1, f. 6: Schaum, Berlin. Ent. Zeits., 1860, p. 172, t. 3, f. 11, *a. b.*
setosus (*Paelaphanax*), Walker, Ann. Mag. N. H., (3 s.) iii, 1859, p. 52: Waterhouse, Aid Ident. Ins., t. 120.
Hab. India, Tranquebar; Ceylon, Peradeniya (*Bates*); ? Madagascar, Natal.

HEXAGONINI (*Ctenodactylini*), Horn, Gen. Carab., p. 145.

Genus HEXAGONIA.

Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 563: Brullé, Hist. Nat. Col., i, p. 476 : Lacord., Gen. Col., 1, p. 69: Schmidt Goebel, Faun. Col. Birm., p. 49: Mun. Cat., p. 86: Bates, Biol. Centr. Amer., Col., i (i), p. 158.
Trigonodactyla, Dejean, Spec. v, 1831, p. 288: Chaud., Bull. Mosc., xxxiv (i), 1861, p. 532.

apicalis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 51, t. 2, f. 1.
Hab. Calcutta (Kasipur).

Bowringii, Schaum, Berlin Ent. Zeits., 1863, p. 73, 433, t. 3, f. 8.
Hab. Penang.

brunnea, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 531: Schaum, Berlin Ent. Zeits., vii, 1863, p. 433.
Hab. N. India.

cephalotes (*Odacantha*), Dejean, Spec. ii, 1826, p. 439: (*Trigonodactylus*) Guérin, Mag. Zool., 1833, cl. ix, p. 73: Lap. de Casteln., Hist. Nat. Ins., i, p. 31.
Hab. India.

Kirbyii, Schmidt Goebel, Faun. Col. Birm., 1846, p. 51, t. 2, f. 2.
Hab. Darjiling.

longithorax (*Lebia*), Wiedemann, Zool. Mag. ii (i), 1823, p. 58 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 433.

Hab. India.

terminata, Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 564 (*nec* Dejean) : Brullé, Hist. Nat. Ins., Col., i, p. 227 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 46. Hab. India.

ODACANTHINI (*Odontacanthini* Col. Hefte. vi, p. 114) : Lacordaire, Gen. Col., i, p. 71 : Horn, Gen. Carab., p. 147 : Leconte & Horn., Class., Col., 1883, p. 38.

Genus CASNONIA.

Latreille, Ic. Col. Eur., i, 1822, p. 77 : Lacord., Gen. Col., i, p. 72 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 44 ; *id.*, ib., xxxv (4), 1862, p. 275 ; xlvi (i), 1872, p. 397 : Mun. Cat., p. 86 : Lecomte, Bull. Brookl. Ent. S., ii, 1880, p. 85 : Bates, Biol. Centr. Amer., Col., i, (i), p. 160.

Apiodera, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 35 : Lacord., Gen. Col., i, p. 72.

Lachnothorax, Motschulsky, Et. Ent., 1862, p. 48.

Ophionea, pt, Klug, Ent. Bras. Spec. prim, p. 298 (*nec* Eschsch.).

Plagiorhytis, Chaudoir, Bull. Mosc., xxi (i) 1848, p. 31 : Lacord., Gen. Col., i, p. 71.

? *apicalis* (*Odacantha*), Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 408.

Hab. Siam, Bangkok.

biguttata (*Lachnothorax*), Motsch., Et Ent., 1862, p. 50.

oculata, Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 291.

Hab. India, Tranquebar ; Siam.

bimaculata, Kollar, Hügel Kaschmir, iv (2), 1844, p. 498, t. 23, f. 2 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 25.

Hab. Kashmir, Simla [*Ind. Mus.*].

celebensis, R. Gestro, Ann. Mus. Civ. Gen., vii 1875, p. 854.

Hab. Siam, Bangkok.

Chaudoirii (*Ophionea*), Bohemann, Freg. Eug. Resa Col., 1858, p. 2.

Hab. Hongkong [*Ind. Mus.*].

distigma, Chaudoir, Bull. Mosc., xxii, (i), 1850, p. 26 ; xlvi (i), 1872, p. 407.

bimaculata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 18 (*nec* Kollar).
Hab. Burma.

flavicauda, Bates, Trans. Ent. S. Lond., 1873, p. 303.

Hab. China, Fuchau, Japan.

fulvipennis, (*Odacantha*), Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 407 : Bates, Trans. Ent. S. Lond., 1883, p. 278.

Hab. Hongkong, ? Celebes.

fuscipennis Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 26 ; *id.*, xxxv (4), 1862, p. 289 : Fairm., Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 334.

Hab. India, Simla, Tranquebar, Siam, Malacca, Tonkin, Maceassar, China, Chusan.

- haemorrhoidalis**, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 219 : Chaudoir *l. c.* xlvi (i), 1872, p. 404 ; iii (2), 1877, p. 266.
Hab. India, Ceylon, Colombo (*Bates*), Siam, Celebes, ? Chusan.
- latifascia**, Chaudoir, Bull., Mosc., xlvi (i), 1872, p. 404.
Hab. India.
- litura** (*Odacantha*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 22 : Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 405 ; iii (2), 1877, p. 266.
Hab. Burma, Java, Japan.
- metallica**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 334.
Hab. Tonkin.
- opacipennis**, R. Gestro, Ann. Mus. Civ. Gen., (2 s.) vi, 1888, p. 107.
Hab. Burma, Bhamo.
- pilifera**, Nietner, Ann. Mag. N. H., (3 s.) ii, 1858, p. 179.
Hab. Ceylon.
- punctata**, Nietner, *l. c.*, *supra*, p. 178.
Hab. Ceylon.
- subapicalis**, Oberthür, Notes Leyden Mus., v, 1883, p. 216.
Hab. E Sumatra, Serdang.
- tetraspilota**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 19.
Hab. Burma.
- virgulifera**, Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 403 : Gestro. Ann. Mus. Civ. Gen., vii, p. 854.
Hab. Siam, Bangkok.

Genus OPHIONEA.

- Eschsch., Zool. Atlas, ii, 1829, p. 5 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 43 ; Lacord., Gen. Col., i, p. 73 : Mun. Cat., p. 85.
Casnoidea, Lap de Casteln., Et., Ent., i, 1834, p. 40 ; *id.*, Hist. Nat. An. Ins., i, p. 28.
- Beauchenii**, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888, p. 333.
Hab. Tonkin.
- cyancephala** (*Carabus*), Fabr., Ent. Syst. Suppl., 1798 p. 60 : (*Casnonia*) Dejean, Spec., i, p. 173 ; Lacord. Gen. Col. Atlas, t. 3. f. 2 : Schmidt Goebel, Faun. Col. Birm., p. 20.
Hab. India, Ceylon, Colombo (*Bates*), Celebes, Japan, Hongkong [*Ind. Mus.*], Calcutta, S. India].

- interstitialis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 20.
Hab. Burma, Java, Soerabaya, Buitenzorg, Celebes.
- nigrofasciata**, Schmidt Goebel, *l. c.*, p. 21.
Hab. Burma, Ceylon, Colombo (*Bates*).

Genus DICRASPEDA.

- Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 300.
- brunnea**, Chaudoir, *l. c.*, p. 300.
Hab. Siam.

DRYPTINI :—Horn, Gen. Carab., p. 148 : Leconte & Horn, Class Col., 1883, p. 40 : Lacordaire (*Galeritidcs*), Gen. Col., i, p. 79.

Genus DRYPTA.

Fabricius, Syst. Eleuth., i, 1801, p. 230 : Brullé, Hist. Nat. Ins. Col., i, p. 163 : Lacord. Gen. Col., i, p. 75 : Mun. Cat., p. 90.

aeneipennis, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.

Hab. Burma, Bhamo.

amabilis, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 35 (*? = Dendrocellus id*).

Hab. India, Tibet.

crassiuscula, Chaudoir, l.c., xxxiv (i), 1861, p. 550.

Hab. N. India.

dimidiata, Putzeys, Notes Leyden Mus., ii, 1880, p. 191 ; Mid. Sumatra, iv, 6, t. 2, f. 2.

Hab. Sumatra.

flavipes, Wiedemann, Zool. Mag., ii (i), 1823, p. 60 : Dejean, Spec., ii, p. 442 : Lap. de Casteln., Hist. Nat. An. Art., Ins., i, p. 34.

pallipes, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 33 ; ib., (i), 1860, p. 548.

Hab. N. India, Simla.

formosana, Bates, Trans. Ent. S. Lond., 1873, p. 333 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 257.

Hab. Formosa.

lineola, Dejean, Spec., i, 1825, p. 184 : MacLeay, Annul. Javan, p. 27 : Lap. de Casteln., Hist. Nat. An. Art., Ins., i, p. 33 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 262.

var. *philippinensis*, Chaudoir, Bull. Mosc., lii (2), 1877, p. 262.

Hab. India, China, Hongkong, Philippines [*Ind. Mus.*, Madras].

lugens, Schmidt Goebel, Faun. Col. Birm., 1846, p. 23.

Hab. Burma.

mandibularis, Lap. de Casteln., Et. Ent., 1834, p. 43.

Hab. India, Borneo.

Mouhotii, Chaudoir, Rev. Mag. Zool., (2s.), xxiii, 1872, p. 102.

Hab. Laos.

obscura, Schmidt Goebel, Faun. Col. Birm., 1846, p. 23.

Hab. Burma.

tristis, Schmidt Goebel, l.c., p. 23.

Hab. Burma.

virgata, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 34.

Hab. India.

Genus DENDROCELLUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 24 : Lacord., Gen. Col., i, p. 80 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 545 : Mun. Cat. p. 91.

Desera (Leach), Hope, Col. Man. ii, p. 96, 105.

aeneipes (*Drypta*), Wiedemann, Zool. Mag., ii (i), 1823, p. 60.
Hab. India.

discolor, Schmidt Goebel, Faun. Col. Birm., 1846, p. 24.
Hab. Burma, Martaban [*Ind. Mus.*, Dhansiri Valley, Assam].

geniculatus, Klug, Jahrb. Insec., i, 1834, p. 52 : Schmidt Goebel, *l.c.*, *supra*, p. 25.
Hab. India, Assam, Burma, Malacca, Java, Japan.

longicollis (*Drypta*), Dejean, Spec., i, 1825, p. 185.
Hab. India.

nepalensis (*Desera*), Hope, Gray's Zool. Misc., 1831, p. 21.
flavipes, Schmidt Goebel, Faun. Col. Birm., 1846, p. 24 : *nec* Wied.
nec Dejean. Calcutta.
rugicollis, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 546.
Hab. Nepal, Calcutta, Burma.

parallelus, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 101.
Hab. Sumatra.

unidentatus (*Drypta*), MacLeay, Annul. Javan., i, 1825, p. 28.
coelestinus, Klug, Jahrb. Insect., i, 1834, p. 54.
Hab. Java.

Genus GALERITA.

Fabr., Syst. Eleuth., i, 1801, p. 214 : Brullé, Hist. Nat. Ins. Col., i, p. 166 : Schmidt Goebel, Faun. Col. Birm., p. 62 : Lacord., Gen. Col., i, p. 82 : Mun. Cat., p. 92, Leconte, Bull. Brookl. Ent. S., 1879, ii, p. 61 : Bates, Biol. Centr. Amer. Col., i (i), p. 164.

attelaboides (*Carabus*), Fabr., Spec. Ins., i, 1781, p. 305 ; Mant. Ins., i, p. 198 ; Ent. Syst., i, p. 132 ; Syst. Eleuth., i, p. 214 ; Oliv., Ent., iii, 35, p. 50, t. 6, f. 70 : Chaudoir, Bull. Mosc., xxiv (i), 1861, p. 560.

? *leptodera*, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 559.
Hab. India, (not S. America).

indica, Chaudoir, Bull. Mosc., xxxiv (2), 1861, p. 557.
Hab. N. India.

nigripennis, Chaudoir, *l.c.* p. 557.
Hab. Dekhan.

orientalis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 26 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.
Hab. Burma, Bhamo.

peregrina, Dohrn, Stettin. Ent. Zeit., xli, 1880, p. 291.
Hab. Hongkong.

ruficeps, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 556 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.
Hab. N. India ; Burma, Bhamo.

Genus **ZUPHIUM.**

Latreille, Gen. Crust., & Ios., i, 1806, p. 198 : *Lap. do Casteln.*, *Monograph*, Silb. Rev. i, p. 251 : *Lacord.*, Gen. Col., i, p. 85 : *Brullé*, Hist. Nat. Ios. Col., i, p. 174 : *Mun. Cat.*, p. 98 : *Chaudoir*, Bull. Mosc., xxxv (4), 1862, p. 310 : *Leconte*, Bull. Brookl. Ent. Soc., 1879, p. 61 : *Bates*, Biol. Centr. Amer. Col., i (i), p. 166.

Zophium, Schmidt Goebel, Faun. Col. Birm., 1846, p. 27.

bimaculatum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 28 : *Chaudoir*, Rev. Mag. Zool., 1872, p. 105.

röttigerum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 28.

Hab. Burma, Martaban [*Ind. Mus.*, China].

erythrocephalum, Chaudoir, Bull. Mosc., xxxv (2), 1862, p. 311.

Hab. India, Malabar.

inconspicuum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 30.

Hab. Burma.

modestum, Schmidt, Goebel, l. c., p. 29.

Hab. N. India, Burma.

olens (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 139 ; *id. (Galerita)*, Syst. Eleuth., i, p. 215 : Olivier, Ent., iii, 35, p. 94, t. 13, f. 156 : (*Zuphium*) Dejean, Spcc., i, p. 192 ; *id.*, Ic. Col. Eur., i, t. 10., f. 3 : *Brullé*, Hist. Nat. Ins. Col., i, p. 175, t. 6, f. 1 : *Lap. de Casteln.*, Mon., p. 253 : Schmidt Goebel, Faun. Col. Birm., p. 28 ; Duval, Gen. Carab., t. 21, f. 105 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 311.

longisculum, Chaudoir, Bull. Mosc., xv (4), 1842, p. 804 : *id.*, xxxv (4), 1862, p. 312.

rufifrons, Chaudoir, l. c., (4), 1862, p. 311.

Hab. S. Europe, N. Africa, Asia Minor, Maulmain, Siam.

piceum, Schmidt Goebel, Faun. Col. Birm., 1846, p. 29.

Hab. Burma.

pubescens, Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 182.

Hab. Ceylon.

siamense, Chaudoir, Rev. Mag. Zool., (2 s), xxiii, 1872, p. 104.

Hab. Siam.

Genus **AGASTUS.**

Schmidt Goebel, Faun. Col. Birm., 1846, p. 30 : *Lacord.*, Gen. Col., i, p. 87 : *Mun. Cat.*, p. 95.

lineatus, Schmidt Goebel, l. c., p. 91.

Hab. Burma.

ustulatus, R. Gestro, Anu. Mus. Civ. Gen., vii, 1875, p. 876.

Hab. Singapur.

MORMOLYCINI, Horn, Gen. Carab., p. 149.

Genus **MORMOLYCE.**

Hagenbach, Nov. Gen. Col., 1825 : *Brullé*, Hist. Nat. Ins. Col., i, p. 310 : *Lacord.*, Gen. Col. i, p. 144 : *Mun. Cat.*, p. 152 : Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 886.

Castelnauii, Deyrolle, Ann. Soc. Ent. Fr., (2s.) iv, 1862, p. 314, t. 11, f. 3.

Hab. Malacca.

Hagenbachii, Westwood, Ann. Mag. N. H., (3s.) ix, 1862, p. 96 : Deyrolle, *L. c.* *supra*, p. 313, t. 11, f. 2.

blattoides, Thomson, *Mon. Mormolyce*, 1862, p. 8.

Hab. Sumatra.

phyllodes, Hagenbach, Nov. Gen. Col., 1825, fig. *a-b.* : Gray, Griffith's Anim. Kingd., Ins. i, 1832, t. 25, f. 7 : Brullé, Hist. Nat. Ins. Col. i, p. 313, t. 11, f. 2 : Lap. de Casteln., Hist. Nat. Ins., i. p. 119, t. 7, f. 3 : Deyrolle, *L. c. supra*, t. II., f. 1 : Verhuel., Ann. Soc. Ent. Fr., 1847, p. 344, t. 7, f. 1-6 : Overdijk, Mém. Ent. S. Pays-Bas, i, 1857, p. 41.

var. *borneensis*, Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 886, fig.

Hab. Java, Borneo, ? New Guinea [*Ind. Mus.*, Singapur].

LEBIINI :—Horn, Trans. Amer. Ent. Soc., x, 1882, p. 126 : Gen. Carab., p. 155 : Lecomte & Horn, Class. Col., p. 42.

Lebiides, pt. Lacordaire, Gen. Col., i, p. 102.

Pericalides, Lacordaire, *L. c.*, p. 137.

Includes *Tetragonoderini*, Chaudoir, Bull. Mosc., li (3), 1876, p. 28.

Genus CYCLOSOMUS.

Latreille, Règne Anim., ii., 1829, p. 394 : Dejean, Spec., iv, p. 23 : Lacord. Gen. Col., i, p. 258 : Mun. Cat., p. 248 : Chaudoir, Bull. Mosc., li (3), 1876, p. 29.

dysticoides (*dyticoides*), Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 132 : Ann. Mag. N. H., (2s.) xx, 1857, p. 272 : Chaudoir, Bull. Mosc., li (3), 1876, p. 31.

Hab. Ceylon, Colombo.

flexuosus, Fabricius, Syst. Ent., 1775, p. 246 ; Spec. Ins., i, p. 311 ; Mant. Ins., i, p. 203 ; Ent. Syst., i, p. 180 ; (*Scolytus*) Syst. Eleuth., i, p. 247 : Lap. de Casteln., Hist. Nat. Ins., i, p. 96 : Lacord. Gen. Col. : Atlas, t. 10, f. 4 *a-b.* : Gray, Griffith, An. Kingd., Ins. i, 1832, t. 8, f. 12 : Brullé, Hist. Nat. Ins. Col., ii, p. 140 : Chaudoir, Bull. Mosc., li (3), 1876, p. 32.

suturalis (*Scolytus*), Wiedemann, Zool. Mag., i (3), 1819, p. 169.

Hab. Bengal, Hongkong.

marginatus, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 200 : Chaudoir, *ib.*, li (3), 1876, p. 32.

Hab. India.

Genus TETRAGONODERUS.

Dejean, Spec., iv, 1829, p. 485 : Schmidt Goebel, Faun. Col. Birm., p. 92 : Lacord. Gen. Col., i, p. 132 : Mun. Cat., p. 144 : Chaudoir, *Monograph*, Bull. Mosc., li (3), 1876, p. 33 : Syn. Amer. Sp., Horn, Trans. Amer. Ent. S., iv, 1872, p. 136 : Bates, Biol. Centr. Amer., Col., i (i), p. 171.

Carabus, Fabr. et vct. auct : *Bembidium*, Wied., Germar : *Dromius*, Reiche, Putzeys, Dejean.

Peronoscelis, Chaudoir, *Mon.*, p. 56.

arcuatus, Dejean, Spec., iv, 1829, p. 195 : Chaudoir, *Mon.*, p. 38.

Hab. India, Egypt, Senaar.

cursor, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 201.
Hab. Ceylon, Kandy.

dilatatus (*Bembidium*), Wiedemann, Zool. Mag., ii (i), 1823, p. 61 ; Chaudoir, *Mon.*, p. 41.
Hab. India, Bengal.

discopunctatus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 456 ; *id.*, *Mon.*, p. 48.
Hab. N. India, Simla.

fimbriatus, Bates, Ann. Mag. N. H., (5 s.) xvii, 1886, p. 202.
Hab. Ceylon, Kandy.

notaphoides, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 99 : Bates, *l. c. supra*, p. 201 :
Chaud., *Mon.*, p. 54.
Hab. Ceylon, Colombo, Dikoya.

punctatus (*Bembidium*), Wiedemann, Zool. Mag., ii (i), 1823, p. 61 : Dejean, Spec. iv, p. 505 : Schmidt Goebel, Faun. Col. Birm., p. 92 : Chaud., *Mon.* p. 48.
Hab. India, Bengal, Dekhan.

quadrinotatus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 55 ; *id.*, Syst. Eleuth. i, p. 186 ; Dejean, Spec., iv, p. 491 : Lap. de Casteln., Hist. Nat. Ins., i, p. 89 : Chaud., *Mon.*, p. 41.
Hab. India, Ceylon [*Ind. Mus.*].

quadrisignatus, Quensel, Schönherr, Syn. Ins., i, 1806, p. 212 note : Dejean, Spec. iv, p. 491 : Chaud., *Mon.*, p. 41.
Hab. India, Hongkong [*Ind. Mus.*, Madras].

rhombophorus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 93 : Chaud., *Mon.*, p. 48.
Hab. Burma, Martaban.

trifasciatus, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 455 ; *id.*, *Mon.*, p. 48.
Hab. N. India.

Genus **MNUPHORUS**.

Chaudoir, Berlin. Ent. Zeits., 1873, p. 55 ; *id.*, Bull. Mosc., li (3), 1876, p. 69.

disophorus, Chaudoir, *l. c.*, p. 69.
Hab. N. India, Simla.

Genus **TILIUS**.

Chaudoir, Bull. Mosc., li (3), 1876, p. 71.

Lionychus, Chaudoir, *olim* (*nec* Wissmann).

holosericeus, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 68 ; *id.*, li (3), 1876, p. 72.
Hab. N. Bengal.

Genus **DICTYA**.

Chaudoir, Bull. Mosc., xlili, (2), 1870, p. 116, 123.

eribricollis, Morawitz, Bull. Ac. Petr., v. 1863, p. 245 : Chaudoir, *l. c. supra*, p. 124.
Hab. E. Siberia, N. China, Canton (*Putzeys.*).

Genus NEMATOPEZA.

Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 146.

Baconii, Chaudoir, *l. c. supra*, p. 150.

Hab. N. India.

basalis (*Lebia*), Chaudoir, *l. c.*, xxv (i), 1852, p. 43 ; *id.*, *ib.*, xlivi (2), 1870, p. 149.
Hab. N. India.

decora, Chaudoir, *l. c.*, xlivi (2), 1870, p. 150.
Hab. N. India.

Genus LEBIA.

Latreille, Hist. Nat. Ins., viii, 1804, p. 247 : Lacord., Gen. Col., i, p. 127 : Mun. Cat., p. 136 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 226, *tab. syn.* : Chaudoir, *l. c.*, xlivi (2), 1870, p. 111, 162 : Bates, Biol. Centr. Amer., Col., i (i), p. 222.

Echimuthus, Leach, Endinb., Encycl., 1818.

Homalops, Motschulsky, Käfer Russl., 1845, p. 42.

Lamprias, Bonelli, Obs. Ent., 1809, *tab. syn.*

Lebida, Motschulsky, Et. Ent., 1862, p. 51 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 225.

Lebistina, Motschulsky, Bull. Mosc., *l. c.*, p. 227 : Chaud., *l. c.*, lvi (2), 1877, p. 218.

Lionedya, Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 126.

Omalomorpha, Motschulsky, Ins. Sib., 1842, p. 42.

Boysii, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 70 ; xlivi (2), 1870, p. 223.

Hab. N. India, Simla.

calycophora, Schmidt Goebel, Faun. Col. Birm., 1846, p. 44.

Hab. Burma.

chinensis, Bohem., Freg. Eug. Resa, Col., 1858, p. 6 : Chaud., Bull. Mosc., xlivi (2), 1870, p. 163.

Hab. Hongkong [*Ind. Mus.*, China].

circumdata, Schmidt Goebel, Faun. Col., Birm., 1846, p. 44 : Chaud., Bull. Mosc., xlivi (2), 1870, p. 224.

Hab. Burma.

elevata (*Carabus*), Fabr., Ent. Syst., i, 1792, p. 162 ; Syst. Eleuth., i, p. 204 : Chaudoir, Bull. Mosc., xxvii (i) 1854, p. 133 : Schmidt Goebel, Faun. Col., Birm., p. 43.

maisiliensis, Fairmaire, Ann. Soc. Ent. Fr. 1849, p. 419 : Brullé, Silb. Rev., ii, p. 108

unifasciata, Dejean, Spec., v, 1831, p. 389.

Hab. S. Europe, Burma.

exsanguis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 209.

Hab. Ceylon, Dikoya.

fuscula, Chaudoir, Bull. Mosc., xlivi (2), 1870, p. 221.

Hab. India, Simla.

gressoria, Chaudoir, *l.c.*, p. 222.
Hab. N. India.

infuscata, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 227.
. Hab. India.

sellata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 45.
Hab. Burma.

tau, Schmidt Goebel, *l.e.*, p. 45.
Hab. Burma.

Genus STEPHANA.

Chaudoir, Bull. Mosc., xliv (i), 1871, p. 55.

princeps (*Lebia*), Chaudoir, *l.c.*, xxv (i), 1852, p. 41 ; *id.*, xliv (i), 1871, p. 56.
Hab. N. India.

Genus PHYSODERA.

Eschscholtz, Zool. Atlas, ii, 1829, p. 8 : Schmidt Goebel, Faun. Col. Birm., p. 46 ;
Lacord., Gen. Col., i, p. 130 ; Mun. Cat., p. 143.

Davidis, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 92.
Hab. China, Fuhkien.

Dejeani, Eschscholtz, Zool. Atlas, ii, 1829, p. 8, t. 8, f. 6 : Gray, Griffith's Anim.
Kingd. Ins., i, t. 19 f. 4 : Lacord., Gen. Col., i, p. 130, Atlas, t. 4, f. 3 :
Schmidt Goebel, Faun. Col. Birm., p. 46.
Hab. Burma ; Philippines, Manilla [*Ind. Mus.*, Andamans].

Eschscholtzii, Parry, Trans. Ent. S. Lond., v, 1849, p. 179, t. 18, f. 2.
Hab. Ceylon, Peradeniya (*Bates.*).

Genus EUPLYNES.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 52 : Lacord., Gen. Col., i, p. 131 :
Mun. Cat., p. 380 : Bates, Trans. Ent. S. Lond., 1883, p. 264 ; *id.*, Biol. Centr.
Amer. Col., i (i), p. 158.

bispinus, Motschulsky, Et. Ent., 1859, p. 33.
Hab. Java.

cyanipennis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 52 : Bates, Ann. Mag.
N. H., (5s.) xvii, p. 147.
Schmidtii, Chaudoir, Ann. Soc. Ent. Fr., (3s.) vii, 1859 p. 360.
Hab. India, Burma.

Dohrnii, Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 429 : Bates, l. c., (5s.) xvii, 1886,
p. 147.
Hab. Ceylon.

Genus ALLOCOTA.

Motschulsky, Et. Ent., 1859, p. 29 : Mun. Cat., p. 146 : Chaudoir, Bull. Mosc., iii
(2), 1877, p. 203,

viridipennis, Motsch., Et. Ent., 1859, p. 29, f. 3 : Chaudoir, *l.c.* *supra*, p. 205.
. Hab. Singapur, Malacca, Java.

Genus PARENA.

Motschulsky, Et. Ent., 1859, p. 31 : Mun. Cat., p. 146 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 207.

bicolor, Motschulsky, Et. Ent., 1859, p. 32.
Hab. Java.

Genus LACHNODERMA.

W. MacLeay, Trans. Ent. S. N. S. Wales, ii, 1873, p. 321 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 212 : R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 858.

hirsutus (*Singilis*), Bates, Trans. Ent. S. Lond., 1873, p. 333 ; *ib.*, 1883, p. 285.
Hab. Hongkong.

Genus SCALIDION.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 63 : Lacord., Gen. Col., i, p. 135 : Mun. Cat., p. 147.

hilare, Schmidt Goebel, *l.c. supra*, p. 64.
Hab. Burma.

Genus COPTODERA.

Dejean, Spec., i, 1825, p. 273 : Lacord., Gen. Col., i, p. 140 : Mun. Cat., p. 149 : *Mémoire*, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 163.

Agonocheila, Chaudoir, Bull. Mosc., xxi, 1848, p. 119.

Belonognatha, Chaudoir, *l. c.*, xvi (3), 1843, p. 383 : Lacord., Gen. Col., i, p. 142.

Rhinotoeilla, Montrouzier, Ann. Soc. Linn. Lyon, 1864, p. 57 : Mun. Cat., p. 141.

bicincta, Hope, Trans. Ent. S. Lond., iv, 1845, p. 14 : Chaudoir, *Mém.*, p. 187.
Hab. Canton, Hongkong.

discoguttata, Chaudoir, *Mém.*, 1868, p. 195.
Hab. Borneo, Celebes.

elegantula, Schmidt Goebel, Faun. Col. Birm., 1846, p. 54 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 111.
Hab. Burma, Bhamo, Teintso, Tenasserim.

flexuosa, Schmidt Goebel, *l.c.*, p. 55 : Chaudoir, *Mém.*, p. 196.
Hab. Burma, Singapur, Bornco.

interrupta, Schmidt Goebel, *l.c.*, p. 53 : Chaudoir, *Mém.*, p. 194.
Hab. Burma, Siam, Borneo, Ceylon, Colombo (Bates).

ocellata, Chaudoir, *Mém.*, p. 188.
Hab. N. India.

transversa, Schmidt Goebel, Faun. Col. Birm., 1846, p. 54 : Chaudoir, *Mém.*, p. 165.
Hab. Burma.

tetraستigma, Chaudoir, *Mém.*, p. 174.

Hab. Borneo, Sarawak.

piligera, Chaudoir, Col. Novit., 1883, p. 20.

Hab. Tibet, Moupin.

Genus LIOPTERA.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 208.

Plato, Bates, Trans. Ent. S. Lond., 1883, p. 281, note.

Hab. N. Borneo.

quadriguttata, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 208.

Hab. Philippines.

Genus MOCHTHERUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 76 : Lacord., Gen. Col., i, p. 137 : Mun. Cat., p. 147 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 240.

Dromius, pt. MacLeay.

Thyreopterus, pt. Dejean, Spec., v, 1831, p. 445.

Cyrtopterus, pt. Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106.

immaculatus, Redtenb., Reise Novara, Zool., ii, Col., 1867, p. 7 : Chaudoir, *Mém.*, p. 243.

Hab. Malacca, Java.

tetraspilotus (*Dromius*), MacLeay, Annul. Javan., 1825, p. 25 : Schaum, Berlin Ent. Zeits., 1860, p. 187 : Chaudoir, *Mém.*, p. 241.

angulatus (*Mochtherus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 76.

quadrinotatus (*Cyrtopterus*), Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106 : Gerst., Wiegmann Archiv. Naturg., 1863, p. 75.

retractus (*Panagaeus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.

tetrasemus (*Thyreopterus*), Dejean, Spec., v, 1831, p. 448.

Hab. India, Malabar, Burma, Java, Borneo, Ceylon, Colombo, Galle (Bates), [Ind. Mus., Andaman Islands].

Genus DOLICHOCTIS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 62 : Lacord., Gen. Col., i, p. 136 : Mun. Cat., p. 147 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 245.

Cyrtopterus, pt. Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106.

Coptodera, pt. Dejean.

angulicollis, Chaudoir, *Mém.*, p. 250.

Hab. Burma, Rangoon.

fasciola, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 205.

Hab. Ceylon, Balangoda.

gilvipes, Dejean, Spec. v, 1831, p. 396 : Chaud., *Mém.*, p. 248.

Hab. Philippines, Manilla.

gonioderus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 204.
Hab. Ceylon, Kitugalle.

marginifer (*Dromius*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 202; id, Bates,
l.c. supra, p. 210.

parvicollis, Chaudoir, *Mém.*, p. 249.
Hab. Borneo.

quadriplagiata, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 106, t. 9, f. 4: Chaudoir
Mém. p. 245.

marginicollis (*Colpodes*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 51.
Hab. Ceylon, Anarajapura.

rotundatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 77: Chaud., *Mém.* p. 241,
246: Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1882, p. 111.
Hab. Burma, Bhamo, Teintso, Shwedu.

striata, Schmidt Goebel, Faun. Col. Birm., 1846, p. 62: Chaudoir, *Mém.* p. 246.
Hab. Burma, Isl. Aru, ? Celebes.

tenuilimbata, Oberthür, Notes Leyden Mus., v, 1883, p. 219.
Hab. Sumatra, Serdang.

tetracolon, Chaudoir, *Mém.*, p. 248.
Hab. Borneo, Sarawak [*Ind. Mus.*, Sikkim].

vitticollis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 204.
Hab. Ceylon, Dikoya.

Genus BRACHYCTIS.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 252.

rugulosa, Chaudoir, *l.c.*, p. 252.
Hab. Borneo, Sarawak.

Genus PELIOCYPAS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 33: Lacord., Gen. Col., i, p. 116: Mun.
Cat. p. 127.

hamatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 35.
Hab. Burma.

luridus, Schmidt Goebel, *l.c.*, p. 35.
Hab. Burma.

signifer, Schmidt Goebel, *l.c.*, p. 35: Bates, Ann. Mag. N. H. (5s.) xvii, p. 209.
Hab. Burma.

suturalis, Schmidt Goebel, *l.c.*, p. 34.
Hab. Burma.

uniformis, Fairmaire, Ann. Soc. Ent. Fr., (6 s.) viii, 1888., p. 334.
Hab. Tonkin.

Genus DROMIUS.

Bonelli, Obs. Ent., i, 1809, tabl. syn : *Lacord.*, Gen. Col., i, p. 119 : *Mun. Cat.*, p. 128 : *Schaum*, Ins. Deutschl., i (i), p. 263.

Crossonychus, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 97.

Lobius, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 230.

Microlestes, Schmidt Goebel, Faun. Col. Birm., 1846, p. 41.

Philorhizus, Hope, Col. Man., 1838, p. 66.

exilis (*Microlestes*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 42.

Hab. Burma.

inconspicuus (*Microlestes*), Schmidt Goebel, l.c., p. 41.

Hab. India.

orthogoniooides, Bates, Ann. Mag. N. II., (5s.) xvii, 1886, p. 205.

Hab. Ceylon, Dikoya.

steno, Bates, l.c., p. 206.

Hab. Ceylon, Nuwara Eliya.

Genus BLECHRUS.

Motschulsky, Bull. Mosc., xx (3), 1847, p. 219 ; xxi (2), 1848, p. 543 ; Et. Ent., 1858, f. 2, 3 : *Mun. Cat.*, p. 131.

xanthopus, Bates, Ann. Mag. N. II., (5s.) xvii, 1886, p. 206.

Hab. Ceylon, Colombo.

Genus METABLETUS.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 38 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 94 : *Lacord.*, Gen. Col., i, p. 122 : *Mun. Cat.*, p. 132.

Bomius, pt., Leconte, Ann. Lyc. Nat. Hist. New York., v, 1852, p. 177 : *Lacord.*, Gen. Col., i, p. 120.

Charopterus, Motsch., Et. Ent., 1858, p. 155.

Dromoceryx, Schmidt Goebel, Faun. Col. Birm., 1846, p. 40.

angularis (*Dromoceryx*), Schmidt Goebel, l.c., p. 41.

Hab. Burma.

dorsalis (*Dromoceryx*), Schmidt Goebel, l.c., p. 40.

Hab. Burma.

quadripunctatus, Schmidt Goebel, l.c., p. 39 : Bates, Trans. Ent. S. Lond., 1883, p. 284.

Hab. Bengal, Japan.

* *tartareus*, Bates, Proc. Zool. S. Lond., 1878, p. 719.

Hab. Between Yangi Hissar and Sirikol [*Ind. Mus.*, type].

Genus APRISTUS.

Chaudoir, Enum. Carab. Caucas., 1846, p. 62 : *id.*, Bull. Mosc., xxiii (i), 1850, p. 65 : *Lacord.* Gen. Col., i. p. 123 : *Mun. Cat.* p. 134.

aeneipennis (*Lionychus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 37 : Fairm. Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 335.

Hab. Burma, Tonkin.

aeneomicans, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 66.

Hab. N. India, Simla.

subtransparens, Motsch., Bull. Mosc. xxxiv (i), 1861, p. 104: Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 206.

Hab. Ceylon, Nuwara Eliya, Hadley, Dikoya (Bates).

Genus APRISTOMORPHUS.

Motschulsky, Bull. Mosc. xxxiv (i), 1861, p. 104.

sexpunctatus, Motschulsky, *l.c.*, p. 105, t. 9, f. 2.

Hab. Ceylon, Nuwara Eliya.

Genus LIONYCHUS.

Wissmann, Stettin Ent. Zeit., vii, 1846, p. 25; Lacord., Gen. Col., i, p. 122: Mun. Cat., p. 133: Schmidt Goebel, Faun. Col. Birm., p. 36.

albivittis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 207.

Hab. Ceylon, Peradeniya.

marginellus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 37, t. 3, f. 3.

Hab. Burma.

Genus TETRAGONICA.

Motschulsky, Et. Ent., 1859, p. 26; Mun. Cat., p. 136; Bates Ann. Mag. N. H., (5s.) xvii, 1886, p. 207.

catenata, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 208.

Hab. Ceylon, Bogawantala.

euproctoides, Bates, *l.c.*, p. 209.

Hab. Ceylon, Colombo.

fusca, Motschulsky, Et. Ent., 1859, p. 28, t. 1, f. 2.

Hab. Ceylon, Nuwara Eliya, Dikoya, Bogawantala (*Bates*).

intermedia, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 208.

Hab. Ceylon, Horton Plains.

mellea, Bates, *l.c.*, p. 208.

Hab. Ceylon, Colombo.

repandens, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51: Bates, *l.c. supra*, p. 210.

Hab. Ceylon.

Genus BRACHICHILA.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., 1868, p. 123.

hypocrita, Chaudoir, *Mém.*, *l.c.*, p. 123.

Hab. Hongkong.

Genus TANTILLUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., 1868, p. 126.

brunneus, Chaudoir, *Mém.*, *l.c.*, p. 126.

Hab. Ceylon, Dikoya (*Bates*).

vittatus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 202.

Hab. Ceylon, Bogawantala.

Genus SINURUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 129.

opacus, Chaudoir, *Mémoire*, p. 130.

Hab. Borneo, Sarawak.

Genus SERRIMARGO.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 134.

Thyreopterus, pt. Schaum, Chaudoir *olim*.

guttiger, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 189, t. 3. f. 5 : Chaudoir, *Mém.*, p. 135.

Hab. Borneo, Sarawak, Malacca.

verrucifer, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 171 ; *Mém.*, p. 135.

Hab. Malacca.

Genus PERIPRISTUS.

Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 135.

ater (*Thyreopterus*), Lap. de Casteln., Et. Ent., 1834, p. 149 : Schmidt Goebel, Faun. Col. Birm., p. 79 : Chaudoir, *Mém.*, p. 136 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.

Hab. Burma, Malacca, Bhamo, Tenasserim.

Genus THYREOPTERUS.

Dejean, Spec., v, 1831, p. 445 : Lacord., Gen. Col., i, p. 143 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 186 : Mun. Cat., p. 151 : Chaudoir, *Mémoire*, Ann. Soc. Ent. Belg., xii, 1868, p. 141.

Thysanotus, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 123.

impressus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 80 : Chaudoir, *Mém.*, p. 142 : *gen. dub.*

Hab. Burma.

Genus MISCELUS.

Klug, Jahrb. Insect., 1834, p. 82 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 311 : Lacordaire, Gen. Col., i, p. 146 : Chaudoir, Berlin. Ent. Zeits., iv, 1861, p. 125 : *id.*, Ann. Soc. Ent. Belg., xii, 1868, p. 152 : Mun. Cat., p. 154.

Leptodactyla, Brullé, Hist. Nat. Ins., iv, 1837, p. 130.

convexicollis, Putzeys, Ann. Mus. Civ. Geu., vii, 1875, p. 724.
Hab. Borneo, Sarawak.

javanus, King, Jahrb. Insect., 1834, p. 82, t. 1, f. 9 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 32 : Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 723.

apicalis (*Leptodactyla*), Brullé, Hist. Nat. Ins., iv, 1837, p. 130, t. 4, f. 1.
Hab. Java, Borneo, Sarawak [*Ind. Mus.*, Audaman Islands].

paradoxus, Putzeys, Ann. Mus. Civ. Gen., vii, 1875, p. 724.
Hab. Philippines

rufiventris, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 202.

ceylonicus, Chaudoir, Berlin Ent. Zeits., v, 1861, p. 125.

Hab. Ceylon, Colombo (*Bates*).

unicolor, Putzeys, Mém. Soc. Liège, ii, 1845, p. 375 ; *id.*, Ann. Mus. Civ. Gen., vii, 1875, p. 725.

Hab. Java.

Genus HOLCODERUS.

Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 153.

auripennis, Chaudoir, Bull. Mosc., lii (2), 1877, p. 198.

Hab. Penang.

limbipennis, Chaudoir, *l.c.*, p. 199.

Hab. Penang.

praemorsus, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 153.

Hab. Ceylon, Dikoya, Bogawantalawa (*Bates*).

Genus CATASCOPUS.

Kirby, Trans. Linn. S. Lond., xiv, 1825, p. 94 : Schmidt Goebel, Faun. Col. Birm..

p. 80 : Lacord., Gen. Col., i, p. 145 : Mun. Cat., p. 152 : W. W. Saunders, Trans.

Ent. S. Lond., (3s.) i, 1863, p. 455 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 113. ;

id., Berlin. Ent. Zeits., v, 1861, p. 116 ; *id.*, Ann. Soc. Ent. Belg., xii, p. 158.

Cyphosoma, Hope, Anu. Mag. N., H., ix, p. 426.

aeneipennis, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 118.

Hab. Dekhan.

aeneus, Saunders, Trans. Ent. S. Lond., 1863, p. 467, t. 17, f. 2 *a-b*.

Hab. Bornco, Sarawak.

aequatus, Dejean, Spec., v. 1831, p. 452 : Lap. de Casteln., Hist. Nat. Ins., i, p. 54.

Hab. Philippines, Manilla.

andamanensis, Chaudoir, Bull. Mosc., lii (2), 1877, p. 200.

Hab. Andaman Islands.

angulatus, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 117.

elegans, MacLeay, Annul. Javan., 1825, p. 15 (*nec Fabr.*).

facialis, Dejean, Spec., v, 1831, p. 452 (*neo Wied.*).

var. *illustrius*, Mannerheim, Bull. Mosc., xxxiii (i), 1850, p. 89.

, *oxygonus*, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 117 ; Rev. Mag. Zool., (2s.) xxiii, 1872, p. 244 : Saund., Trans. Ent. S. Lond., 1863, p. 468.

Hab. Malacca, Java, Borneo, Amboina, Ternate, Macassar.

brachypterus, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 119 ; Saund., Trans. Ent. S.

Lond., 1863, p. 468.

Hab. Bornco, Sarawak, Singapur.

cingalensis, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 203.

Hab. Ceylon, Kandy, Balangoda.

cupreicollis, Waterhouse, Trans. Ent. S. Lond., 1877, p. 1.

Hab. Andaman Islands.

- cupripennis* (*Pericalus*), Thomson, Arch. Ent. i, 1857, p. 282 : Chaudoir, Berlin-Ent. Zeits., v, 1861, p. 122.
Hab. Singapur, Borneo, Sarawak.
- cyanellus*, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 113.
Hab. Nepál.
- cyanipennis*, Chaudoir, l.c., xxvii (i), 1854, p. 130.
Hab. N. Iudia.
- élegans*, Fabr., Syst. Eleutb., i, 1801, p. 184 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 354 ; Berlin. Ent. Zeits., v, 1861, p. 120 : Lap. de Casteln., Hist. Nat. Ins. Col., i, p. 54, t. 4, f. 2.
amoenus, Chaudoir, Berlin Ent. Zeits., v, 1861, p. 120 : Rev. Mag. Zool. (2s) xxiii, 1872, p. 247, 250 : Saund., Trans. Ent. S. Lond., 1863, p. 468.
- var. *australasiae*, Hope, Ann. Mag. N. H., ix, 1842, p. 426.
,, *celebensis*, Thoms., Arch. Ent., i, 1857, p. 282.
? *elegans*, Schmidt Goebel, Faun. Col. Birm. p. 83, nec Weber.
? *lateralis*, Brullé, Hist. Nat. Ins., iv, 1837, p. 233.
nitidulus, Lap. de Casteln., Et. Ent., 1834, p. 60.
- var. *cyaneus*, Chaudoir, Rev. Mag. Zool., 1872, p. 247.
Hab. Java, Sumatra, Philippines, Ambina, Aru, Dorcy, Batchian, Ceram, Celebes, Australia, Cape York, New Guinea.
- elevatus*. Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.
Hab. Burma, Martaban.
- excisus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 303.
Hab. Iudia.
- facialis*, Wiedemann, Zool. Mag., i (3), 1819, p. 165 : Djean, Spec., i, p. 329 ; Ic., ii, p. 116, t. 7, f. 8 : Brullé, Hist. Nat. Ins. Col., i, p. 232 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 352 ; id., Berlin Ent. Zeits., v, 1861, p. 116 : Saund., Trans. Ent. S. Lond., 1863, p. 468 : Bates, Ann. Mus. Civ. Gen., (2s.) viii, 1889, p. 12.
Hardwickei, Kirby, Trans. Linn. S. Lond., xvi, p. 98, t. 3, f. 1.
Hab. Bengal, Burma, Bhamo, Malacca, Ternate, Batchian, Ceram [*Ind. Mus.*, Sibsgar, Assam].
- fuscoaeneus*, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 247, 249.
aeneus, Motsch., Bull. Mosc., xxxvii (4), 1864, p. 303 (nec Saund.)
Hab. Penang, Malacca.
- Goebelii*, Gemm. & Har., Mun. Cat., 1868, p. 153 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245.
facialis, Schmidt Goebel, Faun. Col. Birm., p. 81 (nec Wied) : Chaud., Bull. Mosc., xxiii (2), 1850, p. 352.
? var. *basalis*, Chaudoir, Rev. Mag., l.c., p. 245.
Hab. Burma, Malacca.
- gracilis*, Oberthür, Notes Leyden Mus., v, 1883, p. 220.
Hab. Sumatra, Serdang ; Philippines, Mindanao.
- punctipennis*, Saunders, Trans. Ent. S. Lond., 1863, p. 464, t. 18, f. 4 a-b.
Hab. Siugapur.

- reductus**, Walker, Ann. Mag. N. H., (2s.) ii, 1858, p. 203 : ? *neo* Chaudoir, Berlin Ent. Zeits., v, 1861, p. 117 ; Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 210.
 Hab. India, Ceylon, Malacca.
- regalis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.
 Hab. Burma.
- ? **rufipes**, Gory, Ann. Soc. Ent. Fr., 1833, p. 204 : Chaud., Rev. Mag. Zool., (2s.) xxiii, 1872, p. 269.
Subquadratus, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 302.
 Hab? Ind'a (nee Senegal).
- Schaumi**, Saunders, Trans. Ent. S. Lond., 1863, p. 457, t. 17, f. 3 a-b.
 Hab. Borneo, Sarawak.
- simplex**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 246.
 Hab. Philippines, Mindanao.
- smaragdulus**, Dejean, Spec., i, 1825, p. 331 : Lap. de Casteln., Hist. Nat. Ins., i, p. 54 : Chaudoir, Berlin Ent. Zeits., v, 1861, p. 119.
 ? *pauper*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 84.
 Hab. Java, Burma [*Ind. Mus.*, Andaman Islands].
- splendidus**, Saunders, Trans. Ent. S. Lond., 1863, p. 459, t. 17, f. 1a-b.
costulatus, Chaudoir, Rev. Mag. Zool. 1863, p. 489 ; ib., 1872, p. 249.
 Hab. Borneo, Sarawak.
- versicolor**, Saunders, l. c. *supra*, p. 463, t. 18, f. 1a-b.
 Hab. Sumatra.
- violaceus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 82.
 Hab. Burma, Maulmain.
- virens**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 245.
 Hab. Celebes, ? India.
- Vollenhovenii**. Chaudoir, l. o., p. 218.
 Hab. Sumatra.
- Whithillii**, Hope, Col. Man., ii, 1838, p. 164, t. 3, f. 2.
 Hab. India [*Ind. Mus.*, Sikkim, Assam, Calcutta, Burma].

Genus PERICALUS.

- MacLeay, Annul. Javan., 1825, p. 15 : Schmidt Goebel, Faun. Col. Birm., p. 85 : Lacord., Gen. Col., i, p. 174 : Mun. Cat., p. 154 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 111 ; Berlin. Ent. Zeits., 1861, p. 123 ; id., Ann. Soc. Ent. Belg., xii, 1868, p. 158 : Schaum, Berlin. Ent. Zeits., iv, 1860, p. 189 : Bates, Ent. Mon. Mag., vi, 1869, p. 69.
- Coeloprosopus*, Chaudoir, Bull. Mosc., xv (i), 1842, p. 839.
Pericallus, Chaudoir, *auct.*
- cicindeloides**, MacLeay, Annul. Javan., 1825, p. 15, t. 1, f. 2 : Gray Griffith's Anim. Kingd., Ins., i, 1832, t. 15, f. 2 : Brullé, Hist. Nat. Ins., Col., i, p. 230 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.
 Hab. Java.

- guttatus**, Chevrolat, Mag. Zool., 1832, cl. ix, t. 46 : Brullé, Hist. Nat. Ins., Col., i, p. 231 : Lap. de Casteln., Hist. Nat. Ins., i, p. 57.
Hab. Java.
- laetus**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 190.
Hab. Borneo.
- longicollis**, Chaudoir, Ann. Soc. Ent. Belg., xii, 1868, p. 159.
Hab. Malacca.
- ornatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 86.
Hab. Burma.
- quadrimaculatus** (*Catascopus*), MacLeay, Annul. Javan., 1825, p. 15 : Lap., de Casteln., Hist. Nat. Ins., i, p. 55, t. 4., f. 3 : (*Coeloprosopus*) Chaudoir, Bull. Mosc., xv (i), 1842, p. 839.
quadrisignatus, Lap. de Casteln., Ann. Soc. Ent. Fr., 1832, p. 392.
Hab. Java.
- tetragramma**, Chaudoir, Berlin. Ent. Zeits., v, 1861, p. 123.
Hab. Singapnr, Sarawak.
- undatus**, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 111.
Hab. Philippines.
- xanthopus**, Schaum, Berlin. Ent. Zeits., iv, 1860, p. 191.
Hab. Borneo.

Genus CALLEIDA.

- Dejean, Spec., i, 1825, p. 220 : Lacord., Gen. Col., i, p. 105 : Chaudoir. *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 103 : Mun. Cat., p. 114 : Schmidt Goebel, Faun. Col. Birm., p. 32 ; Bates, Biol. Centr. Amer., Col i (i), p. 203.
- Cailleida*, Chaudoir, l.c. *supra*.
- Trigonothops*, W. MacLeay, Trans. Ent. S. N. S. W., i, 1864.
- chloroptera**, Dejean, Spec., v, 1831, p. 340 : Schmidt Goebel, Faun. Col. Birm., p. 33 : Chaud., *Mon.*, p. 112.
Hab. India, Java.
- cupreo-micans**, Oberthür, Notes Leyden Mus., v, 1883, p. 218.
Hab. E. Sumatra, Serdang.
- femoralis**, Chaudoir, *Mon.*, p. 112.
Hab. Dekhan.
- lativittis**, Chaudoir, *Mon.*, p. 113.
Hab. Dekhan.
- lepidia**, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 6, t. 1, f. 2 : Chaudoir, *Mon.*, p. 112.
Hab. Hongkong, Japan.
- ? **onypterygoidea**, Chaudoir, *Mon.*, p. 123.
Hab. ? Dekhan, ? Colombia.
- propinqua**, Fleutiaux, Ann. Soc. Ent. Fr., (6s.) vii, 1887, p. 59.
Hab. Annam, Hué,

splendidula (*Carabus*), Fabr., Syst. Elcuth., i, 1801, p. 184: Dejean (*Calleida*), Spec. v, p. 341 : ? (*Lebia*) MacLeay, Annul. Javan., p. 26 : Schmidt Goebel, Faun. Col. Birm., p. 32 : Chaud., Mon., p. 113.
rubricata (*Calleida*), Motsch., Bull. Mosc., xxxvii (2), 1864, p. 238.
 Hab. Bengal, Java, Hongkong, Shanghai.
? terminata, Waterhouse, Trans. Ent. S. Lond., 1876, p. 11.
 Hab. Borneo, Sarawak.

Genus PLOCHIONUS.

Dejean, Spec., i, 1825, p. 250 : Hope, Col. Man., ii, t. 1, f. 6 : Schmidt Goebel, Frun. Col. Birm., p. 42 : Lacord., Gen. Col., i, p. 135 : Mun. Cat., p. 147 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 168 : Bates, Biol. Centr. Amer., Col., i (i), p. 197.
brunneus (*Lebia*), Wiedemann, Zool. Mag., ii (i), 1823, p. 59 : gen. dub. ? *Lebia*.
 Hab. India, Bengal.
fenestratus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 42 : gen. dub.
 Hab. Burma.
pallens (*Carabus*), Fabricius, Syst. Ent., 1775, p. 244 : Chaudoir, Mon., p. 76 : Bates, Biol. Centr. Amer., Col., i (i), p. 198.
Boisdurallii, Gory, Ann. Soc. Ent. Fr., 1833, p. 189.
Bonfilsii, Dejean, Spec., i, p. 251 : Hope, Col. Man., ii, t. 1, f. 6 : Brullé, Hist. Nat. Ins. Col., i, p. 224, t. 7, f. 6 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 41.
 Hab. N. and S. America, Europe, Africa, Asia, Java, Formosa, Oceania.

Genus CROSSOGLOSSA.

Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 177.
latecincta, Bates, Trans. Ent. S. Lond., 1873, p. 315.
 Hab. Hongkong, Japan.
nigrolineata (*Plochionus*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 44 ; Mon., p. 180.
 Hab. Bengal.
testacea, Chaudoir, Mon., p. 178.
 Hab. Dekhan.

Genus BOTHYNOPTERA.

Schaum, Jl. Ent, ii (1863), 1866, p. 75 : Mun. Cat., p. 143 : Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 181.
dorsigera, Schaum, l.c. *supra*, p. 76, t. 4, f. 3 : Chaudoir, l.c. *supra*, p. 181.
 Hab. N. India.

Genus ENDYNOMENA.

Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 186.
? Pradierii, Fairmaire, Rev. Mag. Zool., 1849, p. 34 : Chaudoir, l.c. *supra*, p. 186.
 Hab. Marquesas Islands, ? Pondicherry.

Genus **ANCHISTA.**

- Nietner, Jl. As. Soc. Ben., xxvi 1856, p. 523 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 374 : Mun. Cat., p. 118 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 236.
Paraphaea, Bates, Trans. Ent. S. Lond., 1873, p. 312.
- binotata** (*Plochionus*), Dejean, Spec., i, 1825, p. 252 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 111.
discophora, (*Callida*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 48.
signifera (*Paraphaea*), Bates, Trans. Ent. S. Lond., 1873, p. 312.
Hab. N. India, Andamans, Mariannes, Japan.
- curydesa**, Chaudoir, Bull. Mosc., lii (2), 1877, p. 236.
Hab. India.
- glabra**, Chaudoir, *l.c.*, p. 237.
Hab. India, Pondicherry.
- modesta**, Nietner, Journ. As Soc. Ben., xxv, 1856, p. 523 : Ann. Mag. N. H., (2s.) xix, 1857, p. 375 : Chaudoir, *l.c. supra*, p. 239.
Hab. Ceylon, Colombo.
- picea**, Chaudoir, Bull. Mosc., lii (2), 1877, p. 238.
Hab. Dekhan.
- subpubescens**, Chaudoir, *l.c.*, p. 238.
Hab. N. India.

Genus **CYMINDIS.**

- Latreille, Gen. Crust., i, 1806, p. 190 : Lacord., Gen. Col., i, p. 108 : Mun. Cat., p. 118 : Schmidt Goebel, Faun. Col. Birm., p. 31 : *Monograph*, Chaudoir, Berlin. Ent. Zeits., xvii, 1873, p. 53.
- Anomocus*, Fischer, Ent. Imp. Russ., i, 1821, p. 125.
Arrhostus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 240, *tab.*
Berus, Motsch., *l.c.*, p. 240.
Cymindoidea, Lap. de Casteln., Ann. Soc. Ent. Fr., i, 1832, p. 390 : Chaud., Bull. Mosc., xxix (3), 1875, p. 9.
Malisus, Motsch., *l.c. supra*, p. 240.
Mastus, Motsch., *l.c. supra*, p. 240.
Menas, Motsch., *l.c.*, p. 240.
Philotecnus, Maunheim, Brachyél., ii, 1837, p. 42 : Mun. Cat., p. 123.
Psammastus, Motsch., *l.c. supra*, p. 240, 299, *tab. syn.*
Tarsostinus, Motsch., *l.c.* p. 240.
Tarus, Clairville, Ent. Helv., i, 1806, p. 94 : Motsch., *l.c. supra*, p. 240, 302.
- ***attenuata**, Jakowleff, Hor. Soc. Ent. Ross., xxi, 1887, p. 150.
Hab. Pámir, Gilgit.
- distigma** (*Cymindoidea*), Chaudoir, Bull. Mosc. xlix (3), 1875, p. 15.
Hab. Bengal.
- glabrella**, Bates, Proc. Zool. S. Lond., 1878, p. 719.
Hab. India, Ladak [*Ind. Mus.*, type].

- indica*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 31 : Chaudoir, Bull. Mosc., xlix (3), 1875, p. 16.
Guérinii, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 49.
 Hab. Burma, N. India, Nilgiris.
- * *Mannerheimii* Gebler, Bull. Ac. St. Petersb., i, 1842, p. 36 : Bull. Mosc., 1859, p. 317.
 Hab. Siberia [Ind. Mus., Yarkand Missiou, Bates].
- nigra*, (*Cymindoidea*), Chaudoir, Bull. Mosc., xlix (3), 1875, p. 19.
 Hab. Coromandel.
- quadrimaculata*, Redtenbacher, Hügel Kaschm., iv (2), 1844, p. 499, t. 23, f. 3.
 Hab. India.
- ? *stigmula* (*Cymindis*), Chaudoir, Bull. Mosc., xxv (i), 1852, p. 57 : *ib.*, xlix (3), 1875, p. 61.
 Hab. N. India, Simla.

Genus TARIDIUS.

Chaudoir, Bull. Mosc., xlix (3), 1875, p. 7.

opaculus, Chaudoir, *l.c.*, p. 8.
 Hab. N. India.

Genus PLATYTARUS.

Fairmaire, Bull. Soc. Ent. Fr., (2s.) viii, 1850, p. xvii : Mun. Cat., p. 123.

Boysii (*Cymindis*), Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 50.
 Hab. N. India, Siula.

Genus CELAENEPHES.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 77 : Lacord., Gen. Col., i, p. 138 : Mun. Cat., p. 148.

parallelus, Schmidt Goebel, *l.c.*, *supra*, p. 78, t. 2, f. 5.
linearis (*Leistus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 203.
 Hab. Burma, Ceylon, Malacca, Perak, Siam, Sumatra, New Caledonia.

Genus PENTAGONICA.

Schmidt Goebel, Faun. Col. Birm., 1846, p. 48 : Lacord., Gen. Col., i, p. 133 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 74 : Chaudoir, Bull. Mosc., iii (2), 1877, p. 212 : Bates, Trans. Ent. S. Lond., 1873, p. 321.

Didetus, Leconte, Trans. Amer. Phil. Soc., 1853, p. 377.
Elliotia, Nietner, Jl. As. Soc. Beng., xxv, 1856, p. 524 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 375.
Rhombodera, Reiche, Rev. Zool., 1842, p. 313 : Lacord., Gen. Col., i, p. 139 : Mun. Cat., p. 148 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 74 (*nom. praeoc.*).
Trichothorax, Montrouzier, Ann. Soc. Ent. Fr., 1860, p. 235.
Wakefieldia, Broun, Man. New Zeal. Col., 1880, p. 62.
Xenothorax, Wollaston, Col. Hesper., 1867, p. 15.

Erichsonii, Schmidt Goebel, Faun. Col. Birm., 1846, p. 48.
Hab. Burma.

marginata, Motsch., Bull. Mosc., xxxiv (i), 1861, p. 105, t. 9, f. 3.
Hab. Ceylon.

pallipes (*Elliotia*), Nietner, Jl. As. Soc. Beng., 1856, p. 525 ; Ann. Mag. N. H., (2s.) xix, 1857, p. 376.
?= *Erichsonii*, Schmidt Goebel, q.v.
Hab. Ceylon.

ruficollis, Schmidt Goebel, Faun. Col. Birm., 1846, p. 48.
Hab. Burma, N. India.

suturalis (*Rhombodera*), Schaum, Berlin. Ent. Zeits., vii, 1863, p. 75.
Hab. Hongkong.

transpartipes, Motsch ulsky, Et. Ent., 1859, p. 29.
Hab. Ceylon, Kandy (*Bates*).

HELLUONINI:—Lacordaire, Gen. Col., i, p. 90 : Horn, Gen. Carab., p. 160 : Leconte & Horn, Class. Col., p. 45.

Genus CREAGRIS.

Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 139 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 277 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 262 : Gestro, Ann. Mus. Civ. Gen., vii, p. 868.

Pseudohelluo, Lap. de Casteln., Nat. Austr. Col., 1867, p. 18.

affinis, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 870, fig.
Hab. Siam, Bangkok.

labrosus, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 139 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 278 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 213 : R. Gestro, l.c. *supra*, p. 872, fig.
picenus, Schaum, Berlin. Ent. Zeits., 1863, p. 80 : *id.*, l.c., 1864, p. 116, t. 2, f. 6.
Hab. Ceylon, Colombo (*Bates*).

Genus MACROCHILUS.

Hope, Col. Man., ii, 1838, p. 116 : Schmidt Goebel, Faun. Col. Birm., p. 64 : Lacord., Gen. Col., i, p. 93 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 80 : Chaudoir, Bull. Mosc., lii (2), 1877, p. 247.

Acanthogenius, Reiche, Ann. Soc. Ent. Fr., xi, 1842, p. 3 : Lacord., Gen. Col., i, p. 93.

Macrocheilus, (Kirby), Hope, l.c. *supra*.

Meladroma, Motsch., Et. Ent., 1855, p. 54 : Chaud., Rev. Mag. Zool., (2s.) xxiii, 1872, p. 171.

anthonoides, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 169.
Hab. Bengal.

asteriscus, White, Ann. Mag. N. H., xiv, 1844, p. 422 : Chaudoir, Rev. Mag. Zool., 1872, p. 172.
cruoifer, Redtenbacher, Reise Novara, Zool. ii, Col., 1867, p. 4, t. 2, f. 3.
Hab. China, Hongkong [*Ind. Mus.*, Hongkong].

Bensonii, Hope, Col. Man., ii, 1838, p. 166, t. 1, f. 5 : Chaudoir, Rev. Mag. l.c. *supra*, p. 212.
quadrimaculatus, Guérin, Rev. Zool., 1840, p. 38 : Rev. Mag. Zool., Ins. t. 47.
" Hab. N. India, Madras, Ceylon, [*Ind. Mus.*, Madras, Giridhi, Sibságar, Darjiling, Rurki].

distactus, Wiedemann, Zool. Mag., ii (i), 1823, p. 49.
Hab. Java.

dorsalis, Klug, Jahrb. Insect., 1834, p. 77.
Hab. India.

impictus, Wiedemann, Zool. Mag., ii (i), 123, p. 49.
Hab. Java.

scapularis, Reiche, Ann. Soc. Ent. Fr., xi, 1842, p. 343.
Hab. India.

trimaculatus, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 171.
Hab. Dekhan.

tripustulatus, Fabr., Ent. Syst., i, 1792, p. 145 : Dejean, Spec., i, p. 286 : Guérin, Voy. Delessert, ii, p. 34 : Schmidt Goebel, Faun. Col. Birm., p. 65, pt. : (*Helluo*) Lap. de Casteln., Hist. Nat. Ins., i, p. 47 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 212.
Hab. Java, Burma [*Ind. Mus.*, Rangoon].

Genus PLANETES.

MacLeay, Annul. Javan., 1825, p. 28 : Lacord., Gen. Col., i, p. 94 : Mun. Cat., p. 95.

Heteroglossa, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 141 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 279.

bimaculatus, MacLeay, l.c. *supra*, p. 29, t. 1, f. 8 : Chaudoir, Rev. Mag. Zool., 1872, p. 139 : Bates, Trans. Ent. S. Lond., 1873, p. 304.
Hab. Java, China, Japan.

elegans, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 143 ; id., Ann. Mag. N. H., (2s.) xx, 1857, p. 281.
Hab. Ceylon.

immaculatus, Schaum, Berlin. Ent. Zeits., 1863, p. 81.
Hab. Malacca.

- ruficeps**, Schaum, *l.c.*, p. 81 : Chaudoir, Rev. Mag. Zool., 1872, p. 139.
bimaculatus, Nictner (*nee* MacLeay), Jl. As. Soc. Ben., xxvi, 1857, p. 144 ;
Ann. Mag. N. H., (2s.) xx, p. 282.
Hab. Ceylon.
- ruficollis**, Nictner, Jl. As. Soc. Ben. *l.c. supra*, p. 144 ; Ann. Mag., *l.c. supra*, p. 282.
Hab. Ceylon.
- secernendus**, Oberthür, Notes Leyden Mus., v, 1883, p. 217.
Hab. E. Sumatra, Serdang.
- simplex**, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 199.
Hab. Ceylon, Peradeniya.

Genus OMPHRA.

- Reiche, Ann. Soc. Ent. Fr., 1842, p. 330 : Lacord., Gen. Col., i, p. 94 : Mun. Cat., p. 100.
- atrata**, Klug, Jahrb. Insect., 1834, p. 72.
Hab. India.
- complanata**, Reiche, Ann. Soc. Ent. Fr., 1842, p. 342 : Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 141.
brevis, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 36.
Hab. India, Simla.
- hirta**, Fabr. Syst. Eleuth., i, 1801, p. 214 : Dejean, Spec., i, p. 284 ; Ic., ii, t. 7, f. 1 : (*Helluo*) Lap. de Casteln., Hist. Nat. An. Art., i, p. 47.
Hab. India [*Ind. Mus.*, Bengal, Giridhi, Vizagapatam. S. India].
- pilosa**, Klug, Jahrb., i, 1834, p. 71.
attelaboides, Fabr., Syst. Elcubt., i, 1801, p. 24 : Erichs., Stettin Ent. Zeit., 1847, p. 141.
Hab. India, Ceylon.
- rotundicollis**, Chaudoir, Rev. Mag. Zool., (2s.) xxiii, 1872, p. 140.
Hab. India.
- rufipes**, Kling, Jahrb. Ins., i, 1834, p. 72 : Chaudoir, *l.c. supra*, p. 141 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 71.
Hab. India, Ceylon, Colombo.

ANTHIINI :-Lacordaire, Gen. Col., i, 1854, p. 175 : Horn, Gen. Carab., p. 162.

Genus ANTHIA.

- Weber, Obs. Ent., 1801, p. 17 : Bonelli, Mém. Acad. Turin, 1813, p. 451 : Lacord. Gen. Col., i, p. 177 : Mun. Cat., p. 168 ; Lequien, Mag. Zool., 1832, cl. ix, t. 38-41 : Gory, *ib.*, 1839, t. 14-16 : Guérin, Voy. Abyssin., Zool. Ins., p. 256 : Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 41 ; *ib.*, xxxiv (i), 1861, p. 561.
- Gonogenia*, Chaudoir, Bull. Mosc., xvii, 1844.
- Microlestia*, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 45.
- Pachymorpha*, Hope, Col. Man., ii, 1838, p. 51 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 215.
- Thermophila* (*Leach*), Hope, *l.c. supra*, p. 52.

elliptica, (*Pachymorpha*), Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 216.
Hab. Tranquebar.

indica, Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 563.
Hab. India [*Ind. Mus.*, Vizagapatam, W. Bengal].

orientalis, Hope, Col. Man., ii, 1838, p. 163, t. 3, f. 4 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 563 ; Motsch., *l.c.* xxxvii (3), 1864, p. 216.
Hab. Bombay [*Ind. Mus.*, N. India].

sexguttata, Fabr., Syst. Ent., 1775, p. 236 : Oliv., Ent., iii (35), p. 15, t. 1, f. 6 : Dejean, Spec., i, p. 341 : Brullé, Hist. Nat. Ins. Col., i, p. 270, t. 9, f. 2 : Lap. de Casteln., Hist. Nat. Ins., i, p. 60 : Chaudoir, Bull. Mosc., xxxiv (i), 1861, p. 562 : Motsch., *l.c.*, xxxvii (3), 1864, p. 216.
Hab. India, Pondicherry [*Ind. Mus.*, Berhampur].

PHYSOCROTAPHINI— Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 301 : Horn, Gen. Carab., p. 162.

Genus **HELLUODES**.

Westwood, Trans. Ent. S. Lond., iv, 1847, p. 279 : Lacord., Gen. Col., i, p. 92 : Mun. Cat., p. 96 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 302.

taprobanae, Westwood, Trans. Ent. S. Lond., iv, 1847, p. 279, t. 21, f. B.
ceylonicus, Lacordaire, Gen. Col., Atlas, t. 7, f. 1, (*nec Parry*).
Hab. Ceylon, Kitugalle (*Bates*).

Westwoodii, Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 203.
Hab. Dekhan.

Genus **PHYSOCROTAPHUS**.

Parry, Trans. Ent. S. Lond., v, 1849, p. 180 : Lacord., Gen. Col., i, p. 181 : Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 303 : Mun. Cat., p. 96.

ceylonicus, Parry, Trans. Ent. S. Lond., v, 1849, p. 180, t. 18, f. 4.
Hab. Ceylon, Dikoya (*Bates*).

Genus **POGONOGLOSSUS**.

Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 304 : Gestro, Ann. Mus. Civ. Gen., vii, p. 862.

Chaudoiri, R. Gestro, Ann. Mus. Civ. Gen., vii, 1875, p. 863.
Hab. Cambodia.

sumatrensis, R. Gestro, *l.c.*, p. 863.
Hab. Sumatra.

validicornis, Chaudoir, Bull. Mosc., xxxv (4), 1862, p. 304 : R. Gestro, *l.c. supra*, p. 862.
Hab. Java.

Cratocerini:—Horn, Gen. Carab., p. 163.

Genus BRACHIDIUS.

Chaudoir, Bull. Mosc., xxvi (i), 1852, p. 78; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xv, 1872, p. 18 : Lacord., Gen. Col., i, p. 264 : Mun. Cat., p. 250.

corpulentus, Chaudoir, Ann. Soc. Ent. Belg., xv, 1872, p. 20.
Hab. Penang.

crassicornis, Chaudoir, Bull. Mosc., xxvi (i), 1852, p. 78; *id.*, *Mon.*, p. 19.
Hab. Timor, Moluccas, Philippines.

Orthogonini, Chaudoir, *Essai Mon.*, Ann. Soc. Ent. Belg., xiv, 1871, p. 95 : Horn, Gen. Carab., p. 164.

Genus ORTHOGONIUS.

Dejean, Spec., i, 1825, p. 279 : Lacordaire, Gen. Col. i, p. 269 : Schmidt Goebel, Faun. Col. Birm., p. 55 : Mun. Cat., p. 251 : Chaudoir, Bull. Mosc., xxi (i), 1848, p. 98 ; *id.*, *Monograph*, Ann. Soc. Ent. Belg., xiv, 1871, p. 95.

Maraga, Walker, Ann. Mag. N. H., (3s) ii, 1858, p. 204 : Waterhouse, Ent. Mon. Mag., x, 1873, p. 17 : Chaudoir, *Mon.*, p. 121.

Subg. *Apsectra*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 61. .

Subg. *Haplopisthius*, Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 434.

acrogenous, Wiedemann, Zool. Mag., i (3), 1819, p. 167 : Dejean, Spec., v, p. 398 : Lacordaire, Gen. Col., Atlas, t. 10, f. 7 : Lap. de Casteln., Hist. Nat., An. Art., i, p. 46 : Chaud., *Mon.*, p. 104.

brunnabilbris, MacLeay, Annul. Javan., 1825, p. 27.
Hab. Java.

acutangulus, Chaudoir, Bull. Mosc., liii (2), 1878, p. 5.
Hab. Ceylon.

alternans (*Plochionus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 52 : Brullé, Hist. Nat. Ins., i, p. 225, t. 8, f. 1 : Chaudoir, *Mon.*, p. 102 : Bates, Ann. Mus. Civ. Gen., (2s) vii, 1889, p. 110.
Hab. Java.

angulatus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 58 : Chaudoir, *Mon.*, p. 110.
Hab. Burma, Tenasserim.

angusticollis, Schmidt Goebel, l.c., p. 61 : Chaudoir, *Mon.*, p. 122.
Hab. Burma.

? **angustus**, Chaudoir, *Mon.*, p. 114.
Hab. ? Lake Ngami, ? Malaya.

Baconii, Chaudoir, *Mon.*, p. 109.
Hab. Bengal.

crassierus, Chaudoir, *Mon.*, p. 105.
Hab. Java.

crenaticerus, Chaudoir, *Mon.*, p. 113.
Hab. Cambodia.

Davidii, Chaudoir, Bull. Mosc., liii (2), 1878, p. 3.
Hab. Middle China.

deletus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 56 : Chaud., *Mon.*, p. 113.
Hab. Burma.

duplicatus (*Carabus*), Wiedemann, Zool. Mag., i (3), 1819, p. 166 : Schmidt Goebel,
Faun. Col. Birm., p. 60 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 46 :
Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.
Hab. Burma, Thagata, Tenasserim, S. China.

fsmoralis, Chaudoir, Bull. Mosc., xxi (i), 1848, p. 99 ; *Mon.*, p. 111.
Hab. India, Nilgiris.

femoratus, Dejsan, Spec., i, 1825, p. 281 : Chaud., *Mon.*, p. 122.
picilabris, MacLeay, Annul. Javan., 1825, p. 27.
Hab. Java, Penang, Malacca.

fugax, Chaudoir, *Mon.*, p. 108.
Hab. Ceylon.

Hagenii, Oberthür, Notes Leyden Mus., v, 1883, p. 222.
Hab. E. Sumatra, Serdang.

hirtus, Chaudoir, *Mon.*, p. 103.
Hab. Penang.

Hopei, Gray, Griffith Anim. Kingd., Ins., ii, 1832, p. 273, t. 13, f. 4 : Lap. de Casteln.,
Hist. Nat. An. Art., i, p. 46 : Chaud., *Mon.*, p. 103.
Malabarensis, Gory, Ann. Soc. Ent. Fr., 1833, p. 196.
? *Doriae*, Putzeys, Ann. Soc. Ent. Belg., xiv, 1871, p. 104, note. Borneo.
Hab. India, Malabar, Malacca [*Ind. Mus.*, Khasiya Hills, Sibságar, Assam].

hypocrita, Chaudoir, *Mon.*, p. 102.
Hab. Philippines, ? Java.

intermedius, Chaudoir, *Mon.*, p. 102.
Hab. Java.

insularis, Chaudoir, *Mon.*, p. 106.
Hab. Penang.

longicornis, Chaudoir, *Mon.*, p. 109.
Hab. Siam.

luzonicus, Chaudoir, *Mon.*, p. 123.
Hab. Philippines.

melanarius, Chaudoir, *Mon.*, p. 113.
Hab. Penang.

Mellyi (*Haplopiisthius*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 434 ; *Mon.*,
p. 101.
Hab. N. India, Bengal.

Mniszechii, Chaudoir, *Mon.*, p. 101.
Hab. Malacca.

Mouhotii, Chaudoir, *Mon.*, p. 107.
Hab. Cochin China.

- opacus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 60.
 Hab. Burma.
- parallelus**, Chandoir, *Mon.*, p. 109.
 Hab. Ceylon.
- parvus**, Chandoir, *Mon.*, p. 112.
 Hab. Nilgiris.
- ? **philippensis** (*Amblygnathus*), Chevrolat, Rev. Zool., 1841, p. 221.
 Hab. Philippines.
- piceus**, Chandoir, *Mon.*, p. 122.
 Hab. Malacca.
- picipennis**, Chandoir, *Mon.*, p. 100.
 Hab. Cambodia.
- planiger** (*Maraga*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 : Bates, *L.c.*, (5s.), xvii, 1886, p. 211 : Chaud., Ann. Soc. Ent. Belg., xiv, 1871, p. 121.
 Hab. Ceylon.
- plicatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 59 : Chaud., *Mon.*, p. 110.
 Hab. Burma, Tenasserim.
- politus**, Chandoir, *Mon.*, p. 105.
 Hab. Malacca.
- profundestriatus**. Schmidt Goebel, Faun. Col. Birm., 1846, p. 58 : Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 110.
 Hab. Burma, Teintso.
- puncticollis**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 57 : Chandoir, *Mon.*, p. 112.
duplicatus, Dejean, Spec., i, 1825, p. 279 (*nec* Wied.) : ? MacLeay, Annul. Javan., p. 27.
 Hab. India, Burma, Tenasserim.
- punctulatus**, Chandoir, *Mon.*, p. 110.
 Hab. India.
- Schaumi**, Chandoir, *Mon.*, p. 112.
 Hab. Ceylon.
- Schmidt Goebeli**, Chandoir, *Mon.*, p. 99.
duplicata (*Apsectra*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 61 : (*neo* Wied.).
 Hab. Burma.
- sulcatus**, Schmidt Goebel, Faun. Col. Birm., 1846, p. 59 : Chandoir, *Mon.*, p. 110.
 Hab. Burma, Tenasserim.
- suturalis**, Chandoir, *Mon.*, p. 104.
 Hab. Penang.
- xanthomerus**, Redtenbacher, Reise Novara, Zool. ii, Col., 1867, p. 12 : Chaud., *Mon.*, p. 124.
 Hab. Hongkong.

Genus **HFXACHAETUS**.

Chandoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 124.

laevissimus, Chaudoir, Bull. Mosc., liii (2), 1878, p. 6.
Hab. Malacca.

lateralis, Guérin, Voy. Delcessert, ii, 1843, p. 35 : Chaud., Ann. Soc. Ent. Belg., xiv, 1871, p. 125.
Hab. Coromandel, Penang.

Genus ACTENONCUS.

Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 126.

ater, Lap. de Casteln., Et. Ent., 1834, p. 48 : Chaudoir, Bull. Mosc., liii (2), 1878, p. 7.
atratus, Chaudoir, Ann. Soc. Ent. Belg., xiv, 1871, p. 126.
Hab. Java.

Sect. HARPALINÆ UNISETOSÆ :—Horn, Gen. Carab., p. 165.

BRACHYNINI :—Lacordaire, Gen. Col., i, p. 97 : Chaudoir, Monograph, Ann. Soc. Ent. Belg., xix, 1876, p. 11 : Horn, Gen. Carab., p. 166 : Leconte & Horn, Class. Col., p. 47.

Genus PHEROPSOPHUS.

Solier, Ann. Soc. Ent., Fr., 1833, p. 461 ; id., 1834, t. 16, f. 6-7 : Lacord., Gen. Col., i, p. 99 : Chaudoir, Monograph, Ann. Soc. Ent. Belg., xix, 1876, p. 16 : Mun. Cat., p. 102.

agnatus, Chaudoir, Mon., p. 43.
Hab. Chusan, ? Hongkong.

amoenus, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 70 : Mon., p. 36.
Hab. India.

annulus, Fabr., Syst. Eleuth., i, 1801, p. 217 : Chaud., Mon., p. 47.
Hab. India, Tranquebar.

aptinoides, Chaudoir, Mon., p. 19.
Hab. India.

assamensis, Chaudoir, Mon., p. 33.
Hab. Assam.

assimilis, Chaudoir, Mon., p. 38.
Hab. North China, ? Yangtse Valley.

bimaculatus, Linn., Mantis., 1771, p. 532 : ? Fabr., Syst. Ent., i, p. 243 ; Oliv., Ent., iii 35, p. 65, t. 2, f. 16 a—e : Dejean, Spec., i, p. 299 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 51 ; Chaudoir, Mon., p. 34.
Hab. N. India, Ceylon, Kitngalle (Bates) [Ind. Mus., Calcutta, Afghanistan].

Catoirei (*Brachinus*), Dejean, Spec. i, 1825, p. 301 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 51 : Chaudoir, Mon., p. 24.
var. *lineifrons*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 80.
Hab. Bengal, Simla, Assam, Ceylon, Kandy (Bates).

consularis (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 75.
Hab. Burma.

- discicollis* (*Brachinus*), Dejean, Spec., i, 1825, p. 300 : Chaudoir, *Mon.*, p. 21.
 var. *affinis* (*Brachinus*), Dejean, Spec., i, 1825, p. 301.
 Hab. India, Dekhan.
- emarginatus*. Chaudoir, *Mon.*, p. 20.
 ? = *Girionierii*, Eyd. & Soul., q.v.
 Hab. Philippines.
- fumigatus* (*Brachinus*), Dejean, Spec., i, 1825, p. 307 : Chaudoir, *Mon.*, p. 40.
 Hab. Philippines.
- fuscocollis* (*Braohinus*), Dejean, Spec., i, 1825, p. 306 : Chaudoir, *Mon.*, p. 37.
 var. *ambiguus*, Dejean, Spec., i, 1825, p. 304 : Chaudoir, *Mon.*, p. 37.
 „ *interruptus*, Dejean, l. o. p. 306 : Schmidt Goebel, Faun. Col. Birm.,
 p. 74 : Chaudoir, *Mon.*, p. 37.
 „ *quadripustulatus*, Chaudoir, Bull. Moso., xvi (3), 1843, p. 706 ; *Mon.*,
 p. 37.
 Hab. Borneo, Sumatra, Java, Ceylon, Kitugalle (*Bates*).
- Girionierii*, Eydoux & Souleyet, Rev. Zool., 1839, p. 264 : Desmarest, Voy. La Bonite,
 i, 1841, p. 293, t. 2, f. 2 : Chaudoir, *Mon.*, p. 32.
 Hab. Philippines, Mindanao, Luzon.
- hilaris*, Fabr. Ent. Syst. Suppl. 1798, p. 56 ; Chaudoir, *Mon.*, p. 25.
 var. *sobrinus*, Dejean, Spec., ii, 1826, p. 462.
 Hab. Dekhan, Coromandel, Burma.
- javanus* (*Brachinus*), Dejean, Spec., i, 1825, p. 305 : Chaudoir, *Mon.*, p. 42.
occipitalis (*Aptinus*), MacLeay, Annul. Javan., 1825, p. 28.
 var. *fimbriatus* (Dejean), Chaudoir, *Mon.*, p. 42.
 Hab. Java.
- Jessoensis*, Morawitz, Bull. Acad. St. Petersb., v. 1862, p. 322 : Beitr. Käf. Faun.
 Jesso, p. 22, t. 1, f. 9 : Chaudoir, *Mon.*, p. 35.
 Hab. Manchuria, Japan, ? Hongkong.
- lissoderus*, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 79 : id., *Mon.*, p. 24.
 Hab. Tibet.
- marginalis*, Dejean, Spec., i, 1825, p. 310 : Schmidt Goebel, Faun. Col. Birm., p. 74 :
 Chaudoir, *Mon.*, p. 34.
 Hab. India, Burma, Siam, Cochinchina, Cambodia [*Ind. Mus.*, Calcutta,
 Sikkim, Sibsgar, Assam].
- marginiocollis*, Motschulsky, Et. Ent., 1853, p. 44 : Chaudoir, *Mon.*, p. 43.
 Hab. N. China, ? Shanghai.
- melaucholicus* (*Braohinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 71 : Chaudoir, *Mon.*, p. 20.
 Hab. India, Bengal.
- nebulosus*, Chaudoir, *Mon.*, p. 27.
 Hab. Cochinchina.
- piceicollis*, Chaudoir, *Mon.*, p. 44.
 Hab. Burma, Rangoon.
- siamensis*, Chaudoir, *Mon.*, p. 29.
 Hab. Siam.

stenoderus, Chaudoir, Bull. Mosc. xxiii (i), 1850, p. 77 ; *Mon.*, p. 41.

=? *consularis*, Schmidt Goebel, *q.v.*

Hab. N. India, Bengal, Dekhan, Java.

subcordatus, Chaudoir, *Mon.*, p. 38.

Hab.—?

Genus BRACHYNUS.

Weber, Obs. Ent., 1801, p. 22 : Lacord., Gen. Col., i, p. 99 : Motseh., Bull. Mosc. xxxvii (3), 1861, p. 214, *tab. syn.*: Mun. Cat., p. 103 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 49.

Aploa, Hope, Trans. Zool. S. Lond., 1833, p. 91.

atripennis, Chaudoir, *Mon.*, p. 71.

Hab. India, Simla.

bigutticeps, Chaudoir, *Mon.*, p. 52.

Hab. ? India, ? Sunda Islands.

caligatus, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 109.

Hab. Burma, Bhamo.

chinensis, Chaudoir, Bull. Mosc., xxiii (i), 1850, p. 81 ; *Mon.*, p. 68.

Confucius, Bohem., Freg. Eug. Resa, Col., 1858, p. 3.

Hab. Hongkong.

cinctellus, Chaudoir, *Mon.*, p. 55.

Hab. India, Dekhan.

flaviventris, Chaudoir, *Mon.*, p. 68.

Hab. India, Coromandel.

Hagenii, Oberthür, Notes Leyden Mus., v, 1883, p. 217.

Hab. E. Sumatra, Serlang.

hexagrammus, Chaudoir, *Mon.*, p. 55.

Hab. Bengal.

illotus, Chaudoir, *Mon.*, p. 58.

Hab. Dekhan.

limbellus, Chaudoir, *Mon.*, p. 70.

Hab. Dekhan.

limbicollis, Chaudoir, *Mon.*, p. 67.

Hab. Dekhan.

longipalpis, Wiedemann, Germar, Mag. Ent., iv, 1821, p. 118 : Dejean, Spec. i, p. 314 : Chaudoir, *Mon.*, p. 87.

Hab. Bengal.

Iuzonicus, Chaudoir, *Mon.*, p. 68.

Hab. Philippines.

modestus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 73 : Chaudoir, *Mon.*, p. 69.

Hab. Calcutta, Maulmain.

piceus, Chaudoir, *Mon.*, p. 53.

Hab. Philippines.

- plictus* (*Aplaea*), Hope, Trans. Zool. S. Lond. i, 1833, p. 92 : Brullé, Hist. Nat. Ins., Col., i, 1834, p. 223 : Lap. de Casteln., Hist. Nat. An. Art. Ins., i, p. 53 : Chadoir, *Mon.*, p. 54.
figuratus, Chadoir, Bull. Mosc., xxv (i), 1852, p. 41.
Hab. N. India, Bengal.
- puncticollis*, Schmidt Goebel, Faun. Col. Birm., 1846, p. 72 : Chadoir, *Mon.*, p. 69.
Hab. Burma.
- scitulus*, Schmidt Goebel, *i. c.* p. 72 : ? Chadoir, *Mon.*, p. 59.
Hab. Burma, ? Tranquebar.
- scotomedes*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 5 : Chadoir, *Mon.*, p. 53.
Hab. Hongkong, Shanghai.
- scutellatus*, Chadoir, *Mon.*, p. 69.
Hab. Dekhan.
- sexmaculatus*, Dejean, Spec., i, 1825, p. 312 : Lap. de Casteln., Hist. Nat. An. Art., i, p. 51 : Chadoir, *Mon.*, p. 63.
Hab. N. to S. India.
- suturellus*, Chadoir, *Mon.*, p. 69.
Hab. N. India.
- tetracolon*, Chadoir, *Mon.*, p. 61.
Hab. Dekhan.
- tetragrammus*, Chadoir, *Mon.*, p. 54.
Hab. Bengal.
- vigilans*, Chadoir, *Mon.*, p. 68.
Hab. N. India.
- vitticollis*, Chadoir, *Mon.*, p. 56.
Hab. Burma, Rangoon.

Genus STYPHLOMERUS.

- Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 87.
Styphromerus, Chadoir, *l. c.* p. 88.
- dichrous*, Gemm. & Har., Mnn. Cat., 1868, p. 105 : Chadoir, *Mon.*, p. 92.
bicolor, Bohem., Freg. Eug. Resa, Col., 1858, p. 3 (*nec* Brullé) : *nec* Bates, Trans. Ent. S. Lond., 1873, p. 307.
Hab. Hongkong.
- fusciceps* (*Brachinus*), Schmidt Goebel, Faun. Col. Birm., 1846, p. 73 : Chadoir, *Mon.*, p. 92.
Hab. Burma.
- ruficeps*, Chadoir, *Mon.*, p. 91.
Hab. India, Coromandel.

Genus CREPIDOGASTER.

- Bohemian, Ins. Caffr., i. 1848, p. 68 : Mun. Cat., p. 109 : Chadoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 92.
Aptinus, pt. Dejean, Spec., i, 1825, p. 290.

Orepidostoma, Motsch., Et. Ent., 1862, p. 54.
humeratus, Chaudoir, Mon., p. 96.
 Hab. India, Malabar.

Genus MASTAX.

Fischer, Ent. Imp. Ross., iii, 1825, p. 111 ; Schmidt Goebel, Faun. Col. Birm., p. 68 : Lacord., Gen. Col., i, p. 101 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 82 : Mun. Cat., p. 108 : Chaudoir, *Monograph*, Ann. Soc. Ent. Belg., xix, 1876, p. 97.

Brachinus, Fabricius, Dejean, Steven.

elegantulus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 69, t. 2, f. 1 : Chaudoir, Mon., p. 99.
 Hab. Burma.

histrion, Fabricius, Syst Eleuth., i. 1801, p. 219 : Chaudoir, Mon., p. 101.
 Hab. India, Dekhan.

moestus, Schmidt Goebel, Faun. Col. Birm., 1846, p. 70, t. 2, f. 3 : Chaudoir, Mon., p. 100.
 Hab. Burma.

ornatus, Schmidt Goebel, l. c., p. 70 : Chaudoir, Mon., p. 100.
 Hab. Burma.

poeocilus, Schaum, Berlin. Ent. Zeits., vii, 1863, p. 82 : Chaudoir, Mon., p. 101.
 Hab. China, Hongkong, Singapur.

pulchellus, Dejean, Spec., v, 1831, p. 433 : Chaudoir, Mon., p. 99.
 Hab. India.

striaticeps, Chaudoir, Mon., p. 99.
 Hab. Dekhan.

APOTOMINI—Jacq. Duval, Gen., i, p. 43 ; Horn, Gen. Carab., p. 167.

Genus APOTOMUS.

Illiger, Mag. Ins., vi, 1807, p. 348 : Lacord., Gen. Col., i, p. 172 : Mun. Cat., p. 166.

atripennis, Motschulsky, Et. Ent., 1858, p. 22.
 Hab. Ceylon.

fuscus, Motschulsky, l. c., p. 22.
 Hab. India.

xanthotelus, Bates, Ent. Mon. Mag., xi, 1874, p. 95 ; Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 100.
 Hab. India, Burma, Bhamo.

BROSCINI, (*Cnemacanthini*), Putzeys, Stettin. Ent. Zeits., xxix, 1868, p. 303 : Horn. Cat. Carab.

Genus BROSCUS.

Panzer, Index Ent., 1813, p. 62 : Lacord., Gen. Col., i, p. 239 : Mun. Cat., p. 243 : Putzeys, *Monograph*, Stettin. Ent. Zeit., 1868, p. 307.

Cephalotes, Bonelli, Mém. Acad. Turin, 1810 (*nom præoc.*).

Pseudocupis, Voet, Cat. Col., 1770, *teste*, Gozis, Récherches, 1886, p. 6.

anomalus, Chaudoir, Bull. Mosc., liii (2), 1878, p. 1.
Hab. N. W. Himalaya.

nepalensis (*Percus*), Hope, Gray's Zool. Misc., 1831, p. 21.
Hab. Nepál.

nobilis (*Cophalotes*), Dejean, Spec., iii, 1828, p. 432.
rufipes, Guérin, Ic. Reg. An., t. 6, f. 5 : Gray, Griffith, An. Kingd., Ins., i, 1832, t. 25, f. 3.
Hab. ? India, Syria.

punctatus (*Caphalotes*), Dejean, Spec., iii, 1828, p. 431 : Chaudoir, Bull. Mosc., liii (2), 1878, p. 2.
limbatus, Ball., Bull. Mosc., xlivi (2), 1870, p. 327.
Hab. Egypt, Syria, Arabia, Nepál.

Genus CRASPEDONOTUS.

Schaum, Berlin. Ent. Zeits., vii, 1863, p. 87 : Mun. Cat., p. 245 : Putzeys, Stettin. Ent. Zeit., 1868, p. 314.

tibialis, Schaum, l.c. *supra*, p. 87, t. 1, f. 5 : Putzeys, l.c. *supra*, p. 314 : Bates, Trans., Ent. S. Lond., 1873, p. 243.
Hab. Japan, China, Fuchau.

Genus BROSCOSOMA.

Putzeys, Car. Gen. Nov., 1846 ; *id.*, Stettin. Ent. Zeit., xxix, 1868, p. 353 : Lacord., Gen. Col., i, p. 212 : Mun. Cat., p. 244.

Ribbeii, Putzeys, Stettin. Ent. Zcit., xxxviii, 1877, p. 100.
Hab. Darjiling.

CHLAENINI :—Lacordaire, Gen. Col., i, 1854, p. 215 : Horn, Trans. Amer. Ent. S., x, p. vii : Gen. Carab., p. 171 : Leconte & Horn, Class. Col., p. 50.

Genus CHLAENIUS.

Bonelli, Obs. Ent., 1809, tab. syn. : Lacord., Gen. Col., i, p. 224 : Mun. Cat., p. 214 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 187 ; *id.*, Monograph, Ann. Mus. Civ. Gen., viii, 1876 : Laferté Sénectére, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 209. [Laferte's numerous undescribed species are omitted].

Acacus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 251 : Lacord., Gen. Col., i, p. 222.

Aleptocerus, Laferté, l.c. *supra*, p. 236 : Lacord., Gen. Col., i, p. 218.

Amblygenius, Laferté, l.c., p. 263 : Mun. Cat., p. 213.

Barymorphus, Laferté, l. c., p. 235.

Callistoides, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 334.

Chlaenites, Motsch., Bull. Acad. St. Petersb., ii, 1860, p. 411.

Diaphoropscophus, Chaud., Bull. Mosc., xxiii (2), 1850, p. 407 : Lacord., Gen. Col., i, p. 221.

Bilobachilus, Laferté, l.c. *supra*, p. 293 : Lacord., Gen. Col., i, p. 222.

Dinodes, Bonelli, Obs. Ent., i, 1809, tabl. syn. : Laferté, l.c. *supra*, p. 264.

- Eponis*, Bonelli, *l.c. supra* : Laferté, *l.c. supra*, p. 252 : Lacord., Gen. Col., i, p. 223 : Chaud., *Mon.*, p. 120.
- Eurydactylus*, Laferté, *l.c. supra*, p. 255.
- Glyptoderus*, Laferté, *l.c.*, p. 260 : Chaud., *Mon.*, p. 75.
- Hamalolachnus*, Laferté, *l.c.*, p. 293 : Lacord., Gen. Col., i, p. 220 : Chaud., *Mon.*, p. 26.
- Lissavchenius*, MacLeay, Annul. Javan., 1825, p. 13 : Lacord., Gen. Col., i, p. 217 : Chaud., *Mon.*, p. 34.
- Ocybatus*, Laferté, *l. c. supra*, p. 293 : Lacord., Gen. Col., i, p. 219 : Chaud., *Mon.*, p. 37.
- Ocydronus*, Laferté, *l.c.* p. 230.
- Omalotrichus*, Laferté, *l.c.* p. 233.
- Poecilostus*, Motsch., Bull. Mosc., xxxvii (4), 1864, p. 347.
- Rhysotrachelus*, Bohem., Ins. Caffr., i, , p. 133 : Lacord., Gen. Col., i, p. 220 : Chaud., *Mon.*, p. 29.
- Tomochilus*, Laferté, *l.c. supra*, p. 253.
- Trichochlaenius*, Seidlitz, Fauna Baltica, (ed. 2), 1887, p. 23.
- Vertagus*, Dejean, Spec., v, 1831, p. 608 : Lacord., Gen. Col., i, p. 219 : Chaud., *Mon.*, p. 31.
- acroxanthus*, Chaudoir, *Mon.*, p. 112.
Hab. Siam, Singapore, Java.
- agilis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 216 : *Mon.*, p. 193.
Hab. N. India.
- amabilis*, Chaudoir, *Mon.*, p. 279.
Hab. Siam.
- amplipennis*, Chaudoir, *Mon.*, p. 252.
Hab. Java.
- apicalis* (*Carabus*), Wiedemann, Zool. Mag., i (3), 1819, p. 166 : Dejean, Spec. ii, p. 324 : Chaud. *Mon.*, p. 89.
Hab. Bengal, Dekhan, Burma.
- atrides*, Chaudoir, *Mon.*, p. 160.
Hab. India, Dekhau.
- bengalensis*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 262 : *Mon.*, p. 157.
princeps, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 147 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 371.
- quadricolor* (*Poecilostus*), Motsch. (*ne* Oliv.), Bull. Mosc., xxxvii (3), 1864, p. 348.
Hab. N. India, Bengal, Tranquebar, Ceylou, Siam, Tchekian (China).
- bicolor*, Chaudoir, *Mon.*, p. 130.
Hab. Dekhan.
- biguttatus*, Motsch., Et. Ent., 1854, p. 63 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 341 : Chaudoir, *Mon.*, p. 274.
- subhamatus*, Bates, Trans. Ent. S. Lond., 1873, p. 248 (*ne* Chaud.).
Hab. Japan, China, Yangtse Valley, Hongkong.

- bihamatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 210; *id.*, *Mon.*, p. 62.
hamifer, Bates, Trans. Ent. S. Lond., 1873.
 Hab. N. India, Tranquebar, Borneo, Java, Hongkong.
- bimaculatus**, Dejean, Spec., ii, 1826, p. 301: Lacord., Gen. Col., i, p. 218, note: Chaud., *Mon.*, p. 51.
? flaviguttatus, MacLeay, Annul. Javan., 1825, p. 14: Chaud., *Mon.*, p. 52.
 var. *celebensis*, Schauf., Illor. Ent. Ross., xxi, 1887, p. 105.
 Hab. India, Java, [*Ind. Mus.*, Bombay, N. Khasiya Hills, Andaman Islands].
- binotatus**, Dejean, Spec., ii, 1826, p. 302: Chaud., *Mon.*, p. 48.
maculifer, Casteln., Not. Austr. Col., 1867, p. 62.
punctatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 200.
puncticeps, Gemm. & Har., Mun. Cat., 1869, p. 224.
 var. *biguttatus*, Montrouzier, Ann. Soc. Ent. Fr. (4s.) i, 1860, p. 237.
 „ *guttatus*, Eschsch., Zool. Atlas, v, 1829, p. 26, t. 25, f. 8: Fairm., Rev. Zool., 1849, p. 282.
 Hab. Java, Sumatra, Philippines, Australia, New Guinea, New Caledonia.
- bioculatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 198: *Mon.*, p. 50.
 Hab. India, Dekhan, Coromandel.
- birmanicus**, Chaudoir, *Mon.*, p. 93, 95.
 Hab. Burma, Rangoon.
- braminus**, Chaudoir, *Mon.*, p. 139.
 Hab. Coromandel.
- callichloris**, Bates, Trans. Ent. S. Lond., 1873, p. 250: Chaud., *Mon.*, p. 193.
 Hab. Kiukiang on Yangtse, Japan.
- Camillae**, R. Gestro, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 108.
 Hab. Burma, Teintso.
- celer**, Chaudoir, *Mon.*, p. 201.
 Hab. N. India, Dekhan.
- chalcoderus**, Chaudoir, *Mon.*, p. 139.
 Hab. Siam, Bangkok.
- chalcothorax (*Harpalus*)**, Wiedemann, Zool. Mag., ii (i), 1823, p. 51: Dejean, Spec., ii, p. 304: Chaud., *Mon.*, p. 138.
pubipennis, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 233.
 Hab. India, Tranquebar.
- chlorodius**, Dejean, Spec., ii, 1826, p. 365: Chaud., *Mon.*, p. 176.
 Hab. India, Cis Ganges [*Ind. Mus.*, Madras].
- cinctus (*Carabus*)**, Fabr., Ins., i, p. 310: Herbst, Füsl. Arch., iv, 1783, p. 135, t. 29 f, 7: Dejean, Spec., ii, p. 307: MacLeay, Annul. Javan., p. 13: Chaud., *Mon.*, p. 135: Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 74.
pulcher, Nictner, Journ. As. Soc. Beng., xxv, 1856, p. 387; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 242.
 Hab. Bengal, Dekhan, Ceylon, Colombo (Bates) [*Ind. Mus.* Sibságar, Assam, ? China].
- circumdatus**, Brullé, Silb. Rev. Ent., iii, 1835, p. 283: Chaud., *Mon.*, p. 114: Bates, Ann. Mag. N. H., (5s.) xvii, p. 74.

- cupricollis*, Nietner, Jour. As. Soc. Ben., xxv, 1856, p. 387 : Ann. Mag. N. H., (2s.) xix, 1857, p. 243.
- limbatus*, Dejean, Spec., ii, 1826, p. 306.
Hab. India, Bengal, Kandy & Colombo (Bates), ? Java.
- contractus*, Chaudoir, *Mon.*, p. 202.
Hab. Dekhan.
- convexus*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 310.
Hab. Yunnan.
- costiger*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 258 ; *Mon.*, p. 95 : Bates, Trans. Ent. S. Lond., 1873, p. 253.
Hab. Hongkong, Formosa, Yangtse Valley, Japan.
- crebrepunctatus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 204 ; *id.*, *Mon.*, p. 55.
Hab. N. India.
- culminatus*, Bates, Trans. Ent. S. Lond., 1873, p. 251.
Hab. ? Hongkong, Chekiang, Japau.
- cupreolineatus*, Chaudoir, *Mon.*, p. 158.
Hab. Siam, Bangkok.
- cyaneonitens*, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 310.
Hab. Yunnan.
- cyaniceps*, Bates, Trans. Ent. S. Lond., 1873, p. 325 : Chaudoir, *Mon.*, p. 278.
Hab. Hongkong.
- dilatatus* (*Poeciloistus*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 348 : Chaudoir *Mon.*, p. 157.
Hab. India, Dekhan.
- distigma*, Chaudoir, *Mon.*, p. 49.
? = *aspericollis*, Bates, Trans. Ent. S. Lond., 1873, p. 248.
Hab. Singapur.
- Doriae*, Chaudoir, *Mon.*, p. 137.
Hab. Siam, Bangkok.
- ducalis*, Chaudoir, *Mon.*, p. 155.
Hab. India, Dekhan, Rangoon.
- Duvauclii* (*Epomis*), Dejean, Spec., v, 1831, p. 668 : Motsch., Bull. Mosc., xxxvii (3), p. 344 : Chaudoir, *Mon.*, p. 122.
Hab. India, Bengal.
- extremus*, Chaudoir, *Mon.*, p. 112.
? = *postscriptus*, Bates, *q. v.*
Hab. Hongkong.
- femoratus*, Dejean, Spec., ii, 1826, p. 328 : Chaudoir, *Mon.*, p. 93, 94.
flavofemoratus, Casteln., Et. Ent., p. 81, t. I., f. 3 : Chaud., Bull. Mosc., xxix (3), 1856, p. 244.
Hab. Java.
- frater*, Chaudoir, *Mon.*, p. 261 : Bates Ann. Mag. N. H., (5s) xvii, 1886, p. 74.
Hab. India, Malabar : ? Colombo (Bates).

- ? *fuscomarginatus*, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 345.
 Hab. India.
- fugax*, Chaudoir, *Mon.*, p. 266.
 Hab. N. India.
- germanus*, Chaudoir, *Mon.*, p. 199.
 Hab. Laos.
- Gestroi*, Chaudoir, *Mon.*, p. 51.
 Hab. Malacca, Macao.
- guttula*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 216 : *Mon.*, p. 281.
 Hab. Hongkong.
- hamatus*, Eschsch., Zool. Atlas, v, 1831, p. 26 : Dej. Spec., v, p. 633 : Chaudoir, *Mon.*, p. 63.
 Hab. Philippines.
- impressicollis*, Chaudoir, *Mon.*, p. 236.
 Hab. N. India.
- inops*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 239 ; *id.*, *Mon.*, p. 262.
arcuaticollis, Motsch., Et. Ent., 1860, p. 7.
vestitus, Morawitz, *teste* Chaudoir, *Mon.*, l.c.
 Hab. Formosa, Yangtse Valley, Chusan, Japan, Korea, Manchuria.
- javanus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 229 : *Mon.*, p. 115.
 Hab. Malaya, Java.
- Lafertei*, Guerin, Voy. Deless., 1843, p. 36 : Chaudoir, *Mon.*, p. 86.
centromaculatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 218.
difinis, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851 p. 241.
maculipennis, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 341.
 Hab. India, Bengal, Pondicherry.
- laetiulusculus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 248 : *Mon.*, p. 261.
 Hab. N. India, Ceylon. [*Ind. Mus.*, Kargil, Turkistán].
- laevipennis*, Chaudoir, *Mon.*, p. 196.
 Hab. Dekhan.
- leucops* (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 52 : Chaudoir, *Mon.*, p. 71.
aeruginosus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 271.
 Hab. N. India, Colombo, Philippines, Cochinchina, Ceram.
- limbicollis*, Chaudoir, *Mon.*, p. 41.
 Hab. Dekhan, Formosa.
- luteicauda*, Chaudoir, *Mon.*, p. 201.
 Hab. Dekhan.
- luzonicus*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 261 : *Mon.*, p. 159.
 Hab. Philippines (Luzon).
- lynx*, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 199 : *Mon.*, p. 50.
 Hab. Hongkong.
- macropus*, Chaudoir, *Mon.*, p. 140.
 Hab. Dekhan.

maculatus, Dejean, Spec., ii, 1826, p. 300 : Chaud., *Mon.*, p. 99.

Hab. Dekhan, Siam.

marginifer, Chaudoir, *Mon.*, p. 118.

marginatus, Dejean, Spec., ii, 1826, p. 305 (*nec Rossi*).

Hab. India.

medioguttatus (*Lissanchenius*), Chaudoir, *Mon.*, p. 35.

Hab. Dekhan, Burma.

melanopterus, Chaudoir, *Mon.*, p. 226.

Hab. Siam, Ceylon (Peradeniya).

micans (*Carabus*), Fabr. Ent. Syst., i, 1792, p. 157; Syst. Eleuth., i, 1801, p. 151 :

Chaudoir, Bull. Mosc., xxix (3), 1856, p. 201, 206 ; *id.*, *Mon.*, p. 62.

hamifer, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 209 ; *Mon.*, p. 62 : Bates, Trans. Ent. S. Lond., 1873, p. 247.

Hab. India, Zanzibar, [*Ind. Mus.*, Calcutta].

micans, MacLeay, Annul. Javan., 1825, p. 14 (*nec Fabr.*) : Chaud., *Mon.*, p. 52.

Hab. Java.

Mouhotii, Chaudoir, Col. Novit., i, 1883, p. 34.

Hab. Laos.

mutatus, Gemm. & Har., Mun. Cat., p. 222 : Chaudoir, *Mon.*, p. 52.

apicalis, MacLeay, Annul. Javan., 1825, p. 14 (*nec Wied.*).

Hab. Java.

naeviger, Morawitz, Bull. Acad. St. Petersb., 1862, p. 324 ; *id.*, Beitr. Käferfaun.

Ins. Jesso, p. 33, t. 1, f. 16 : Bates, Trans. Ent. S. Lond., 1873, p. 246 : Chaud., *Mon.*, p. 273.

Hab. Ningpo, Hangkow, Nagasaki.

neelgheriensis, Guérin, Rev. Zool., 1840, p. 38 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 206 : *id.*, *Mon.*, p. 54.

bilunatus, Guérin, Voy. Deless., 1843, p. 36.

binotulatus, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 341.

formosus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 206.

maleolens, Nictner, Journ. As. Soc. Ben., xxvi, 1857, p. 148 ; Ann. Mag., (2s.) xx, 1857, p. 371.

Hab. Bengal, Nilgiris, Tranquebar, ? Zanzibar.

nepalensis, Hope, Gray, Zool. Misc., 1831, p. 21.

concinnus (*Barymorphus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 236.

Mellyi (*Diaphoropsophus*), Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 407 ; *ib.*,

(2), 1856, p. 213 ; *id.*, (*Rhysotracelus*), *Mon.*, p. 30.

planicornis (*Barymorphus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 236.

Swinhoei, Bates, Proc. Zool. S. Lond., 1866, p. 342.

Hab. India, Bengal, Malabar, Ceylon, Formosa [*Ind. Mus.*, China, Calcutta].

nigricans, Wiedemann, Germar, Mag. Ent., iv, 1821, p. 110, 6 : (*Epmomis*) Dejean, Spec., ii, p. 371 : Chaudoir, *Mon.*, p. 126.

culminatus, Bates, Trans. Ent. S. Lond., 1873, p. 251.

rugicollis (*Epomis*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 253, note 1.
Hab. Hongkong, Chekiang, Formosa, Japan, ? Java.

nigricoxis, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 339 : Chaud., *Mon.*, p. 94.
Hab. Hongkong.

nigripennis, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 250 ; *Mon.*, p. 225.
Hab. N. India.

nitidicollis, Dejean, Spec., ii, 1826, p. 314 : Chaud., p. 117.
Hab. Bengal [*Ind. Mus.*, Sikkim].

opacipennis, Chaudoir, *Mon.*, p. 176.
Hab. Bengal.

orbicollis (*Ocybatus*), Chaudoir, *Mon.*, p. 40.
Hab. Nilgiris.

pachysomus, Chaudoir, *Mon.*, p. 117.
Hab. Siam.

panagaeoides (*Homalolachnus*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 235.
Chaudoir, *Mon.*, p. 28.
Hab. India, Malabar.

parallelus, Dejean, Spec., v, 1831, p. 627 : Chaud., *Mon.*, p. 69.
Dohrnii, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 149 ; Ann. Mag. N. II., (2s.) xx, 1857, p. 372.
Hab. Coromandel, Ceylon, Colombo.

pericallus, Redtenb., Reise Novara, Zool. ii, Col., 1867, t. 1, f. 4 : Chaud., *Mon.*, p. 286. : Bates, Trans. Ent. S. Lond., 1873, p. 249.
pulcher, Redtenb., *i.c.*, p. 10.

Hab. Hongkong, Kinkiang on Yangtsekiang (Bates), Japan (Osaka).

phaenodrus, Chaudoir, *Mon.*, p. 161.
? = *glabriocollis*, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 348.
Hab. Dekhan.

pictus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 208 ; *id.*, *Mon.*, p. 62 : Bates, Trans. Ent. S. Lond., 1873, p. 247.
? = *Schönherrii*, Dejean, *q. v.*
Hab. N. India to N. China.

pleuroderus, Chaudoir, Col. Novit., 1883, p. 30.
Hab. India.

posticalis, Motschulsky, Et. Ent., 1853, p. 44 ; *id.*, Bull. Mosc., xxxvii (3), 1864, p. 340 : Chaud., *Mon.*, p. 273.
hospes, Morawitz, Beitr. z. Käfer Faun. Jesso. 1863, p. 32, t. 1, f. 15.
semipurpureus, Motsch., Bull. Mosc., *i.c. supra*, p. 340.
Hab. N. China, ? Canton.

posticus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 57 ; *id.*, Syst. Eleuth., i, p. 191 : Chaud., *Mon.*, p. 55.
Hab. India.

postscriptus, Bates, Trans. Ent. S. Lond., 1873, p. 326 : Chaud., *Mon.*, p. 113, 156.
Hab. Hongkong.

pratensis, Chaudoir, *Mon.*, p. 210.

Hab. Shanghai, ? Canton.

pretiosus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 288 ; *id.*, *Mon.*, p. 178.

Hab. N. India.

prostenus, Bates, Trans. Ent. S. Lond., 1873, p. 325 ; 1883, p. 235 : Chaudoir, *Mon.*, p. 259.

Hab. Kiukiang on Yangtse river, Japan.

proximus, Chaudoir, *Mon.*, p. 113.

Hab. Dekhan.

pudicus? (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 193 : Chaud., *Mon.*, p. 280.

malachinus (*Callistoides*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 335.

Hab. Bengal.

pugni, Camerano, Atti R. Acad. Soc. Turin., xiv, 1878, p. 146 : Gestro, Ann. Mus. Civ. Gen., xviii, 1882, p. 306.

Hab. Burma, Mandalay.

punctatostriatus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 244 : *id.*, *Mon.*, p. 91.

Hab. N. India.

puncticollis, Dejean, Spec., ii, 1826, p. 315 : Chaudoir, *Mon.*, p. 196.

Hab. Bengal, N. India.

quadricolor (*Carabus*), Olivier, Enc. Méth., v, 1790, p. 344 ; *id.*, Ent., iii, 35, p. 77, t. 10, t. 111 : Fabr., Syst. Eleuth., i, p. 180 : Dejean, Spec., ii, p. 317 : Schaum, Stettin Ent. Zeit., 1847, p. 44 ; Chaudoir, *Mon.*, p. 154.

chlænoides (*Amblygenius*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 263, ♀.

orientalis, Dejean. Spec., ii, 1826, p. 339.

? *laevicollis* (*Poecilostus*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 318.

Hab. India, Tranquebar, Bengal, Java [*Ind. Mus.*, Sikkim].

rude sculptus, Chaudoir, *Mon.*, p. 136.

Hab. Siam.

ruffemoratus (*Lissachenius*), MacLeay, Annul. Javan., 1825, p. 13, t. 1, f. 1 : Chaud., Bull. Mosc., xxix (3), 1856, p. 198 : *Mon.*, p. 35.

Hab. Java, Bangkok, India.

rufithorax, Wiedemann, Germ., Mag. Ent., iv, 1821, p. 112 : Dejean, Spec. ii, p. 322 : Chaudoir, *Mon.*, p. 259.

Hab. India.

rugulosus, Nietner, Journ. As. Soc. Beng., xxv, 1856, p. 388 ; Ann. Mag. N. H., (2s.) xix, 1857, p. 243 : Bates, *id.*, (5s.) xvii, 1886, p. 74 : Chand., *Mon.*, p. 90.

Hab. Ceylon, Negumbo (*Nietn.*) : Kandy, Peradeniya (*Bates*).

scapularis, Chaudoir, *Mon.*, p. 98.

Hab. Bengal.

Schönherrii (*Vertagus*), Dejean, Spec., v, 1831, p. 611 : Chaud., *Mon.*, p. 32.

? *pictus*, Chaudoir, q. v.

Hab. India, Africa.

- Semiperri**, Chaudoir, *Mon.*, p. 92.
Hab. Philippines.
- sericimicans**, Chaudoir, *Mon.*, p. 235.
Hab. China, Hongkong.
- sinensis**, Chaudoir, Bull. Mosc. xxix (3), 1856, p. 263 : *Mon.*, p. 162.
Hab. Hongkong, Shanghai.
- sinuatus**, Dejean, Spec., ii, 1826, p. 321 : Chaudoir, *Mon.*, p. 194.
Hab. India.
- sobrinus**, Dejean, Spec., ii, 1826, p. 316 : Chaudoir, *Mon.*, p. 197.
Hab. India.
- spathulifer** (*Vertagus*), Bates, Trans. Ent. S. Lond., 1873, p. 324 ; Chaud., *Mon.*, p. 43.
Hab. China.
- spoliatus** (*Carabus*), Rossi, Fauna Etrusc., i, 1790, p. 33 : Chaudoir, *Mon.*, p. 88.
var. *inderiensis*, Motsch., *L.c.*, p. 346 [*Ind. Mus.*, Kargil, Turkistan].
,, *nicanus* (*Chlaenites*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 346 : Bates,
Trans. Ent. S. Lond., 1873, p. 249.
Hab. Europe, N. Africa, Yangtse Valley, Japan.
- stenoristus**, Chaudoir, *Mon.*, p. 265.
Hab. India, Malabar.
- ? **subhamatus**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 211 : Bates, Trans. Ent. S.
Lond., 1873, p. 248.
Hab. Kiukiang on Yangtse, Japan.
- submarginatus**, Chaudoir, *Mon.*, p. 235.
Hab. N. India, Rangoon.
- Sykesii**, Hope, Trans. Zool. S. Lond., 1833, p. 93, t. 13, f. 2.
Hab. India, Puna.
- tetragonoderus**, Chaudoir, *Mon.*, p. 68.
Hab. Sumatra, Macassar.
- trinotatus**, Chaudoir, *Mon.*, p. 179.
Hab. N. India.
- varicornis**, Morawitz, Käfer Jesso, 1863, p. 35, t. 1, f. 17 : Bates, Trans. Ent. S. Lond.,
1873, p. 252 : Chand., *Mon.*, p. 267.
Hab. China, Japan.
- variipes**, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 268 : *Mon.*, p. 87.
Hab. N. India.
- velocipes**, Chaudoir, *Mon.*, p. 266.
Hab. Bengal (Dacca), Siam, Ceylon (Dikoya), Nilgiris.
- virgulifer**, Chaudoir, *Mon.*, p. 61.
? *pictus*, Bates, Trans. Ent. S. Lond., 1873, p. 247.
Hab. Hongkong, N. China, ? Japan.
- viridanus**, Motsch., Bull. Mosc., xxxvii (3), 1864, p. 339 : Chaud., *Mon.*, p. 223.
Hab. India.

vividus, Chaudoir, *Mon.*, p. 176.

Hab. N. India.

vulneratus, Dejean, Spec., v, 1831, p. 624 : Chaudoir, Bull. Mosc., xxix (3), 1856, p. 203 ; *id.*, *Mon.*, p. 52.

Hab. N. India, Bengal.

xanthacrus, Wiedemann, Zool. Mag., (ii) i, 1823, p. 51 : Dejean, Spec. ii, p. 323 : Chaud., *Mon.*, p. 8. (gen dub. *l. Laohnophorus*).

Hügelii, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 9, t. 1, f. 3.

Hab. Bengal, Calcutta.

xanthopleurus, Chaudoir, Bull. Mosc., xxix (3), 1856, p. 230 ; *id.*, *Mon.*, p. 115.

Hab. Hongkong, Formosa, Chusan, N. China, Japan.

xanthospilus (*Carabus*), Wiedemann, Germar. Mag. Ent., iv, 1821, p. 115 : Chaud., *Mon.*, p. 285.

quinquemaculatus, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 386 ; *id.*,

Ann. Mag. N. H., (2 s.) xix, 1857, p. 242.

Hab. Dekhan, Ceylon, Siam.

Genus PENTHIMUS.

Mun. Cat., p. 229 : Chaudoir, Ann. Mus. Civ. Gen., viii, 1876, p. 291.

Ceroglossus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 192 (*nec* Solier).

Harpoglossus, Motschulsky.

opacus (*Ceroglossus*), Chaudoir, Bull. Mosc., xxx (3), 1857, p. 6.

Hab. N. India.

Genus HOLOLIUS.

Laferté Sencet, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 274 : Lacord., Gen. Col., i, p. 227 : Mun. Cat. p. 230 : Chaudoir, Bull. Mosc., xxx (3), 1857, p. 9 ; *id.*, Ann. Mus. Civ. Gen., viii, 1876, p. 290 ; Col. Nov., 1883, p. 37.

Hololeius, Laferté Sencet., l.c. *supra*.

nitidulus (*Chlaenius*) Dejean, Spec., ii, 1826, p. 341 : Laferté, l. c. *supra*.

ceylanicus, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 385 ; *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 241 ; Bates, *ib.*, (5s.) xvii, 1886, p. 75.

var. *punctulatus*, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 10 ; *id.*, Ann. Mus. Civ. Gen., viii, p. 291.

Hab. India, Ceylon, Kandy, Hongkong.

Genus RHOPALISTES.

Mun. Cat., p. 230 : Chaudoir, Ann. Mus. Civ. Gen., viii, 1876, p. 291.

Rhopalopalpus, Laferté Sencet., Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 262 : Chaudoir, Bull. Mosc., xxx (3), 1867, p. 11.

ianthinus (*Chlaenius*), Redtenb., Hügel's Kaschm., iv (2), 1844, p. 500 : Chaudoir, Ann. Mus. Civ. Gen., viii, p. 292.

poeciloides, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 262 : (*Rhopalopalpus*) Chaudoir, Bull. Mosc., xxx (3), 1857, p. 11, ♀.

Hab. N. India, Kashmir.

Genus PRISTOMACHAERUS.

Bates, Trans. Ent. S. Lond., 1873, p. 323.

chaloccephalus (*Panagaeus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 57 : Schaum, Berlin Ent. Zeits., vii, 1863, p. 433 : Chaudoir, Ann. Soc. Ent. Belg., xxi, 1878, p. 84.

chlorocephalus, Kollar, Ann. Mus. Wien. i., 1836, p. 335, t. 31, f. 4-6.
Hab. N. India [*Ind. Mus.* ? Jhelam Valley].

Messii, Bates, Trans. Ent. S. Lond., 1873, p. 324.

Hab. Hongkong.

quadricolor, Putzeys, Stettin. Ent. Zeit., xxxviii, 1877, p. 101.

Hab. Darjiling.

quadriguttatus, Putzeys, *l.c.*, p. 101.

Hab. Darjiling.

Genus CALLISTUS.

Bonelli, Obs. Ent., 1809, tab. syn. : Lacord., Gen. Col., i, p. 374 : Mun. Cat., p. 213 : Chaudoir, Bull. Mosc., xxiii (2), 1850, p. 395 ; *ib.*, xlvi (i), 1872, p. 384 : Schaum, Berlin. Ent. Zeits., vii, 1863, p. 85.

Callistomimus, Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 382.

coarctatus, Laferté, Ann. Soc. Ent. Fr., (2a.) ix, 1851, p. 230.

littoralis, Motschulsky, Et. Ent. 1859, p. 33.

Westwoodii, Schaum, Berlin Ent. Zeits., vii, 1863, p. 85.

Hab. N. India, Tranquebar, Ceylon.

Dicksonii (*Callistomimus*), Waterhouse, Ann. Mag. N. H., (5a.) xiv, 1884, p. 429.

Hab. Formosa.

modestus, Schaum, Berlin Ent. Zeits., vii, 1863, p. 85 : Chaudoir, Bull. Mosc., xlvi (i), 1872, p. 382 : Bates, Trans. Ent. S. Lond., 1873, p. 246 : Fairm., Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 336.

Hab. Tonkin, China, Hongkong, Canton, Nagasaki.

suturalis, Fleutiaux, Ann. Soc. Ent. Fr., (6s.) vii, 1887, p. 61, t. 4, f. 2.

Hab. Annam, Hué.

Div. OODINI :—Chaudoir, Bull. Mosc., xxx (3), 1857, p. 13 ; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 317, 485.

Genus ANATRICHIS.

Leconte, Trans. Ann. Phil. Soc., x, 1853, p. 391 : Chaudoir, Bull. Mosc., xxx (3), 1857, p. 21 ; *id.*, *Mon.*, *l.c. supra*, p. 318 : Bates, Biol. Centr. Amer., Col., i (i) p. 269.

Oodinus, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 352.

Oodes, pt. Dejean, Spec., v, p. 677.

indicus, Chaudoir, *Mon.*, p. 320.

Hab. Dekhan.

pedinoides, Chaudoir, *Mon.*, p. 321.

Hab. India.

Genus SYSTOLOCRANIUS.

Chaudoir, Bull. Mosc., xxx (3), 1857, p. 23; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s) ii, 1882, p. 326: *Mun. Cat.*, p. 231.

Chlaenius, Boheman.

Oodes, Wiedemann, Eschscholtz, Dejean, Gory, Laferté.

linea (*Oodes*), Wiedemann, Germar Mag. Ent., iv, 1821, p. 113; *Chaudoir*, *Mon.*, p. 331.

grandis (*Oodes*), Dejean, Spec., ii, 1826, p. 376.

Hab. India, Bengal.

sulcatus, Eschsch., Zool. Atlas., v, 1829, p. 28: *Chaud.*, *Mon.*, p. 335: *id.*, (*nec* Laferté), Bull. Mosc., xxx (3), 1857, p. 25. (*sp. dub.*).

Hab. Philippines, Manilla.

Genus OODES.

Bonelli, Mem. Acad. Turin, 1809, *tab. syn.*: *Laeord.*, Gen. Col., i, p. 229; *Mun. Cat.*, p. 231: *Chaudoir*, Bull. Mosc., xxx (3), 1857, p. 25; *id.*, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 341: *Horn*, Gen. Carab., p. 172.

Lonchosternus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 267: *Lacord.*, Gen. Col., i, p. 231.

Stenocrepis, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 45; *Mun. Cat.*, p. 234.

Stenus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 39: *Mun. Cat.*, p. 233.

chalceus, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 30; *Mon.*, p. 357.

nepalensis, Motsch., Et. Ent., 1858, p. 171; Bull. Mosc., xxxvii (4), 1864, p. 353.

subolivaceus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 4.
Hab. Nepál, N. India.

ooslestinus, Chaudoir, *Mon.*, p. 363.

Hab. Borneo, Sarawak.

parallelus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 5: Chaudoir, *Mon.*, p. 347.

Hab. N. India, Dekhan, Malacca.

piceolus, Fairmaire, Ann. Soc. Ent. Belg., xxxi, 1887, p. 93.

Hab. China, Fokien.

piceus, Nictner, Journ. As. Soc. Ben., xxv, 1856, p. 526; *id.* Ann. Mag. N. H., (2s.) xix, 1857, p. 377.

vitis, Chaudoir, Bull. Mosc., xxx (3), 1857, p. 32; *Mon.*, p. 369.

Hab. Assam, Tranquebar, Ceylon, Siam, Macassar.

siamsensis, Chaudoir, *Mon.*, p. 358.

Hab. Siam, Bangkok.

subcoriaceus, Chaudoir, *Mon.*, p. 362.

Hab. Malacca.

varians, Chaudoir, *Mon.*, p. 352.

Hab. Bengal,

virens, Wiedemann, Zool. Mag., ii (i), 1823, p. 50.

Hab. Bengal.

Westermannii, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 271, note 2 : Chaud., Bull. Mosc., xxx (3), 1857, p. 31 ; *Mon.*, p. 368.
hispanicus (*Oodes*), pt. Dejean, Spec., ii, 1826, p. 379.
 Hab. India, Bengal, Dekhan.

Genus SIMOUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 373.
aeneus, Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 270, note 4 : Chaud., *Mon.*, l.c. *supra*, p. 375.
 Hab. Java.
lucidus (*Oodes*), Chaudoir, Rev. Mag. Zool., (2s.) xxi, 1869, p. 76 ; *Mon.*, p. 376.
 Hab. Siam, Annam, Cambodia.
Mouhotii, Chaudoir, Rev. Mag. Zool., (2s.) xxi, p. 76 ; *Mon.*, p. 373.
 Hab. Laos.
nigriceps (*Oodes*), Wiedemann, German. Mag. Ent., iv, 1821, p. 114 : Chaudoir, *Mon.*, p. 375.
pulcher (*Oodes*), Dejean, Spec., ii, 1826, p. 375.
 Hab. India.

Genus LACHNOCREPIS.

Leconte, Trans. Am. Phil. S., x, 1853, p. 391 : Lacord., Gen. Col., i, p. 394 : Mun. Cat., p. 230 : Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 377.
japonicus, Bates, Trans. Ent. S. Lond., 1873, p. 255 : Chaudoir, *Mon.*, 378.
 Hab. Yangtse Valley, Japan.

Genus HOLCOCOLEUS.

Chaudoir, Ann. Soc. Ent. Fr., (6s) ii, 1882, p. 521.
 ~ *Oodes*, Laferté, Chaudoir, *olim*.
sulcatus (*Oodes*), Chaudoir, Bull. Mosc., xxx (3), 1857, p. 38 ; *id.*, *Mon.*, l.c. *supra*, p. 522.
latus (*Oodes*), Laferté, Ann. Soc. Ent. Fr., (2s.) ix, 1851, p. 269, note 2.
 Hab. Nilgiris.

Genus MELANODES.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 545.
Oodes, Erichson : *Chlaenius*, Laferté : *Poecilus*, Reiche : *Feronia*, Klug.
pernitidus, Chaudoir, *Mon.*, l.c., p. 550.
 Hab. Dekhan, Rangoon.
subelongatus, Chaudoir, *Mon.*, l.c., p. 550.
 Hab. Dekhan.

Genus PATELLUS.

Chaudoir, *Monograph*, Ann. Soc. Ent. Fr., (6s.) ii, 1882, p. 551 : Zool. Jahr., Arthr., 1883, p. 212.
drimostoides, Chaudoir, *Mon.*, l.c. *supra*, p. 553.
 Hab. Burma.
ZABRINI :—Horn, Gen. Carab., p. 173.

Genus ZABRUS.

Clairville, Ent. Helv., ii, 1806, p. 80 : Zimmermann, Monograph Carabiden, 1831 : Laeord., Gen. Col., i p. 330 : Schaum, Revision, Berlin. Ent. Zeits., 1864, p. 174 : Mun. Cat., p. 334 : Horn, Gen. Carab., p. 174.

Pelor, Bonelli, Mém. Acad. Turin., Obs. Ent., 1813. tab.

Pelorusomus, Motschulsky.

Polysitus, Zimmermann, Mon. Carab., 1831, p. 8.

chinensis, Fairmaire, Ann. Soc. Ent. Fr., (6s.) vi, 1886, p. 313.

Hab. Yunnan.

HARPALINI, Horn, Gen. Carab., p. 174 : Leeonte & Horn, Class. Col., p. 52.

Anisodactylides, pt, Lacordaire, Gen. Col., i, p. 268.

Cratocerides, pt, Lacordaire, l.c., p. 257.

? *Ditomides*, pt, Lacordaire, l.c., p. 165.

Harpalides, Lacordaire, l.c., p. 285.

Horn (l.c. *supra*) divides this tribe into *Dapti*, *Glypti*, *Harpali*, and *Anisodactyli*.

Genus LIODAPTU.S.

Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 102.

birmanus, Bates, l.c., p. 102.

Hab. Burma, Bhamo, Mandalay.

Genus BARYSOMUS.

Dejean, Spec., iv, 1829, p. 56 : Lap. de Casteln., Hist. Nat. Ins., i, p. 94 : Lacord., Gen. Col., i, p. 290 : Mun. Cat., p. 261 : Bates, Biol. Centr. Amer., Col., i (i), p. 67. *Oosoma*, Nietner, Journ. As. Soc. Beng., xxvi, 1857, p. 144 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 368.

Gyllenhalii, Dejean, Spec., iv, 1829, p. 59. : Lap. de Casteln., Hist. Nat. Ins., i, p. 95.

arenarius (*Oosoma*), Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 146 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 370.

Hab. India, Ceylon, Colombo (Bates).

semivittatus (*Carabus*), Fabr., Syst. Eleuth., i, 1801, p. 201 : Dejean, Spec., iv, p. 60 : Lap. de Casteln., l.c. *supra*, p. 95.

Gerstaeckeri, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 147 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 370.

Hab. India, Ceylon.

subcneus (*Amara*), MacLeay, Annul. Javan., 1825, p. 21.

Hab. Java.

subolivaceus (*Amara*), MacLeay, l.c., p. 21.

Hab. Java.

tricolor (*Amara*), MacLeay, l.c., p. 21.

Hab. Java.

Genus BRADYBAENUS.

Dejean, Spec., iv, 1829, p. 160 : Laeord., Gen. Col., i, p. 292 : Mun. Cat., p. 261.

Calodromus, Nietner Ann. Mag. N. H., (3s.) ii, 1859, p. 181.

festivus, Dejean, Spec., iv, 1829, p. 163 : Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 77.

exornatus (*Calodromus*), Nictner, Ann. Mag. N. H., (3s.) ii, 1858, p. 181.

ornatus, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 14, t. 1, f. 8.

Hab. Ceylon, Kandy (*Bates*).

Genus HYPSINEPHUS.

Bates, Proc. Zool. S. Lond., 1878, p. 715.

ellipticus, Bates, *l.c.*, p. 716.

Hab. N. W. Himalaya, Pangong Valley [*Ind. Mus.*, type].

Genus PANGUS.

Leconte, Trans. Am. Philad., x, 1853, p. 385 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 267.

infixus, Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204 (*gen. dub.*).
Hab. Ceylon.

orientalis (*Selenophorus*, *Pangus*), Dejean, Spec., iv, 1829, p. 128.
Hab. India.

quadricollis, Kollar, Hügel's Kaschm., iv (2), 1844, p. 502.
Hab. Kashmir.

Genus HYPOLITHUS.

Dejean, Spec., iv, 1829, p. 166 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 268.

javanus, Gory, Ann. Soc. Ent. Fr., 1833, p. 241.
Hab. Java.

perlucens, Bates, Proc. Zool. S. Lond., 1878, p. 715.
Hab. India, Jhelam Valley [*Ind. Mus.*, type].

Genus HARPALUS.

Latreille, Hist. Nat. Ins., viii, 1804, p. 325 : Lacord., Gen. Col., i, p. 295 : Mun. Cat., p. 272 : Horn, Gen. Carab., p. 181.

Actephilus, Motschulsky, Bull. Mosc., xxxvii (3), 1864, p. 208,
Amblystus, Motschulsky, *l.c.*, p. 209.

Artabas, Gozis, Mt. Schiw. Ent. Ges., 1883, p. 287.

Biderus, pt., Motschulsky, Käfer Russl., 1850, t. vii.

Conicus, Motschulsky, Bull. Mosc., xxxviii (3), 1864, p. 209.

Erpeinus, Motschulsky, *l.c.*, p. 208.

Harpalidium, Kolbo, Berlin Ent. Zeits., 1883, p. 17.

Harpalodes, Motschulsky, *l.c. supru.*, p. 208.

Holosus, Motschulsky, Bull. Mosc., xxx (2), 1857, p. 496.

Ooistus, Motschulsky, *l.o.*, xxxvii (3), 1864, p. 209.

Phenginus, Motschulsky, *l.c.*, p. 209.

Platus, Motschulsky, Cat. Carab. Russ., 1850.

Pseudoophonus, pt., Motschulsky, Ins. Sib., 1842, p. 196.

[This synonymy requires examination and revision].

- advolane**, Nictner, Jl. As. Soc. Beng., xxv, 1856, p. 226 : *id.*, Ann. Mag. N. H., (2s.) xix, 1857, p. 377.
Hab. Ceylon.
- cephalotes** (*Pseudoophonus*), Motschulsky, Et. Ent., 1861, p. 3 ; Bull. Mosc., xxxvii (3), 1864, p. 214.
capito, Morawitz, Bull. Aead. St. Petersb., v, 1862, p. 359 : Bates, Trans. Ent. S. Lond., 1873, p. 260.
Hab. Yangtse Valley, Nagasaki, Ussuri.
- chalcentus**, Bates, *l.c. supra*, p. 263.
Hab. Canton, Yangtse Valley, Korea, Nagasaki.
- * **coeruleatus**, Bates, Proc. Zool. S. Lond., 1878, p. 714.
Hab. Yangi Hissar [*Ind. Mus.*, type].
- erates**, Bates, Trans. Ent. S. Lond., 1883, p. 239, note.
Hab. Hongkong, Yangtse Valley, Korea.
- cyanescens**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.
Hab. China.
- difficille**, Hope, *l.c.*, p. 15.
Hab. China.
- griseue**, Panzer, Fauna Germ., 38, 1797 : Dejean, Spec., iv, p. 251 : Schaum, Naturges. Ins., i, p. 584.
bicolor, Marshall, Ent. Brit., i, p. 436.
ruficornis, var., Illiger, Käfer Preuss., i, 1798, p. 171 : Morawitz, Beitr. z. Käf. Jesso, i, p. 68.
var. *Reichei*, Desbrochers, Nat. Ent. Bourb., 1866, p. 42.
Hab. Europe, E. Siberia, Japan, China, Shanghai, ? Canton.
- indicola**, Bates, Proc. Zool. S. Lond., 1878, p. 714.
Hab. India, Murree [*Ind. Mus.*, type].
- laevistriatus**, Sturm, Abbild. Oliv. Ent. Käfer, 4, 1803, p. 80 t. 91, f. B.
Hab. India.
- leucope**, Wiedemann, Zool. Mag., ii (i), 1823, p. 52.
Hab. Bengal.
- * **liodes**, Bates, Proc. Zool. S. Lond., 1878, p. 715.
Hab. ? near Yarkand [*Ind. Mus.*, type].
- * **masoredee**, Bates, *l.c.*, p. 715.
Hab. Pamir [*Ind. Mus.*, type].
- melaneue**, Bates, *l.c.*, p. 714.
Hab. India, Murree, Sind Valley, Leh. [*Ind. Mus.*, type].
- punctilabris**, MacLeay, Annul. Javan, 1825, p. 20.
Hab. Java.
- punctulatus**, MacLeay, *l.c.*, p. 21.
Hab. Java.
- relucens**, Bates, Trans. Ent. S. Lond., 1873, p. 264.
Hab. Fuchau, Nagasaki.

- rugicollis** (*Plutus*), Motschulsky, Et. Ent., 1860, p. 5 : Harold, Abh. Nat. Ver. Bremen, iv, 1875, p. 285 ; Bates, Trans. Ent. S. Lond., 1883, p. 236.
japonicus, Morawitz, Bull. Acad. St. Petersb., v, 1862, p. 227 ; Beitr. z. Käfer Faun. Jesso, i, 1863, p. 69 ; Bates, l.c. *supra*, 1873, p. 261.
 Hab. Formosa, Fuchau, Shanghai, Yangtse Valley, Japan [*Ind. Mus.*, Murree].
- sinicus**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 14.
 Hab. China.
- tinctulus**, Bates, Trans. Ent. S. Lond., 1873, p. 263.
 Hab. Canton, Yangtse Valley, Korea, Nagasaki.
- trechooides**, Hope, Trans. Ent. S. Lond., iv, 1845, p. 15.
 Hab. China.
- tridens**, Morawitz, Beitrag. Käfer. Faun. Jesso., i, 1863, p. 69 : Bates, Trans. Ent. S. Lond., 1883, p. 236.
 Hab. Canton, Japan.
- * **turculus**, Bates, Proc. Zool. S. Lond., 1878, p. 714.
 Hab. ? near Yarkand [*Ind. Mus.*, type].

Genus **IRIDESSUS**.

- Bates, Trans. Ent. S. Lond., 1883, p. 210.
relucens, Bates, l.c., 1873, p. 264 ; 1883, p. 240.
 Hab. Fuchau, Nagasaki.

Genus **GNATHAPHANUS**.

- MacLeay, Annul. Javan., 1825, p. 20 : Laeord., Gen. Col., i, p. 299 : Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 503 : Mun. Cat., p. 286.
aereus, Schaufuss, Horae Ent. Ross., xxi, 1887, p. 105.
 Hab. China, Macassar.
subcostatus, Dejean, Spec., iv, 1829, p. 261 : Laeord., Gen. Col. i. p. 299.
 ? = *vulneripennis*, MacLeay, q. v.
 Hab. India [*Ind. Mus.*, Tenasserim].
- vulneripennis**, MacLeay, Annul. Javan., 1825, p. 20 : Hope, Col. Man., ii, t. 2, f. 2,
 a-d : Erichs., Wieg. Arch. (2), 1840, p. 317.
 Hab. India.

Genus **CARICUS**.

- Motsch., Bull. Mose., xxxix (2), 1886, p. 394.
testaceipes, Motsch., l.c., p. 394.
 Hab. Ceylon, Colombo.

Genus **STENOLOPHUS**.

- Dejean, Spec., iv, 1829, p. 405 ; Laeord., Gen. Col., i, p. 303 ; Mun. Cat., p. 290 : Horn, Gen. Carab., p. 181.
Acupalpus, Latreille, Règne Anim., (2ed.) iv, 1829, p. 391 : Laeord., Gen. Col., 1, p. 302 : Mun. Cat., p. 287.

- Anthracus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207. Balion, Schiödte.
- Egadroma*, Motschulsky, Et. Ent., 1855, p. 43 ; *id.*, *I.e. supra*, p. 201.
- Maniculus*, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207.
- Megrammus*, Motschulsky, Et. Ent., 1857, p. 26.
- Philodes*, Leeonto, Class. Col., 1861, p. 33.
- apicalis* (*Egadroma*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 205.
Hab. India, Tranquebar.
- biplagiatus*, Bohem., Freg. Eug. Resa, Col., 1858, p. 12.
Hab. China.
- chilceus*, Bates, Trans. Ent. S. Lond., 1873, p. 270.
Hab. Yangtse Valley, Japan.
- connotatus*, Bates, *I.e.*, p. 327.
Hab. Yangtse Valley, Japan.
- yanellus*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 103.
Hab. Burma, Rangoon, Mandalay, Bhamo.
- derogatus* (*Acupalpus*), Walker, Ann. Mag. N. H., (2s.) ii, 1853, p. 204 : *ib.*, Bates, (5s.) xvii, 1886, p. 80.
Hab. Ceylon, Nuwara Eliya (*Bates*).
- gonidius*, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 104.
Hab. Burma, Bhamo, Teintso, Thagata (Tenasserim).
- guttula* (*Acupalpus*), Dejean, Spec., v, 1831, p. 858.
Hab. India.
- inornatus* (*Acupalpus*), Bates, Trans. Ent. S. Lond., 1873, p. 268.
Hab. Yangtse Valley, Japan.
- iridicolor*, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 16.
Hab. Hongkong.
- lucidus* (*Stenolophus*), Dejean, Spec., iv, 1829, p. 419.
proximus, Falderm., Fauna Ent. Transcauc., iii, 1838, p. 86.
Hab. India, Caucasus.
- minimus* (*Acupalpus*), Dejean, Spec., iv, 1829, p. 483.
Hab. India.
- nitens* (*Egadroma*), Motsch., Bull. Mosc., xxxvii (4), 1864, p. 205.
Hab. Bombay.
- opaculus*, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 80.
Hab. Ceylon, Nuwara Eliya.
- polygenus*, Bates, *I.e.*, p. 79.
Hab. Ceylon, Nuwara Eliya.
- proximus* (*Stenolophus*), Dejean, Spec., iv, 1829, p. 420 ; *id.*, *I.e.*, t. 198, f. 4.
Hab. S. Russia, Japan, Shanghai.
- quinquepustulatus* (*Badister*), Wiedemann, Zool. Mag., ii (i), 1823, p. 58 : (*Stenolophus*) Dejean, Spec., iv, p. 414 : Bates, Trans. Ent. S. Lond., 1873, p. 270 ; Ann. Mag., N. H., (5s.) xvii, 1886, p. 79.

Hab. Japan, China, Yangtse Valley, Cochinchina, Bengal, Ceylon, Colombo, (*Bates*).

smaragdulus (*Carabus*), Fabr., Ent. Syst. Suppl., 1798, p. 60 : (*Stenolophus*) Dejean, Spec., iv, 1829, p. 418 : Lap. de Casteln. Hist. Nat. Ins., i, p. 90 : (*Egadroma*), Motsch., Bull. Mosc., xxxvi, (3), 1864, p. 205.

stolidus (*Harpalus*), Walker, Ann. Mag. N. H., (3s.) ii, 1858, p. 204.

vulneratus, Dejean, Spec., v, 1831, p. 352.

Hab. India, Ceylon.

splendida (*Egadromo*), Motsch., Bull. Mosc., xxxvii (3), 1864, p. 205.

Hab. Burma.

Genus ANOPLOGENIUS.

Chaudoir, Bull. Mosc., xxv (i), 1852, p. 88 : Lacord., Gen. Col., i, p. 304 : Mun. Cat., 292.

? *Compsolepis*, Nictner.

Lepithrix, Nictner, Journ. As. Soc. Ben., xxvi, 1857, p. 151 : Ann. Mag., (2s.) xx, 1857, l.c., p. 374.

Loxoncus, Schmidt Goebel, Faun. Col. Birm., 1846, on wrapper : Motsch., Bull. Mosc., xxxvii (4), 1864, p. 204.

circumcinctus, Motsch., Et. Ent., 1857, p. 26 : Bates, Trans. Ent. S. Lond., 1873, p. 269.

Hab. Yangtse Valley, Ningpo, Fuchau, Shanghai, Japan.

discophorus, Chaudoir, Bull. Mosc., xxv (i), 1852, p. 90.

Hab. N. India, Simla.

elevatus (*Loxoncus*), Schmidt Goebel, Faun. Col. Birm., 1846, t. 3, f. 9.

Hab. Burma.

foliolosus (*Lepithrix*), Nictner, Journ. As. Soc. Ben., xxvi, 1857, p. 152 ; *id.*, Ann. Mag. N. H., (2s.) xx, 1857, p. 374 : Bates, l.c., (5s.) xvii, 1886, p. 79.

Hab. Ceylon.

microgonus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 78.

Hab. Ceylon, Colombo, Siam.

renitens, Bates, l.c., p. 79.

Hab. Ceylon, Colombo.

utilans, Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 103.

Hab. Burma, Katha.

Genus BRADYCELLUS.

Erichson, Käfer Mark. Brand., i, 1837, p. 64 : Lacord., Gen. Col., i, p. 294 : Mun. Cat., p. 263 : Horn, Gen. Carab., p. 294 : Bates, Biol., Centr. Amer., Col., i (i), p. 71.

Livecellus, Motschulsky, Bull. Mosc., xxxvii (4), 1864, p. 207.

laeticolor, Bates, Trans. Ent. S. Lond., 1873, p. 267.

Hab. Yangtse Valley, Nagasaki.

marginale (*Drimostoma*), Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51.

Hab. Ceylon.

sinicus, Bates, Trans. Ent. S. Lond., 1873, p. 328.

Hab. Yangtse Valley.

Genus OXYCENTRUS.

- Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 345 : Mun. Cat., p. 249.
angustus, Bates, Trans. Ent. S. Lond., 1876, p. 3, note, ♂.
 Hab. Burma, Rangoon.
borneensis, Bates, l.c., p. 4, note, ♂.
 Hab. Bornco.
parallelus, Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 347.
 Hab. N. India.

Genus TACHYCELLUS.

- Morawitz, Bull. Acad. Petr., v, 1863, p. 261 : Mun. Cat., p. 264 : Horn, Gen. Carab., p. 182.
lamprus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 80.
 Hab. Ceylon, Colombo.

Genus DICHIROTRICHUS.

- Jacq. Duval, Gen. Col. Carab., 1855, p. 35 : Mun. Cat., p. 262.
*** alticola**, Bates, Proc. Zool. S. Lond., 1878, p. 713.
 Hab. Pámír [Ind. Mus., type].
amplipennis, Bates, Trans. Ent. S. Lond., 1873, p. 326.
 Hab. Shanghai.

Genus CALATHOMIMUS.

- Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 77.
consors, Bates, l.c., p. 78.
 Hab. Ceylon, Bogawantalawa.
maculatus, Bates, l.c., p. 77.
 Hab. Ceylon, Bogawantalawa.

Genus DIORYCHE.

- MacLeay, Annul. Javan., 1825, p. 21 : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Lacord., Gen. Col., i, p. 309 : Mun. Cat., p. 287.
Platymetopus, Dejean, Spec., iv, 1829, p. 68 : Lacord., Gen. Col., i, p. 300 : Bates, Trans. Ent. S. Lond., 1873, p. 121.
amoena (*Platymetopus*), Dejean, Spec., iv, 1829, p. 73.
 Hab. Java.
colombensis, Nietner, Jl. As. Soc. Beng., xxvi, 1857, p. 151 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 373 : ib., Bates, (5s.) xvii, 1886, p. 76.
 Hab. Ceylon, Colombo.
corrosa, Bates, Trans. Ent. S. Lond., 1873, p. 270.
 Hab. Yangtse Valley, Fuchau, Japan.

- interpunctata* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 71 : Klug, Ins. Madag., p. 133.
 Hab. India, Coromandel.
- laticeps* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 76.
 Hab. Philippines, Manilla.
- melanaria*, Boheman, Freg. Eug. Resa, Col., 1858, p. 10.
 Hab. China.
- quadrimaculata* (*Platymetopus*), Dejean, Spec., iv, 1829, p. 70 : Lap. de Casteln., Hist. Nat. Ins., i, p. 92.
 Hab. Cochinchina.
- rugosa*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 150 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 373.
 Hab. Ceylon, Colombo.
- senilis*, Nietner, Journ. As. Soc. Ben., xxvi, 1857, p. 150 ; Ann. Mag. N. H., (2s.) xx, 1857, p. 372.
 Hab. Ceylon, Colombo.
- Thunbergii*, Quensel, Schönh., Syn., i, 1806, p. 188, note : Dejean, Spec., iv, p. 74 : Erichson, Wieg. Arch., (2) 1840, p. 367 : Bates, Trans. Ent. S. Lond., 1873, p. 271.
 Hab. ? Cape of Good Hope, ? India.
- torta*, MacLeay, Annul. Javan., 1825, p. 21 : Hope, Col. Man., ii, 1838, t. 2, f. 4 a-d : Lap. de Casteln., Hist. Nat. Ins., i, p. 123 : Bates, Trans. Ent. S. Lond., 1873, p. 271.
 Hab. Java.

Genus AMBLYSTOMUS.

- Erichson, Käfer Mark Brand., i, 1837, p. 59 : Lacord., Gen. Col., i, p. 301 : Mun. Cat., p. 143.
- Hispalis*, Rambur, Faun. Andal., 1838 : Motsch., Bull. Mosc., xxxvii (3), 1864, p. 233, *tab. syn.*
- Megaristerus*, Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 427 : Mun. Cat., p. 286.
- aenescens*, Motschulsky, Et. Ent., 1858, p. 23 : (*Hispalis*) *id.*, Bull. Mosc., xxxvii (3), 1864, p. 233.
 Hab. India.
- biguttatus*, Motschulsky, Et. Ent., 1858, p. 25 : (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 234.
 Hab. India, Tranquebar.
- femoralis*, Motschulsky, Et. Ent., 1858, p. 24 : (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.
 Hab. India.
- flavipes*, Motschulsky, l.c., p. 23 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.
 Hab. India.
- fuscescens*, Motschulsky, l.c., p. 23 ; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 233.
 Hab. India.
- guttatus*, Bates, Trans. Ent. S. Lond., 1873, p. 327.
 Hab. China, Fuchau.

indicus (*Megaristerus*), Nietner, Ann. Mag. N. H., (3s.) ii, 1858, p. 428.
Hab. Ceylon, Kitugalle (*Bates*), Madras.

mandibularis (*Megaristerus*), Nietner, l.c., p. 428.
Hab. Ceylon, Colombo.

pallipes, Motschulsky, Et. Ent., 1858, p. 24; (*Hispalis*) *id.*, Bull. Mosc., xxxvii (3), 1861, p. 233.
Hab. India.

quadriguttatus, Motschulsky, l.c., p. 24; (*Hispalis*) *id.*, Bull. Mosc., l.c., p. 234.
Hab. India.

stenolophoides (*Megaristerus*), Nietner, l.c. *supra*, p. 428.
Hab. Ceylon, Colombo.

Genus SIOPELUS.

Murray, Ann. Mag. N. H., (3s.) iii, 1859, p. 27 : Mun. Cat., p. 287.

ferreus, Bates, Ann. Mag. N. H., (5s.) xvii, 1886, p. 76, 211.

?= *compositus* (*Curtonotus*), Walker, l.c., (3s.) ii, 1858, p. 204,
Hab. Ceylon, Newara Eliya.

Genus ANISODACTYLUS.

Dejean, Spec., iv, 1829, p. 132 : Lacord., Gen. Col., i, p. 278 : Mun. Cat., p. 254 :
Horn, Gen. Carab., p. 184 : Bates, Biol. Centr. Amer., Col., i (i), p. 52.

Amphasia, Newman, Ent. Mag., v, 1838, p. 387 : Lacord., Gen. Col. i, p.
277 : Mun. Cat., p. 254.

Anisotarsus, Chaudoir, Bull. Mosc., x, 1837, p. 41 : Lacord., Gen. Col., i,
p. 279 : Mun. Cat., p. 257.

Aplacentrus, Leconte, Geod. Un. St., 1846, p. 108.

Dicheirus, Mannerheim, Bull. Mosc., xvi, 1843, p. 211.

Eurytrichus, Leconte, Geod. Col. Un. St., in Ann. Lyc. Nat. Hist. N.
York, iv, 1846, and separate, p. 115 : Mun. Cat., p. 257.

Gynandromorphus, Dejean, Spec., iv, 1829, p. 186 : Lacord., Gen. Col., i,
p. 283 : Mun. Cat., p. 258.

Gynandrolarsus, Laferté-Sénectere, Ann. Soc. Ent. Fr., (2s.) x, 1852, p. 202 :
Lacord., Gen. Col., i, p. 283.

Spongopus, Leconte, Good. Col. Un. St., l.c. *supra*, iv, 1846, p. 277 ; sep. p.
105 : Mun. Cat., p. 258.

Triplectrus, Leconte, l.c., p. 108.

Xestonotus, Leconte, Trans. Amer. Phil., x, 1853, p. 383 : Mun. Cat., p. 258.

dispellens, Walker, Ann. Mag. N. H., (3s.) iii, 1859, p. 51 : Bates, l.c., (5s.) xvii,
1886, p. 75.

Hab. Siam, Ceylon, Kandy, Hongkong, Fuchau.

Javanus, Dejean, Spec., iv, 1829, p. 146.

Hab. Philippines.

signatus, Illiger, Käfer Preuss., i, 1798, p. 174 : Panzer, Faun. Germ., 38, 4 ; Dejean
Spec., iv, p. 138 : Schaum, Nat. Ins., i, p. 565.

rusticus, Dahl, Col. & Lep., 1823, p. 11.

Hab. Europe, Siberia, China, Canton (*Putzeys*).

Genus LAMPROPHONUS.

Bates, Ann. Mus. Civ. Gen., (2s.) vii, 1889, p. 101.

lucens, Bates, *l.c.*, p. 3.

Hab. Burma.

Genus CHYDAEUS.

Chaudoir, Bull. Mosc., xxvii (2), 1854, p. 343 : Mun. Cat., p. 254.

obscurus, Chaudoir, *l.c. supra*, p. 344.

Hab. N. India.

Genus HYPHARPAX.

MacLeay, Annul. Javan., 1825, p. 22 : Lacord., Gen. Col., i, p. 282 : Mun. Cat., p. 258 : Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 496.

Sagraemerus, Redtenb., Reise Novara, Zool. ii, Col., 1867, p. 13.

dentipes (*Harpalus*), Wiedemann, Zool. Mag., ii (i), 1823, p. 54 : Chaudoir, *l.c. supra*, p. 500:

? = *lateralis* MacLeay, *q.v.*

Hab. Java.

javanus (*Sagraemerus*), Redtenb., Reise Novara, Zool., ii, Col., 1867, p. 14, t. 1, f. 7.

Hab. Java.

lateralis, MacLeay, Annul. Javan., 1825, p. 22 : Hope, Col. Man., ii, t. 2, f. 3 *a-e* Lap. de Casteln., Hist. Nat. Ins., i, p. 123.

Hab. Java.

simplicipes, Chaudoir, Ann. Mus. Civ. Gen., xii, 1878, p. 502.

Hab. Java.

Genus HYPHAERON.

MacLeay, Annul. Javan., 1825, p. 22 : Lacord., Gen. Col., i, p. 284 : Mun. Cat., p. 259.

reflexus, MacLeay, *l.c. supra*, p. 22 : Hope, Col. Man., ii, t. 2, f. 5 *a-c*.

Hab. Java.

PSEUDOMORPHINI :—Westwood, Rev. Mag. Zool., v, 1853, p. 395 : Lacord., Gen. Col., i, 1854, p. 149 : Horn, Gen. Carab., p. 186 : Leconte & Horn, Class. Col., p. 58.

Genus ADELOTOPUS.

Hope, Trans. Ent. S. Lond., i, 1834, p. 11 : Westwood, Rev. Mag. Zool., v, 1853, p. 403 : Lacord., Gen. Col., i, p. 153 : Mun. Cat., p. 157.

collaris, Waterhouse, Trans. Ent. S. Lond., 1877, p. 2.

Hab. Siam.

Genus CRYPTOCEPHALOMORPHA.

Ritsema, Tijds. v. Ent., xviii, 1875, p. xcii.

Gaverei, Ritsema, *l.c.*, p. xciii ; *ib.*, xxxii, p. lxxxviii.

marginatus, Waterhouse, Trans. Ent. S. Lond., 1877, p. 2.

Hab. Java, Batavia.

ADDITIONS.

OMOPHRON.—P. 6—

axillaris, Chaudoir, Rev. Mag. Zool., (2s.) xx, 1868, p. 59. Hab. Bengal.

guttatus, Chaudoir, *l.c.*, p. 62. Hab. Bengal.

interruptus, Chaudoir, *l.c.*, p. 62. Hab. Bengal.

levigatus, Gestro, Ann. Mus. Civ. Gen. (2s.) vi, 1888, p. 172. Hab. Burma.

porosus, Chaudoir, Rev. Mag. Zool., (2s.) xx, 1868, p. 61. Hab. Dekhan.

saigonensis, Chaudoir, *l.c.*, p. 57. Hab. Cochinchina, Saigon.

striaticeps, Gestro, Ann. Mus. Civ. Gen., (2s.) vi, 1888, p. 173. Hab. Burma.

P. 12—The reference to *Carabus indicus*, is Bull. Soc. Ent. Fr., (6s.) ix, 1889, p. xv.
Hab. Darjiling.

MOUHOTIA, p. 17.

Batesii, Lewis, Ent. Mon. Mag., xvi, 1879, p. 186 : Waterhouse, Aid, t. 125, f. 3.
Hab. Burma.

PSEUDOZAENA.—P. 32—

spissicornis, Fairmaire, Ann. Soc. Ent. Fr., (6s.) viii, 1888, p. 335. Hab. Laos.

PRISTONYCHUS.—P. 54—

alticola, Fairmaire, Ann. Soc. Ent. Fr., (6s.) ix, 1889, p. xvi.

Hab. Himalaya, Mt. Yeomitong (11,000—12,000 feet) [*Ind. Mus.*]

Add also :—

P. 96—*Broscus Davidianus*, Fairmaire, Ann. Soc. Ent. Belg., xxxii, 1888, p. 7. Hab.
Yunnan, Hongkong.

P. 97—*Chlaenius hemichlorus*, Fairmaire, *l.c.*, p. 8. Hab. Yunnan.

P. 44—*Stobeus colluoens*, Fairmaire, *l.c.*, p. 8. Hab. Yunnan.

P. 44—*Aurisma Delevayi*, Fairmaire, *l.c.*, p. 9. Hab. Yunnan.

P. 44—*Steropanus forticornis*, Fairmaire, *l.c.*, p. 10. Hab. Yunnan.

P. 44—*Omaseus stictopleurus* Fairmaire, *l.c.* p. 10. Hab. Yunnan.

P. 44—*Steropus scutinoides*, Fairmaire, *l.c.*, p. 10. Hab. Yunnan.

P. 44—*Steropus scuticollis*, Fairmaire, *l.c.*, p. 11. Hab. Yunnan.

P. 44—*Pterostichus haesitatus*, Fairmaire, *l.c.*, p. 11. Hab. Yunuan.

P. 44—*Abax tantillus*, Fairmaire, *l.c.*, p. 12. Hab. Yunnan.

P. 53—*Calathus strigipennis* Fairmaire, *l.c.*, p. 12. Hab. Yunnan.

P. 53—*Calathus nubilipennis*, Fairmaire, *l.c.*, p. 13. Hab. Yunnan.

P. 54—*Agonum dorsistriatum*, Fairmaire, *l.c.*, p. 13. Hab. Yunnan.

P. 56—*Dyscolus ovipennis*, Fairmaire, *l.c.*, p. 14. Hab. Yunnan.

P. 39—*Patrobus microphthalmus*, Fairmaire, *l.c.*, p. 14. Hab. Yunnan.

P. 50—*Amara orientalis*, Hope Traus. Ent. S. Lond. iv, 1845, p. 14. Hab. China.

P. 61—*Perigona Beccarii*, Putzeys = *fimicola*, Wollast.

P. 95—*Brachynus pictus*, add to references after '92', 't. 13, f. 1' : and at end [*Ind. Mus.*, Dchli].

P. 56—*Colpodes superlita*, Bates. Proc. Zool. S. Lond., 1888, p. 383, Kiukiang.

“ “ *melittus*, Bates, *l.c.*, 1889, p. 215. Goorais Valley.

“ “ *eulabes*, Bates, *l.c.*, p. 215. Goorais Valley.

P. 70—*Lebia coelestis*, Bates, *l.c.*, 1888, p. 380. Kiukiang.

“ “ *chrysomia*, Bates, *l.c.*, p. 382. Kiukiang.

“ “ *callata*, Bates, *l.c.*, p. 382. Kiukiang.

“ “ *xanthophana* Bates, *l.c.*, p. 382 ; *ib.*, 1889, p. 218. Kinkiang, Ichang.

- P. 70—*Lebia prattiana*, Bates, *l.c.*, 1889, p. 218. Ichang.
 " " *callitrema*, Bates, *l.c.* p. 219. Ichang.
 P. 97—*Chlaenius anchomenoides*, Bates, *l.c.*, p. 212. Goorais Valley.
 P. 111—*Harpalus kashmirensis*, Bates, *l.c.*, p. 213. Goorais Valley.
 " " *idiotus*, Bates, *l.c.*, p. 213. Goorais Valley.
 P. 53—*Pristodactyla lacerans*, Bates, *l.c.*, p. 214. Goorais Valley.
 " " *agonoides*, Bates, *l.c.*, p. 218 Ichang.
 P. 54—*Pristonychus kashmirensis*, Bates, *l.c.*, p. 214. Goorais Valley.
 P. 55—*Anchomenus mesostictus*, Bates, *l.c.*, p. 215. Goorais Valley.
 P. 10—*Carabus Thentei*, Thoms., var. *minor*, Bates, *l.c.*, p. 217. Ichang.
 " " *ichangensis*, Bates, *l.c.*, p. 217, ♂. Ichang.
 " " *protenes* Bates, *l.c.*, p. 217. Ichang.
 " " *kiukiangensis* Bates, *l.c.*, 1888, p. 381. Kiukiang.
 " " *dardiellus*, Bates, *l.c.*, 1889, p. 211. Goorais Valley, Kashmir.
 " " var. *granulisparsus*, Bates, *l.c.*.
 " " *barysomus*, Bates, *l.c.*, p. 210. Goorais Valley.
 P. 13—*Carabus (Coptolabrus) angustus*, Bates, Proc. Zool. S. Lond., 1888, p. 387.
 Kiukiang, Yangtse Valley.
 var. *igninitella*, Bates, *l.c.*
 " " *principalis*, Bates, *l.c.*, 1889, p. 216. Ichang, Yangtse Valley.
 " " " *pustulifer*, Lucas, var., Bates, *l.c.*, p. 217. Ichang.
 " " " *longipennis*, Chaudoir, Bates, *l.c.*, p. 217. Ichang.
 P. 16—*Nebria himalayica*, Bates, *l.c.*, p. 212. Goorais Valley.
 P. 34—*Bembidion braoculatum*, Bates, *l.c.*, p. 212. Goorais Valley.
 " " *dardum*, Bates, *l.c.*, p. 212. Goorais Valley.

CORRECTIONS.

- P. 26—for 'Neitnerii,' read 'Nietnerii.'
- P. 28—line 5 from top, for 'Gestro.' read 'Bates.'
- P. 30—line 19 from top, for 'metallicus,' read 'metallicus.'
- P. 34—for 'MOROIDIUS,' read 'MORIONIDIUS.'
- P. 42—for 'Comottoii,' read 'Comottii.'
- P. 65—for 'dimidiata, read 'dimidiata.'
- P. 72—line 22 from top, for 'Rhinotheila,' read 'Rhinocheila.'

INDEX GENERUM.

- | | | |
|-------------------------------|-----------------------------|-------------------------------|
| <i>Abacetus</i> , 46. | <i>Anomoderus</i> , 18. | <i>Blennidus</i> , 49. |
| <i>Abax</i> , 120. | <i>Anomoeus</i> , 83. | <i>Bonius</i> , 75. |
| <i>Abropus</i> , 56. | <i>Anomophaeenus</i> , 18. | <i>Bothriopterus</i> , 44. |
| <i>Acacus</i> , 97. | <i>Anoplogeuius</i> , 115 | <i>Bothynoptera</i> , 82. |
| <i>Acanthogenius</i> , 85. | <i>Anthia</i> , 87. | <i>Brachichila</i> , 76. |
| <i>Acephorus</i> , 22. | <i>Anthiini</i> , 87. | <i>Brachidius</i> , 89.] |
| <i>Acopiglabrus</i> , 10. | <i>Anthracus</i> , 114. | <i>Brachinus</i> , 96. |
| <i>Acrodou</i> , 50. | <i>Apocadera</i> , 63. | <i>Brachycetus</i> , 74. |
| <i>Actedium</i> , 34. | <i>Aploa</i> , 94. | <i>Brachynini</i> , 92. |
| <i>Actenomonus</i> , 92. | <i>Aplocentrus</i> , 118. | <i>Brachynnus</i> , 94, 120. |
| <i>Actephilus</i> , 111. | <i>Aplothorax</i> , 10. | <i>Brachyonychus</i> , 27. |
| <i>Acupalpus</i> , 113. | <i>Apolomini</i> , 96. | <i>Brachystylus</i> , 44, 49. |
| <i>Adelosia</i> , 44. | <i>Apotomopterus</i> , 10. | <i>Bradybaenus</i> , 110. |
| <i>Adelotopus</i> , 119. | <i>Apotomus</i> , 96. | <i>Bradycellus</i> , 115. |
| <i>Aello</i> , 44. | <i>Apristomorphus</i> , 76. | <i>Bradytus</i> , 50. |
| <i>Aephnidius</i> , 59. | <i>Apristus</i> , 75. | <i>Brennus</i> , 9. |
| <i>Aepsara</i> , 50. | <i>Aspecta</i> , 89. | <i>Broszini</i> , 96. |
| <i>Agastus</i> , 67. | <i>Apteromimus</i> , 34. | <i>Brososoma</i> , 97. |
| <i>Agonocheila</i> , 72. | <i>Apitus</i> , 95. | <i>Broscomorphus</i> , 20. |
| <i>Agonocyrthes</i> , 54. | <i>Arachnoidius</i> , 44. | <i>Broskus</i> , 96, 120. |
| <i>Agonodemus</i> , 14. | <i>Archicarabus</i> , 10. | <i>Bryobius</i> , 44. |
| <i>Agonothorax</i> , 54. | <i>Ardistomis</i> , 27. | |
| <i>Agonium</i> , 54, 120. | <i>Argutor</i> , 44, 46. | <i>Calamata</i> , 14. |
| <i>Aleptocerus</i> , 97. | <i>Argutoroidius</i> , 44. | <i>Calathominus</i> , 116. |
| <i>Allocota</i> , 71. | <i>Arrhostus</i> , 83. | <i>Calathus</i> , 53, 120. |
| <i>Alogocarabus</i> , 10. | <i>Artabas</i> , 111. | <i>Callieida</i> , 81. |
| <i>Alpaeus</i> , 16. | <i>Astygis</i> , 46. | <i>Callida</i> , 81. |
| <i>Amara</i> , 50, 120. | <i>Aulacocelius</i> , 49. | <i>Callipara</i> , 14. |
| <i>Amarocelia</i> , 50. | <i>Aulacopterum</i> , 14. | <i>Calliphæna</i> , 14. |
| <i>Amuthitis</i> , 50. | <i>Aurisma</i> , 120. | <i>Callisthenes</i> , 14. |
| <i>Amblychus</i> , 52. | <i>Autocarabus</i> , 10. | <i>Callistoides</i> , 97. |
| <i>Amblygenius</i> , 97. | <i>Axiocarabus</i> , 10. | <i>Callistomimus</i> , 107. |
| <i>Amblystomus</i> , 117. | | <i>Callistrata</i> , 14. |
| <i>Amblystus</i> , 111. | <i>Badister</i> , 52. | <i>Callistriga</i> , 14. |
| <i>Amerizus</i> , 34. | <i>Baudia</i> , 52. | <i>Callistus</i> , 107. |
| <i>Amphasia</i> , 118. | <i>Barymorphus</i> , 97. | <i>Callitropis</i> , 14.] |
| <i>Anatrichis</i> , 107 | <i>Barysomius</i> , 110. | <i>Catocarabus</i> , 10. |
| <i>Anavlacus</i> , 59. | <i>Baterus</i> , 55. | <i>Calodrepa</i> , 14. |
| <i>Anchista</i> , 83. | <i>Batoxcelis</i> , 43. | <i>Calodromus</i> , 110. |
| <i>Anchodenus</i> , 54. | <i>Belonognatha</i> , 72. | <i>Calopachys</i> , 14. |
| <i>Ancholeus</i> , 49. | <i>Bembicidium</i> , 34. | <i>Calosoma</i> , 14. |
| <i>Anchomenus</i> , 54. | <i>Bembidion</i> , 34. | <i>Calopterus</i> , 44. |
| <i>Anchonoderini</i> , 61. | <i>Bembidiouini</i> , 34. | <i>Camuragnathus</i> , 15. |
| <i>Anchus</i> , 55. | <i>Berus</i> , 83. | <i>Camedula</i> , 14. |
| <i>Ancus</i> , 26. | <i>Biderus</i> , 111. | <i>Camarina</i> , 14. |
| <i>Anisodactylides</i> , 110. | <i>Blaptonoma</i> , 14. | <i>Campa</i> , 34. |
| <i>Anisodactylus</i> , 118. | <i>Blechrus</i> , 75. | <i>Campalita</i> , 14. |
| <i>Anisotarsus</i> , 118. | <i>Blemus</i> , 40. | <i>Caphora</i> , 59. |

- CARABINI**, 10.
Carabosoma, 14.
Carabus, 10.
Carenostylus, 49.
Caricus, 113.
Casnoidea, 64.
Casnonia, 63.
Castrida, 14.
Catadromus, 44.
Cataeopus, 78.
Cathaicus, 10.
Cathoplius, 14.
Cechenochilus, 10.
Cekenes, 10.
Celenenephes, 84.
Celia, 50.
Ceneus, 44.
Cephalotes, 96.
Ceroglossus, 10, 106.
Chaetocarabus, 10.
Chaelomelas, 10.
Charmosta, 14.
Charopterus, 75.
Chedorus, 41.
Chlaeniini 48.
Chlaenites, 87.
Chlaenius, 97, 108, 109, 120.
Chlaenioidius, 49.
Chrysocarabus, 10.
Chrysostigma, 14.
Chlorodium, 34.
Glydaeus, 119.
Cillenus, 34.
Clibanarius, 55.
Clivins, 23.
Coeloprosopus, 80.
Coelostomus, 46.
Colpodes, 56.
Composolepis, 115.
Conicus, 111.
Cophosus, 44.
Coptodera, 72, 73.
Coptolabrus, 13.
Coptolobus, 19.
Coryza, 26.
Coscinia, 32.
Coscinini, 32.
Cosciniopterus, 44.
Cosmoplata, 14.
Craspedonotus, 97.
Craspedophorus, 27, 29.
Cratocephalus, 10.
Cratocerides, 110.
Cratocerini, 89.
- Creagris*, 85.
Crepidogaster, 95.
Crepidostoma, 96.
Crossoglossa, 82.
Crossonychus, 75.
Cryobius, 44.
Cryptocephalomorpha, 119.
Cryptotrichus, 54.
Cryptoxenus, 54.
Ctenipes, 54.
Ctenocarabus, 10.
Ctenosta, 14.
Curtonotus, 50.
Cychrini, 9.
Cyphrocephalus, 14.
Cyhrus, 9.
Cyclomus, 49.
Cyclosomus, 68.
Cymbionotum, 32.
Cymindis, 83.
Cymindoidea, 83.
Cyphosoma, 78.
Cyrtotomus, 50.
Cyrtopterus, 73.
Dacca, 22.
Damaster, 13.
Dendrocellus, 65.
Derus, 49.
Desera, 65.
Diaphoropsophus, 97.
Dicaelindus, 46.
Diceromerus, 51.
Dicheirus, 118.
Dichirotrichus, 116.
Dicranoncus, 56.
Dicraspeda, 64.
Dictya, 69.
Didetus, 84.
Dilobochilus, 97.
Dinodes, 97.
Dioryche, 116.
Diplocheila, 51.
Dirotus, 52.
Dischissus, 29.
Disphaericus, 43.
Distichus, 19.
Distrigodes, 46, 48.
Distrigus, 46.
Ditomides, 110.
Dolichocerus, 73.
Dolichodes, 55.
Drimostoma, 51.
Dromius, 68, 73, 75.
- Dromoceryx*, 75.
Drypta, 65.
Dryptini, 65.
Dryschiridium, 43.
Dyschirius, 22.
Dyscolus, 56, 120.
Dysidius, 44.
- Eccoptogenius*, 52.
Echimuthus, 70.
Egadroma, 114.
Elaphrini, 16.
Elaphropus, 36.
Elaphrus, 16.
Eliotia, 84.
Emphunes, 34.
ENCELADINI, 17.
Endosomatium, 34.
Endynomena, 82.
Epicosmus, 27, 30.
Epomis, 93.
Epactius, 9.
Epaphius, 40.
Erpeinus, 111.
Eucarabus, 10.
Eudemus, 27, 28, 30.
Eudromus, 34.
Euleptus, 53.
Eupachys, 10.
Eupalamus, 23.
Euplynes, 71.
Europhilus, 55.
Eurycarabus, 10.
Eurydactylus, 98.
Eurytrachelus, 34.
Eurytrichus, 118.
Euschizomerus, 30.
Eustra, 32.
Eutelocarabus, 10.
Eutelodontum, 14.
- Feanus*, 53.
Feronia, 109.
Feronides, 41.
- Galerita*, 66.
Glyptoderus, 98.
Glyptomorphus, 20.
Glyptopterus, 44.
Gnathaphanus, 113.
Goniagnathus, 10.
Goniocarabus, 10.
Gonoderus, 44.
Gonogenia, 87.
Graniger, 33.

- Gynandromorphus*, 118.
Gynandrotarsus, 118.
- Hadrocarabus*, 10.
Haplocoelus, 44.
Haplogaster, 18.
Haplопisthus, 89.
Haptoderus, 44.
Harpalides, 110.
Harpalidium, 111.
Harpalini, 110.
Harpalinae bisetosae, 27.
Harpalinae unisetosae, 92.
Harpalites, 20.
Harpalodes, 111.
Harpalus, 33, 111.
Harpoglossus, 106.
Helobia, 16.
Helluodes, 88.
HELLUONINI, 85.
Hemicarabus, 11.
Heteroglossa, 86.
Hexachaetus, 91.
Hexagouia, 62.
Hexagouini, 62.
Hiletui, 15.
Hiletus, 15.
Hispalis, 117.
Holococculus, 109.
Holcoderus, 78.
Holconotus, 49.
Hololeius, 106.
Hololius, 106.
Holoscelis, 17.
Holosus, 111.
Homalops, 70.
Homolachnus, 98.
Homophron, 9.
Hoplognathus, 32.
Hydrium, 34.
Hygrocarabus, 11.
Hyphaeon, 119.
Hypharpax, 119.
Hyperpes, 44.
Hypolithus, 111.
Hypsinephus, 111.
- Idiomorphus*, 43.
Iniopaehtys, 11.
Irichrous, 9.
Iridessus, 113.
Ischnocarabus, 11.
Isopleurus, 50.
Isotarsus, 27, 28, 29, 30.
Itamus, 32.
- Laelinocrepis*, 109.
Lachnoderma, 72.
Lachnothorax, 63.
Laemostenus, 54.
Laemosthenes, 54.
Lagarus, 46.
Lamprinus, 70.
Lomprocaraibus, 11.
Lamprophonus, 119.
Lamprontus, 11.
Lasiocera, 61.
Lebia, 70.
Lebida, 70.
Lebiides, 68.
Lebiini, 68.
Lebistina, 70.
Lebius, 75.
Leiocnemis, 50.
Leirus, 50.
Leistus, 16.
Leja, 34.
Lepithrix, 115.
Leptocarabus, 11.
Leptodactyla, 77.
Lestiens, 41.
Lianoe, 44.
LICININI, 51.
Limodromus, 55.
Limnocarabus, 11.
Liocellus, 115.
Liocnemis, 50.
Liognaptus, 110.
Lioneda, 70.
Lionychus, 69, 76.
Lioptera, 73.
Lipaster, 11.
Lissaucheni, 9^a.
Lonchosternus, 108.
Lopha, 34.
Lorostemma, 29.
Lorostema, 29.
Loxocrepis, 56, 57.
Loxoncus, 115.
Luperca, 17.
Lymnaeum, 34.
Lymnastis, 36.
Lyperopherus, 44.
Lycrosomus, 44.
Lyperus, 44.
Lyropedius, 44.
Lyrothorax, 44.
Macracaanthus, 59.
Macrocheilus, 85.
Macrochilus, 85.
- Macrogenus*, 11.
Macrothorax, 11, 13.
Malisus, 83.
Manicellus, 114.
Maraga, 89.
Masoreus, 59, 60.
Mastax, 96.
Mastus, 83.
Megaristerus, 117.
Megodontus, 11.
Megramnus, 114.
Meladroma, 85.
Melancarabus, 11.
Melanius, 44.
Melanodes, 109.
Menas, 83.
Menera, 56.
Mesocarabus, 11.
Metnbletus, 75.
Metallina, 34.
Metallasomus, 57.
Microcosmus, 29.
Microlestes, 75.
Microlestia, 87.
Mimocarabus, 11.
Miseclus, 77.
Mnuphorus, 69.
Mochtherus, 73.
Molops, 60.
Morio, 33.
Morioidius, 34.
MORIONINI, 33.
Mormolyce, 67.
Mormolycini, 67.
Morphocarabus, 11.
Mouhotia, 17, 120.
Myosodus, 44.
- Nebria*, 16.
NEBRINI, 16.
Neja, 34.
Nematopeza, 70.
Neoplectes, 11.
Nepha, 35.
Nestra, 61.
NOMIINI, 32.
Notaphus, 35.
Notiophilus, 16.
- Ocybatus*, 98.
Ocydromus, 35, 98.
Ochthedromus, 35.
Ochthephilus, 62.
Oeys, 35.
Oducanthini, 63.

- | | | |
|--------------------------------|------------------------------|--------------------------------|
| <i>Odontium</i> , 35. | <i>Pemphus</i> , 9. | <i>Pristomachaerus</i> , 107. |
| <i>Odontonyx</i> , 53. | <i>Pentagonica</i> , 84. | <i>Pristonychus</i> , 54, 120. |
| <i>Omala</i> , 35. | <i>Penthimus</i> , 106. | <i>Pristosia</i> , 53. |
| <i>Omalomorpha</i> , 70. | <i>Percosia</i> , 50. | <i>Procerus</i> , 11. |
| <i>Omalotrichus</i> , 98. | <i>Pericalides</i> , 68. | <i>Procrustes</i> , 11. |
| <i>Omaseus</i> , 40, 44, 120. | <i>Pericallus</i> , 80. | <i>Procrusticus</i> , 11. |
| <i>Omioslus</i> , 57. | <i>Pericalus</i> , 80. | <i>Promecoptera</i> , 55. |
| <i>Omophron</i> 9, 120. | <i>Perigona</i> , 60-120. | <i>Psommastus</i> , 83. |
| <i>Omophronini</i> , 9. | <i>Perileptus</i> , 62. | <i>Pseudocryobius</i> , 45. |
| <i>Omplira</i> , 87. | <i>Peripristus</i> , 77. | <i>Pseudocupis</i> , 96. |
| <i>Onycholabis</i> , 53. | <i>Peronomerus</i> , 30. | <i>Pseudoderus</i> , 45. |
| <i>Oodes</i> , 107, 103, 109. | <i>Peronuscelis</i> , 68. | <i>Pseudohelluo</i> , 86. |
| <i>Oodini</i> , 107. | <i>Peryphus</i> , 35. | <i>PSEUDOMORPHINI</i> , 119. |
| <i>Oodinus</i> , 107. | <i>Petrophilus</i> , 44. | <i>Pseudocephonus</i> , 111. |
| <i>Ooistus</i> , 111. | <i>Phaginus</i> , 111. | <i>Pseudodopidius</i> , 45. |
| <i>Oosoma</i> , 110. | <i>Pheropsophus</i> , 92. | <i>Pseudophilothrus</i> , 35. |
| <i>Ophionea</i> , 63, 64. | <i>Phila</i> , 35. | <i>Pseudosteropus</i> , 45. |
| <i>Ophryodactylus</i> , 57. | <i>Philochthus</i> , 35. | <i>Pseudotribax</i> , 11. |
| <i>Opisthius</i> , 16. | <i>Philodes</i> , 114. | <i>Pseudozaena</i> , 32, 120. |
| <i>Oreinocarabus</i> , 11. | <i>Phitorhizus</i> , 75. | <i>Psilus</i> , 27. |
| <i>Oreocarabus</i> , 11. | <i>Philoteinus</i> , 83. | <i>Psychobius</i> , 45, |
| <i>Oreophilus</i> , 44. | <i>Phoniás</i> , 44. | <i>PTEROSTICHINI</i> , 40, 43. |
| <i>Orthogonini</i> , 89. | <i>Phreoryctes</i> , 22. | <i>Pterostichus</i> , 44, 120. |
| <i>Orthogonius</i> , 89. | <i>Physocrotaphini</i> , 88. | |
| <i>Orthomus</i> , 44. | <i>Physocrotaphus</i> , 88. | <i>Rathymus</i> , 45. |
| <i>Oxycentrus</i> , 116. | <i>Physodera</i> , 71. | <i>Reicheia</i> , 22. |
| <i>Oxygnathus</i> , 22. | <i>Picrus</i> , 32. | <i>Rembus</i> , 51. |
| <i>Oxylobus</i> , 18. | <i>Pimelio</i> , 28. | <i>Rhabdotocarabus</i> , 11. |
| <i>Oxypselaphus</i> , 55 | <i>Pirantillus</i> , 59. | <i>Rhadine</i> , 55. |
| <i>Ozaeno</i> , 32. | <i>Plagiorhysis</i> , 63. | <i>Rhagadus</i> , 45. |
| <i>Ozaenini</i> , 32. | <i>Planetes</i> , 86. | <i>Rhathymus</i> , 45. |
| <i>Pachycranion</i> , 11. | <i>Plataphus</i> , 35. | <i>Rhembus</i> , 51. |
| <i>Pachycranius</i> , 11. | <i>Plotus</i> , 111. | <i>Rhinocheila</i> , 72. |
| <i>Pachymorpha</i> , 87. | <i>Platycrus</i> , 11. | <i>Rhombodera</i> , 84. |
| <i>Pachystus</i> , 11. | <i>Platymetopus</i> , 116. | <i>Rhopalistes</i> , 106. |
| <i>Pachytrachelus</i> , 43. | <i>Platynus</i> , 54. | <i>Rhopalopalpus</i> , 106. |
| <i>Pogocarabus</i> , 11. | <i>Platynini</i> , 53. | <i>Rhysotrachelus</i> , 98. |
| <i>Panagaeini</i> , 27. | <i>Platynomerus</i> , 54. | <i>Rhytiderus</i> , 55. |
| <i>Panagaeus</i> , 27, 28, 29. | <i>Platypterus</i> , 45. | |
| <i>Pangus</i> , 111. | <i>Platsysma</i> , 45. | <i>Sagraemerus</i> , 119. |
| <i>Pontophytus</i> , 11. | <i>Platytarus</i> , 84. | <i>Scalidion</i> , 72. |
| <i>Parallelomorphus</i> , 20. | <i>Plectes</i> , 11. | <i>Scallophorites</i> , 20. |
| <i>Paramecomorphus</i> , 20. | <i>Pledarus</i> , 45. | <i>Scaphiodactylus</i> , 57, |
| <i>Poranomus</i> , 57. | <i>Pleurosoma</i> , 57. | <i>Scaphonotus</i> , 9. |
| <i>Porapedius</i> , 44. | <i>Plochionus</i> , 82. | <i>Scapterus</i> , 21. |
| <i>Paraphaea</i> , 83. | <i>Poeciloistus</i> , 98. | <i>Scarites</i> , 19, 20. |
| <i>Paroplesius</i> , 11. | <i>Poecilus</i> , 49, 109. | <i>Scaritini</i> , 17. |
| <i>Parena</i> , 72. | <i>Pogonini</i> , 39. | <i>Scaritoderus</i> , 18. |
| <i>Patellus</i> , 109. | <i>Pogonoglossus</i> , 88. | <i>Scolytus</i> , 9. |
| <i>Patrobus</i> , 39, 120. | <i>Pogonophorus</i> , 16 | <i>Selina</i> , 62. |
| <i>Pediuss</i> , 44. | <i>Pogonus</i> , 39. | <i>Sclenidio</i> , 45. |
| <i>Peliocypas</i> , 74. | <i>Polyderis</i> , 36. | <i>Serrimargo</i> , 77. |
| <i>Pelor</i> , 110. | <i>Polysitus</i> , 110. | <i>Siagona</i> , 31. |
| <i>Pelorosomus</i> , 110. | <i>Principidium</i> , 35. | <i>Siagonini</i> , 31. |
| | <i>Pristodactyla</i> , 53. | <i>Simous</i> , 109. |

<i>Sinechostictus</i> , 35.	<i>Tachycellus</i> , 116.	<i>Tribax</i> , 12.
<i>Sinurus</i> , 77.	<i>Tachylopha</i> , 36.	<i>Trichisia</i> , 30.
<i>Siopelus</i> , 118.	<i>Tachymenis</i> , 86.	<i>Trichocheilaenius</i> , 98.
<i>Sogmes</i> , 49.	<i>Tachynotus</i> , 36.	<i>Trichothorax</i> , 84.
<i>Spanus</i> , 43.	<i>Tachypus</i> , 34.	<i>Trigonodactyla</i> , 62.
<i>Sparostes</i> , 22.	<i>Tachys</i> , 36.	<i>Trigonognatha</i> , 42.
<i>Spathinus</i> , 120.	<i>Tachyura</i> , 36.	<i>Trigonomina</i> , 43.
<i>Spelacodytes</i> , 22.	<i>Taeniolobus</i> , 19, 20.	<i>Trigonocephalus</i> , 81.
<i>Sphodristocarabus</i> , 11.	<i>Talanes</i> , 35.	<i>Trigonotoma</i> , 40, 42.
<i>Sphodristus</i> , 11.	<i>Tantillus</i> , 76.	<i>Trigonotomides</i> , 40.
<i>Sphodrus</i> , 53.	<i>Taridium</i> , 84.	<i>Trigouotomina</i> , 40.
<i>Spongipous</i> , 118.	<i>Tanystola</i> , 55.	<i>Trimorphus</i> , 52.
<i>Stelcodera</i> , 62.	<i>Tarsostinus</i> , 83.	<i>Triplectrus</i> , 118.
<i>Stenocnemus</i> , 57.	<i>Tarus</i> , 83.	<i>Triplogenius</i> , 40.
<i>Stenocrepis</i> , 108.	<i>Testidium</i> , 35.	<i>Trirammatius</i> , 49.
<i>Stenolophus</i> , 113.	<i>Tetragonica</i> , 76.	<i>Tropidocerus</i> , 50.
<i>Stenus</i> , 108.	<i>Tetragonoderini</i> , 68.	<i>Trychina</i> , 33.
<i>Stephana</i> , 71.	<i>Tetragonoderus</i> , 68.	<i>Vertagus</i> , 98.
<i>Steropanus</i> , 120.	<i>Thalassophilus</i> , 40.	<i>Wokefieldia</i> , 84.
<i>Steropus</i> , 45, 120.	<i>Thermophila</i> , 87.	<i>Xenothorax</i> , 84.
<i>Stigmatorcrus</i> , 20.	<i>Thlibops</i> , 22.	<i>Xestonotus</i> , 118.
<i>Stobeus</i> , 120.	<i>Thyreopterus</i> , 77.	<i>Zabriini</i> , 109.
<i>Stomides</i> , 40.	<i>Thyrcopterus</i> , 73, 77.	<i>Zabrus</i> , 110.
<i>Stomouaxus</i> , 51.	<i>Thysanotus</i> , 77.	<i>Zophium</i> , 67.
<i>Strigia</i> , 45.	<i>Tilius</i> , 69.	<i>Zuphium</i> , 67.
<i>Styphlomerus</i> , 95.	<i>Tomochilus</i> , 98.	
<i>Styphromerus</i> , 95.	<i>Trachycarabus</i> , 12.	
<i>Symphyus</i> , 51.	<i>Trechus</i> , 40.	
<i>Systenognathus</i> , 43.	<i>Trepanes</i> , 35.	
<i>Systolocranius</i> , 108.	<i>Triaena</i> , 50.	